Author Index to Volume 76

References with (A) are to abstracts of papers presented at meetings of the American Physical Society, and those with (T) designate title only. References with (L) are to Letters to the Editor.

Aamodt, L. C. (see Townes, C. H.)—691(L)
Abraham, B. M., B. Weinstock, and D. W. Osborne. Lambda-temperatures of He^3-He^4 mixtures—864(L)
Achter, M. R. and R. Smoluchowski. Grain boundary diffusion 470(A)
Adair, R. K. (see Barschall, H. H.)—1146
—— (see Bockelman, C. K.)—277
——, **H. H. Barschall, C. K. Bockelman, R. L. Henkel, and R. E. Peterson.** Evidence for broad nuclear energy levels in lead—463(A)
——, **C. K. Bockelman, and R. E. Peterson.** Experimental corroboration of the theory of neutron resonance scattering —308(L)
Adams, Mac C. Shock waves in inhomogeneous flow—877(A)
Adams, Norman I., Jr. (see Page, Leigh)—381
Addario, Margherita and Sara Tamburino. Frequency of stars of different sizes produced by the cosmic radiation in photographic plates exposed at 29,000 meters—983(L)
Adel, Arthur. Observation of non-Rayleigh scattering of the infra-red solar spectrum by the earth's atmosphere—446(L)
Aiken, Howard. Uses of computing machines—452(T)
Alburger, David E. Gamma-radiation from Na^{22} and Co^{60}—435(L)
Alers, P. B. (see Love, W. F.)—305(L)
Alger, R. S. (see von Hippel, A.)—127
Allen, A. J., J. F. Nechaj, K. H. Sun, and B. Jennings. Fast neutrons from bombardment with the cyclotron particles —463(A)
——, **J. F. Nechaj, K. H. Sun, and B. Jennings.** Neutron yield from 15-Mev deuterons—188(A)
Allen, K. W. (see Dewan, J. T.)—181(A)
Allis, William P. Error in a paper by Landau on Coulomb interactions in a plasma—146(L)
Allred, J. C. (see Stovall, E. J., Jr.)—589(A)
——, **K. W. Erickson, J. L. Fowler, and E. J. Stovall, Jr.** Angular distribution of 10.8-Mev deuterons scattered by deuterons—1430
Alpert, D. (see Holstein, T.)—1259(L)
—— (see Krasik, S.)—722
——, **A. O. McCoubrey, and T. Holstein.** Imprisonment of resonance radiation in mercury vapor—1257(L)
——, **A. O. McCoubrey, and T. Holstein.** Measurements on the imprisonment of resonance radiation in mercury vapor —457(A)
Altar, W. and M. Garbuny. Absolute speed gauge for high voltage particles—496
Alvarez, Luis W. Nitrogen 12—183(A)
—— Recent experimental work at the Berkeley Radiation Laboratory—161(T)
Ammiraju, P. Angular distribution of neutrons from targets bombarded by 18-Mev deuterons—1421(L)
Anderson, Carl D. (see Leighton, Robert B.)—159(L)
Anderson, Donald A. Magnetic moment of B^{11}—434(L)
Anderson, Herbert L. Precise measurement of the gyromagnetic ratio of He^3—1460
Anderson, P. W. On the limits of validity of the Van Vleck-Weisskopf line shape formula—471(A)
—— Pressure broadening in the microwave and infra-red regions—647
Anderson, Paul A. Work function of copper—388
Anderson, W. E. and E. F. Barker. Infra-red absorption spectrum of diborane—177(A)
Andrews, D. H., R. D. Fowler, and M. C. Williams. Effect of alpha-particles on a superconductor—154(L)
Angus, J. (see Curran, S. C.)—853(L)
Apker, L., E. Taft, and J. Dickey. Photoelectric studies on the energy structure of barium oxide—453(T)
——, **E. Taft, and J. Dickey.** Some semimetallic characteristics of the photoelectric emission from As, Sb, and Bi—270
Araki, Gentaro. Erratum: on the difficulty of the meson theory of nuclear forces—437(L)
Arfken, G. B. (see Breit, G.)—1299
—— (see Brown, G. E.)—1305
Argo, H. V. (see Jarvis, G. A.)—168(A)
—— (see Taschek, R. F.)—325
——, **H. T. Gittings, A. Hemmendinger, G. A. Jarvis, H. Mayer, and R. F. Taschek.** Observation of 20-Mev gamma-rays from the $T^3(p,\gamma)He^4$ reaction—182(A)
Armistead, F. C., J. C. Pennock, and L. W. Mead. Conductivity changes in dielectrics during 2.5-Mev x-radiation—860(L)
Arons, A. B. and D. R. Yennie. Oblique reflection of low amplitude, exponential shock waves from the sea bed—172(A)
Arroe, O. H. (see Mack, J. E.)—173(A), 1002(L)
—— **and J. E. Mack.** Hollow cathode-tube design for spectroscopic hyperfine structure studies with small samples—173(A)
—— **and J. E. Mack.** Nuclear spin 5/2 for $_{40}Zr^{91}$—873(L)
Ashkin, J. and R. E. Marshak. Bremsstrahlung in high energy nucleon-nucleon collisions—58——Erratum—989(L)
Auluck, F. C. (see Kothari, D. S.)—433(L)
Axel, P. and S. M. Dancoff. Classification of nuclear isomers —892

Badger, Richard M. (see Wilson, M. Kent)—472(A)
Baker, C. P. (see Corson, D. R.)—162(A)
Baldwin, G. C. X-ray yield curves for $(\gamma,2n)$ and (γ,p) reactions—182(A)
Baldwin, H. W. (see Simpson, J. A., Jr.)—165(A)
Ballweg, L. H. (see Emmerich, W. S.)—1891(A)
Band, William. Anomalous adsorption of helium at liquid helium temperatures—441(L)
—— Non-equilibrium phenomena in a Bose-Einstein gas. I. Transmission of second sound—558
—— **and Lothar Meyer.** Non-equilibrium state in helium II —417
Barbour, Ian. Magnetic deflection of cosmic-ray mesons using nuclear plates—320(L)
—— Magnetic deflection of mesons in photographic plates—170(A)
Bardeen, J. Diffusion in binary alloys—1403
Barkas, W. H. (see Bradner, H.)—587(A)
Barker, E. F. (see Anderson, W. E.)—177(A)
Barker, P. H. Variation of meson intensity with height—141(L)
Barnett, S. J. and Louis A. Giamboni. New gyromagnetic effect—1542(L)
Barnothy, J. Comment on the nuclear capture of negative mesons—303(L)
Barschall, H. H. (see Adair, R. K.)—463(A)
—— (see Bockelman, C. K.)—277
——, **C. K. Bockelman, R. E. Peterson, and R. K. Adair.** Investigation of nuclear energy levels in lead—1146
Bartholomew, G. A. (see Clarke, R. L.)—146(L)
Bartlett, James H. Helium wave equation—460(A)
Bass, Arnold M. and H. Sponer. Fluorescence studies on some mono-substituted benzenes in the near ultraviolet—177(A)
Bassi, P., E. Clementel, I. Filosofo, and G. Puppi. On positive excess of meson component near sea level—854(L)

Author Index to Volume 76

References with (A) are to abstracts of papers presented at meetings of the American Physical Society, and those with (T) designate title only. References with (L) are to Letters to the Editor.

Aamodt, L. C. (see Townes, C. H.)—691(L)
Abraham, B. M., B. Weinstock, and D. W. Osborne. Lambda-temperatures of He^3-He^4 mixtures—864(L)
Achter, M. R. and R. Smoluchowski. Grain boundary diffusion 470(A)
Adair, R. K. (see Barschall, H. H.)—1146
—— (see Bockelman, C. K.)—277
——, **H. H. Barschall, C. K. Bockelman, R. L. Henkel, and R. E. Peterson.** Evidence for broad nuclear energy levels in lead—463(A)
——, **C. K. Bockelman, and R. E. Peterson.** Experimental corroboration of the theory of neutron resonance scattering —308(L)
Adams, Mac C. Shock waves in inhomogeneous flow—877(A)
Adams, Norman I., Jr. (see Page, Leigh)—381
Addario, Margherita and Sara Tamburino. Frequency of stars of different sizes produced by the cosmic radiation in photographic plates exposed at 29,000 meters—983(L)
Adel, Arthur. Observation of non-Rayleigh scattering of the infra-red solar spectrum by the earth's atmosphere—446(L)
Aiken, Howard. Uses of computing machines—452(T)
Alburger, David E. Gamma-radiation from Na^{22} and Co^{60}—435(L)
Alers, P. B. (see Love, W. F.)—305(L)
Alger, R. S. (see von Hippel, A.)—127
Allen, A. J., J. F. Nechaj, K. H. Sun, and B. Jennings. Fast neutrons from bombardment with the cyclotron particles —463(A)
——, **J. F. Nechaj, K. H. Sun, and B. Jennings.** Neutron yield from 15-Mev deuterons—188(A)
Allen, K. W. (see Dewan, J. T.)—181(A)
Allis, William P. Error in a paper by Landau on Coulomb interactions in a plasma—146(L)
Allred, J. C. (see Stovall, E. J., Jr.)—589(A)
——, **K. W. Erickson, J. L. Fowler, and E. J. Stovall, Jr.** Angular distribution of 10.8-Mev deuterons scattered by deuterons—1430
Alpert, D. (see Holstein, T.)—1259(L)
—— (see Krasik, S.)—722
——, **A. O. McCoubrey, and T. Holstein.** Imprisonment of resonance radiation in mercury vapor—1257(L)
——, **A. O. McCoubrey, and T. Holstein.** Measurements on the imprisonment of resonance radiation in mercury vapor —457(A)
Altar, W. and M. Garbuny. Absolute speed gauge for high voltage particles—496
Alvarez, Luis W. Nitrogen 12—183(A)
—— Recent experimental work at the Berkeley Radiation Laboratory—161(T)
Ammiraju, P. Angular distribution of neutrons from targets bombarded by 18-Mev deuterons—1421(L)
Anderson, Carl D. (see Leighton, Robert B.)—159(L)
Anderson, Donald A. Magnetic moment of B^{11}—434(L)
Anderson, Herbert L. Precise measurement of the gyromagnetic ratio of He^3—1460
Anderson, P. W. On the limits of validity of the Van Vleck-Weisskopf line shape formula—471(A)
—— Pressure broadening in the microwave and infra-red regions—647
Anderson, Paul A. Work function of copper—388
Anderson, W. E. and E. F. Barker. Infra-red absorption spectrum of diborane—177(A)
Andrews, D. H., R. D. Fowler, and M. C. Williams. Effect of alpha-particles on a superconductor—154(L)
Angus, J. (see Curran, S. C.)—853(L)
Apker, L., E. Taft, and J. Dickey. Photoelectric studies on the energy structure of barium oxide—453(T)
——, **E. Taft, and J. Dickey.** Some semimetallic characteristics of the photoelectric emission from As, Sb, and Bi—270
Araki, Gentaro. Erratum: on the difficulty of the meson theory of nuclear forces—437(L)
Arfken, G. B. (see Breit, G.)—1299
—— (see Brown, G. E.)—1305
Argo, H. V. (see Jarvis, G. A.)—168(A)
—— (see Taschek, R. F.)—325
——, **H. T. Gittings, A. Hemmendinger, G. A. Jarvis, H. Mayer, and R. F. Taschek.** Observation of 20-Mev gamma-rays from the $T^3(p,\gamma)He^4$ reaction—182(A)
Armistead, F. C., J. C. Pennock, and L. W. Mead. Conductivity changes in dielectrics during 2.5-Mev x-radiation—860(L)
Arons, A. B. and D. R. Yennie. Oblique reflection of low amplitude, exponential shock waves from the sea bed—172(A)
Arroe, O. H. (see Mack, J. E.)—173(A), 1002(L)
—— **and J. E. Mack.** Hollow cathode-tube design for spectroscopic hyperfine structure studies with small samples—173(A)
—— **and J. E. Mack.** Nuclear spin 5/2 for $_{40}Zr^{91}$—873(L)
Ashkin, J. and R. E. Marshak. Bremsstrahlung in high energy nucleon-nucleon collisions—58——Erratum—989(L)
Auluck, F. C. (see Kothari, D. S.)—433(L)
Axel, P. and S. M. Dancoff. Classification of nuclear isomers —892

Badger, Richard M. (see Wilson, M. Kent)—472(A)
Baker, C. P. (see Corson, D. R.)—162(A)
Baldwin, G. C. X-ray yield curves for $(\gamma,2n)$ and (γ,p) reactions—182(A)
Baldwin, H. W. (see Simpson, J. A., Jr.)—165(A)
Ballweg, L. H. (see Emmerich, W. S.)—1891(A)
Band, William. Anomalous adsorption of helium at liquid helium temperatures—441(L)
—— Non-equilibrium phenomena in a Bose-Einstein gas. I. Transmission of second sound—558
—— **and Lothar Meyer.** Non-equilibrium state in helium II —417
Barbour, Ian. Magnetic deflection of cosmic-ray mesons using nuclear plates—320(L)
—— Magnetic deflection of mesons in photographic plates—170(A)
Bardeen, J. Diffusion in binary alloys—1403
Barkas, W. H. (see Bradner, H.)—587(A)
Barker, E. F. (see Anderson, W. E.)—177(A)
Barker, P. H. Variation of meson intensity with height—141(L)
Barnett, S. J. and Louis A. Giamboni. New gyromagnetic effect—1542(L)
Barnothy, J. Comment on the nuclear capture of negative mesons—303(L)
Barschall, H. H. (see Adair, R. K.)—463(A)
—— (see Bockelman, C. K.)—277
——, **C. K. Bockelman, R. E. Peterson, and R. K. Adair.** Investigation of nuclear energy levels in lead—1146
Bartholomew, G. A. (see Clarke, R. L.)—146(L)
Bartlett, James H. Helium wave equation—460(A)
Bass, Arnold M. and H. Sponer. Fluorescence studies on some mono-substituted benzenes in the near ultraviolet—177(A)
Bassi, P., E. Clementel, I. Filosofo, and G. Puppi. On positive excess of meson component near sea level—854(L)

Batchelor, G. K. Nature of turbulent motion at large wave numbers—875(T)
Beach, Louis A., Charles L. Peacock, and Roger G. Wilkinson. Radiation spectra of barium[140] and lanthanum[140]—1624
——, **Charles L. Peacock, and Roger G. Wilkinson.** Radiations of Re^{186} and Re^{188}—187(A)
——, **Charles L. Peacock, and Roger G. Wilkinson.** Radiations of tantalum[182], rhenium[186, 188], and gold[199]—1585
Beams, J. W. High speed rotors—195(T)
Becker, G. E. and D. A. Caswell. Operation of a linear electron accelerator—587(A)
Becker, M. and H. Y. Fan. Optical properties of semiconductors. II. Infra-red transmission of germanium—1530(L)
—— **and H. Y. Fan.** Optical properties of semiconductors. III. Infra-red transmission of silicon—1531(L)
Becker, R. A. and F. S. Kirn. Radioactive sources of high specific activity produced with a betatron—182(A)
——, **F. S. Kirn, and W. L. Buck.** Betatron-produced sources of high specific activity: copper 62—1406(L)
Beeman, W. W. (see Dexter, David L.)—1782
—— (see Hanson, Harold)—118
Belinfante, Frederik J. Brownian motion in liquids—473(A)
—— Interaction representation for mesons—191(A)
—— Interaction representation of the Proca field—66
—— On the part played by scalar and longitudinal photons in ordinary electromagnetic fields—226
—— Positon theory—461(A)
Bell, E. E. (see Rhodes, K. B.)—1273(L)
Bell, P. R. and J. M. Cassidy. Beta-spectrum of Be^{10}—183(A)
——, **B. H. Ketelle, and J. M. Cassidy.** Beta-decay of In^{115*}—574(L)
Bell, R. E. (see Elliott, L. G.)—168(A)
—— **and H. E. Petch.** Upper limit for the lifetime of the 411-kev excited state of Hg^{198}—1409(L)
Benade, A. H. and R. D. Sard. Time distribution of decay electrons from mesons stopped in magnesium at 3500 meter altitude—488
Bender, R. S., F. C. Shoemaker, S. G. Kaufmann, and G. M. B. Bouricius. Resonance scattering of protons by aluminum —273
Bendt, P. J. and I. W. Ruderman. Determination of the phase of scattering of neutrons and of incoherent residual scattering cross sections—463(A)
Bene, G. J., P. M. Denis, and R. C. Extermann. Electric quadrupole moments of nuclei—1255(L)
Benesch, William M. Atmospheric ozone temperatures as determined by spectroscopic observations from below—863(L)
Benfield, A. E. Temperature distribution in an accreting medium containing a source of heat—456(A)
Bennett, F. D. and W. C. Carter. Interferometric analysis of flow around small caliber projectiles—880(A)
Benoist, P., R. Bouchez, P. Daudel, R. Daudel, and A. Rogozinski. Decay probability of Be^7 as a function of the ionization of the atom—1000(L)
Benson, James M. (see Williams, Thomas W.)—456(A)
Benzer, S. Hall effect in metal-semiconductor point contacts —150(L)
Bergdolt, V. E., A. J. Greenwald, and D. B. Sleator. Pressurized range for small caliber projectiles in free flight—879(A)
Bergman, Stefan. On flows of a compressible fluid—876(A)
Bergmann, Peter G. and Johanna H. M. Brunings. Covariant field theories—191(A)
Bergström, Ingmar (see Thulin, Sigvard)—871(L)
—— **and Sigvard Thulin.** Internal conversion coefficient and mass assignment of the 57-min. Se isomer—1718(L)
—— **and Sigvard Thulin.** Mass assignment of the 43-minute Hg isomer—313(L)
Beringer, Robert and J. G. Castle, Jr. Microwave magnetic resonance absorption in nitric oxide—868(L)
Berman, R. Thermal conductivity of glasses at low temperatures—315(L)
Bernardini, G., G. Cortini, and A. Manfredini. On the nuclear evaporation in cosmic rays and the absorption of the nucleonic component. I—1792
Bershader, D. Momentum thickness development in a turbulent boundary layer at $M=1.7$—171(A)
—— **and G. P. Wachtell.** Boundary layer optics in two-dimensional gas flow interferometry—880(A)
Best, George. Emittances of copper and aluminum spheres—166(A)
Betchov, R. Non-linear cooling of the hot-wire anemometer—879(A)
Beth, R. A. (see Janofsky, R. F.)—1891(A)
Bethe, H. A. Fourth-order interaction between nucleosn in the pseudoscalar meson theory—191(A)
—— Scattering of neutrons and protons and the range of nuclear forces—161(T)
—— Theory of the effective range in nuclear scattering—38
——, **U. Fano, and P. R. Karr.** Penetration and diffusion of hard x-rays through thick barriers. I. The approach to spectral equilibrium—538
Beyer, Robert T. and Ming-Yi Wei. Extension of a theory of magnetic amplifiers—455(A)
Bianco, D., G. Matlack, and A. Roberts. Isotopic frequencies in the microwave spectra of OCS and CH_3Cl—473(A)
Bickford, L. R., Jr. Ferromagnetic resonance absorption magnetite—137(L)
Biehl, A. T., H. V. Neher, and W. C. Roesch. Cosmic-ray experiments at high altitudes over a wide range of latitudes —914
Binder, Daniel. Analysis of delayed coincidence counting experiments—856(L)
Biondi, Manfred A. and Sanborn C. Brown. Measurement of electron-ion recombination—1697
—— **and Sanborn C. Brown.** Measurements of electron-ion recombination in diatomic gases—457(A)
—— **and Sanborn C. Brown.** Measurements of positive ion-electron recombination—190(A)
—— **and Sanborn C. Brown.** Note on measurements of ambipolar diffusion in helium—302(L)
Birnbaum, George. Dispersion in NH_3 in the microwave region—178(A)
Bishop, A. S. (see Bradner, H.)—587(A)
——, **H. Bradner, and F. M. Smith.** Improved mass values of π^--, π^+-, and μ^+-mesons—588(A)
Bishop, G. R., C. H. Collie, H. Halban, and R. Wilson. Lower limit for the binding energy of the deuteron—683(L)
Bitondo, D. (see Patterson, G. N.)—881(A)
Bitter, F. Nuclear magnetic moments and hyperfine structure of the rubidium isotopes—150(L)
—— Optical detection of radiofrequency resonance—465(A), 833
Bjorklund, Russell (see York, Herbert F.)—187(A)
Black, Robert F. (see Duckworth, Henry E.)—462(A)
Blatt, John M. and J. David Jackson. On the interpretation of neutron-proton scattering data by the Schwinger variational method—18
Blau, M., M. M. Block, and J. E. Nafe. Heavy particles in cosmic-ray stars—860(L)
Bleakney, W. Experimental study of the interaction of shock waves—875(T)
—— (see Fletcher, C. H.)—881(A)
——, **C. H. Fletcher, and D. K. Weimer.** Density field in Mach reflection of shock waves—323(L)
Bleaney, B. and D. J. E. Ingram. Hyperfine structure of the paramagnetic resonance spectrum of cobalt—466(A)
Bless, A. A. (see Ellioff, R.)—200(A)
Bleuler, E. (see Seidlitz, L.)—453(A), 861(L)
Blevin, W. R. (see Somerville, J. M.)—982(L)

Blewitt, T. H. and J. S. Koehler. Increase in the resistivity of ordered $AuCu_3$ produced by single slip—470(A)
Bloch, F. and David H. Garber. Nuclear induction proton signals below noise level from gases at one atmosphere—585(A)
Block, M. M. (see Blau, M.)—860(L)
Blosser, D. R. (see Weidner, R. T.)—1727(L)
Blunt, R. F. (see Love, W. F.)—305(L)
—— **and W. F. Love.** Dielectric properties of barium titanate at low temperatures—1202
Bockelman, C. K. (see Adair, R. K.)—308(L), 463(A)
—— (see Barschall, H. H.)—1146
——, **R. E. Peterson, R. K. Adair, and H. H. Barschall.** Total cross-section measurements for fast neutrons—277
Bockstahler, Lester I. and Harmon Plumb. Large diameter "Hilsch tubes"—166(A)
Bode, Donald and Henry Levinstein. Photo-conductivity of indium selenide—179(A)
Bogdonoff, S. M. (see Lees, L.)—875(T)
Bøggild, J. K., L. Minnhagen, and O. B. Nielsen. Cloud-chamber study of fission fragment ranges in air—988(L)
Bohlman, P. G. (see Bondelid, R. O.)—865(L)
Bohm, D., M. Weinstein, and H. Kouts. Finite relativistic charge-current distributions—867(L)
Bondelid, R. O., P. G. Bohlman, and K. B. Mather. Proton-proton scattering at 5.11 Mev—865(L)
Bonner, Norman A. and William C. Orr. Yields of manganese in spallation reactions—140(L)
Bonner, T. W. (see Phillips, G. C.)—169(A)
Borowitz, Sidney and Walter Kohn. On the electromagnetic properties of nucleons—818
Bortner, E. E. Portable vacuum tube electrometer of wide utility—197(A)
Bouchez, R. (see Benoist, P.)—1000(L)
Bouricius, G. M. B. (see Bender, R. S.)—273
Bousser, F. (see Leprince-Ringuet, L.)—1273(L)
Bowe, J. C. and Gertrude Scharff-Goldhaber. Decay scheme of Te^{125m}—437(L)
Bowen, Dwain. Theory of the electric resistivity of polycrystalline graphite—1878(L)
Bowers, W. A. On the rate of energy loss of protons and deuterons—196(A)
—— On the vibrational spectrum of crystals—467(A)
Boyd, J. E. and Catherine Yoe. Effects of meteorological conditions on microwave propagation at 3, 10, and 25 cm—203(A)
Bozorth, R. M. (see Mason, W. P.)—470(A)
Braden, C. H. (see Shull, F. B.)—453(A)
Bradner, H. (see Bishop, A. S.)—588(A)
——, **A. S. Bishop, and W. H. Barkas.** Range-energy relations for high energy protons in photographic emulsions—587(A)
Bradt, H. L. (see Kaplon, M. F.)—1735(L)
—— **and B. Peters.** Flux of heavy nuclei of the primary cosmic radiation at geomagnetic latitudes $\lambda=55°$ and $\lambda=30°$—156(L)
Bragg, J. K. (see Sharbaugh, A. H.)—1419(L), 1529(L)
Braithwaite, J. W. and J. L. Frame. Some aspects of air flow at Mach No. 7 as observed in the University of Minnesota Aeronautical Laboratory—883(A)
Brattain, W. H. (see Shockley, W.)—459(A)
Bray, Ralph. Dependence of resistivity of germanium on electric field—152(L)
—— Electron injection in *P*-type germanium—458(A)
—— (see Fan, H. Y.)—458(A)
Breit, G. and G. E. Brown. Perturbation methods for Dirac radial equations—1307
——, **G. E. Brown, and G. B. Arfken.** Effect of nuclear motion on the hyperfine structure of hydrogen—1299
Britten, Roy. Highly excited states of the magnesium nucleus created by proton bombardment—169(A)
Brode, Robert B. Positive excess in the mesotron spectrum—468(A)
Brolley, John E., Jr., M. B. Sampson, and Allan C. G. Mitchell. Energy levels of Si^{30}—624
Brossel, Jean. Hyperfine structure of Fe^{57}—858(L)
Brown, C. Bradner. Magnetically biased transistors—1736(L)
Brown, G. E. (see Breit, G.)—1299, 1307
—— **and G. B. Arfken.** Effects of the proton radius on nuclear motion correction for the hyperfine structure of hydrogen—1305
Brown, H. (see Perez-Mendez, V.)—689(L)
Brown, Harrison and Edward Goldberg. New determination of the relative abundance of rhenium in nature—1260(L)
Brown, J. R. (see Lind, David A.)—591(A), 1838
Brown, J. S., G. M. Farrior, and Arthur Waltner. Photomultiplier detector for x-ray spectrometer—196(A)
Brown, R. H. Study of ions formed in a Hg resonance cell containing N_2—591(A)
Brown, Sanborn C. Studies of electrons in gases by high frequency techniques—453(T)
—— (see Biondi, Manfred A.)—190(A), 302(L), 457(A), 1697
—— (see Everhart, Edgar)—839
—— (see Lax, Benjamin)—457(A)
—— (see MacDonald, A. D.)—1634
—— (see Varnerin, Lawrence J., Jr.)—457(A)
—— **and A. D. MacDonald.** Limits for the diffusion theory of high frequency gas discharge breakdown—1629
Brown, Vinton A. and F. L. Yost. Universal low frequency modulation technique—201(A)
Brown, W. W. (see Palmatier, E. D.)—196(A)
—— **and A. S. McKay.** Cloud-chamber study of extensive air showers at 3260 meters elevation—1034
——, **A. S. McKay, and E. D. Palmatier.** On the knock-on secondaries of penetrating particles—506
Brubaker, Wilson M. Potential and gradient distributions in parallel plane diodes at currents below space charge limited values—592(A)
Brueckner, K. A. and M. L. Goldberger. Excess of negative over positive mesons produced by high energy photons—1725(L)
Brunauer, Stephen (see Maxwell, Louis R.)—175(A), 459(A)
Brunings, Johanna H. M. (see Bergmann, Peter G.)—191(A)
Brunton, D. C. Division of nuclear charge in fission—1798
—— **and W. B. Thompson.** Energy distribution of fission fragments from Pu^{239}—848(L)
Buchanan, J. O. (see Davison, P. W.)—890
Buchdahl, H. A. Temperature equilibrium in a stationary gravitational field—427(L)
Buck, W. L. (see Becker, R. A.)—1406(L)
Buechner, W. W. (see Strait, E. N.)—1766
—— **and E. N. Strait.** Excited state in Be^{10}—168(A)
—— **and E. N. Strait.** Magnetic analysis of $Be^9(d,\alpha)Li^7$ and $Be^9(d,p)Be^{10}$ reactions—1547
——, **E. N. Strait, A. Sperduto, and R. Malm.** Magnetic analysis of the $C^{12}(d,p)C^{13}$ and $O^{16}(d,p)O^{17}$ reactions—1543
Bugosh, John (see Yeager, Ernest)—1890(A)
——, **Ernest Yeager, and Frank Hovorka.** High frequency barium titanate hydrophone—1890(A)
——, **Ernest Yeager, and Frank Hovorka.** High frequency electroacoustic effect and its utilization in the construction of hydrophones—1891(A)
Bulloch, W. D. On the attenuation of sunlight in natural bodies of water—201(A)
Bundy, F. P. (see Strong, H. M.)—458(A)
—— **and H. M. Strong.** Measurement of temperatures in complex flame structures by high resolution spectroscopy of the sodium *D*-lines, I.—457(A)
Burgess, H. (see Smoluchowski, R.)—309(L)
Burgess, John S. Frequency ν_2 in the infra-red spectrum of CH_4—302(L)

—— Note on the infra-red spectra of the deutero-ammonias —1267(L)
Burgy, M. T. (see Hughes, D. J.)—463(A), 1413(L)
——, **D. J. Hughes, and W. E. Woolf.** Neutron transmission and polarization measurements with an iron single crystal —188(A)
Burkhart, L. E. (see Peed, W. F.)—143(L)
Burkheimer, G. E. Flow characteristics during the starting and stopping of a supersonic wind tunnel—880(A)
Burkig, J. W. and J. Reginald Richardson. Proton induced activities in tantalum—586(A)
Burnight, T. R. Soft x-radiation in the upper atmosphere—165(A)
Burns, G. Preston. Equation of the magnetic threshold curve of a superconductor—999(L)
Burstein, Elias (see Schulman, J. H.)—178(A)
—— **and J. J. Oberly.** Infra-red color center bands in the alkali halides—1254(L)
—— **and Paul L. Smith.** Thermo-optic properties of cubic crystals—175(A)
Burwell, J. T. and C. D. Strang. Influence of molecular structure of lubricant on the variation of incremental friction coefficient with speed—455(A)
Byatt, W. J., F. T. Rogers, and A. W. Waltner. On the beta-spectrum of tritium—199(A)

Caldwell, R. L., E. der Mateosian, and M. Goldhaber. Transition energies of some nuclear isomers—187(A)
Calkin, J. W. Elaboration of the Schrödinger formalism with applications to nuclear physics—846(L)
Callen, Herbert B. Electric breakdown in ionic crystals—1394
Campbell, Edward C. and Wilfred M. Good. Neutron-induced short life activities—195(A)
Cannon, C. V. and G. H. Jenks. Micro-calorimeter suitable for study of easily absorbed nuclear radiations—455(A)
Cardwell, Alvin B. Photoelectric and thermionic properties of nickel—125
Carmichael, G. (see Linz, A., Jr.)—202(A)
—— (see Scherrer, V. E.)—202(A)
—— (see Varwig, R. L.)—201(A)
Carpenter, R. O'B. Dynamic measurement of electro-optic coefficients in ADP crystals—467(A)
Carson, A. (see Curtiss, L. F.)—1412(L)
Carter, R. E. (see Koch, H. W.)—172(A)
Carter, W. C. Supersonic flow with vorticity about a slightly yawing body of revolution—878(A)
—— (see Bennett, F. D.)—880(A)
Carter, W. W. Measurement of f values in the iron spectrum with applications to solar and stellar atmospheres—962
Case, K. M. Equivalence theorems for meson-nucleon couplings—14
—— On nucleon moments and the neutron-electron interaction—1
Cassidy, J. M. (see Bell, P. R.)—183(A), 574(L)
Castillejo, L. and H. T. Richardson. Neutron-proton and proton-proton cross sections at 83 Mev—1732(L)
Castle, J. G., Jr. (see Beringer, Robert)—868(L)
Caswell, D. A. (see Becker, G. E.)—587(A)
Chambers, William H. and Dudley Williams. Nuclear gyromagnetic ratios—461(A)
—— **and Dudley Williams.** Nuclear gyromagnetic ratios II —638
Chandrasekhar, S. Development of Heisenberg's theory of the decay of isotropic turbulence—875(T)
—— On the decay of isotropic turbulence—158(L)
Chang, C. S. Wang and D. L. Falkoff. On the continuous gamma-radiation accompanying the beta-decay of nuclei —365
Chang, H. P. (see Chao, K. T.)—970
Chang, W. Y. Further experiments on sea-level mesons stopped at thin Pb foils—170(A)
Chao, C. Y., C. C. Lauritsen, and A. V. Tollestrup. Q value for $B^{10}(p\alpha)Be^{7}$—586(A)
——, **T. Lauritsen, and V. K. Rasmussen.** High energy gamma-radiation from $Be^{9}+D^{2}$—582(L)
Chao, K. T. and H. P. Chang. Process of ionization in active nitrogen—970
Charpie, R. A., Kuan-Han Sun, B. Jennings, and J. F. Nechaj. On the delayed neutron emitter $_{7}N^{17}$—1255(L)
Chastel, R. and L. Vigneron. On the tripartition and quadripartition of uranium nuclei—870(L)
Chatterjee, G. P. and S. S. Sidhu. X-ray diffraction study of the gold-beryllium alloy system—175(A)
Chessin, Hyman (see Yeager, Ernest)—1890(A)
Christy, R. F. Interpretation of recent experiments with protons on lithium—161(T)
Chubb, Talbot. Apparatus for the study of the Philips gauge discharge—198(A)
Chynoweth, A. G. Removal of space charge in diamond crystal counters—310(L)
Clapp, R. E. Binding energy of the triton—873(L)
Clark, J. S., W. W. Drake, and C. Y. Tsao. Magnetic measurements on the M. I. T. 300-Mev electron synchrotron—162(A)
Clarke, R. L. and G. A. Bartholomew. Proton range-energy relation—146(L)
Clemence, G. H. Primary time standards in astronomy—161(T)
Clementel, E. (see Bassi, P.)—854(L)
Clifford, J. (see Tochilin, E.)—590(A)
Clippinger, R. F. and J. H. Giese. Numerical computation of three-dimensional supersonic flows with vorticity—878(A)
Cocconi, Giuseppe. Meson background in penetrating shower experiments—984(L)
—— **and V. Cocconi Tongiorgi.** Angular distribution and multiplicity of neutrons associated with local cosmic-ray showers—318(L)
——, **V. Cocconi Tongiorgi, and K. Greisen.** Lateral structure of cosmic-ray air showers—1020
——, **V. Cocconi Tongiorgi, and K. Greisen.** Structure of the extensive cosmic-ray showers—192(A)
Cockroft, A. L. (see Curran, S. C.)—853(L)
Coggeshall, Norman D. Hydrogen bonding and isomeric forms in bis-phenols—174(A)
Cohen, B. (see Thomas, J. E., Jr.)—162(A)
Cohen, Marvin S. (see Kinnamon, R. C.)—198(A)
—— **and Clyde B. Crawley.** Critical damping and time of return of a galvanometer coil—198(A)
Cohen, Victor W. (see Knight, W. D.)—1421(L)
——, **W. S. Koski, and T. Wentink, Jr.** Nuclear spin and quadrupole coupling of S^{35}—703(L)
Coles, D. K. and R. H. Hughes. Microwave spectra of nitrous oxide—178(A)
—— **and R. H. Hughes.** Microwave spectrum of CF_3Cl—858(L)
Collie, C. H. (see Bishop, G. R.)—683(L)
Compaan, K. (see van Kranendonk, J.)—998(L), 1728(L)
Condon, E. U. Development of American physics—452(T)
—— **and E. Maxwell.** Investigation of the attractive forces between the persistent currents in a superconductor and the lattice—578(L)
Conforto, A. M. (see Sard, R. D.)—1134
Conner, C. H. (see Yagoda, Herman)—171(A)
Conversi, Marcello. Altitude dependence of mesons of energy between 224 and 255 Mev—849(L)
—— Altitude dependence of penetrating particles slowed down after traversing 15 cm of lead—851(L)——Erratum—1541(L)
—— Latitude dependence at 30,000 feet of penetrating particles slowed down after traversing 15 cm of lead—444(L)
—— Positive excess of mesons at 30,000 feet—311(L)

Cook, C. Sharp (see Goddard, C. Harold)—1419(L)
—— (see Owen, George E.)—1536(L), 1726(L)
—— (see Ter-Pogossian, Michel)—909
—— **and George E. Owen.** Instrumental errors in the shape of beta-spectra—183(A)
Cool, R. L. (see Fowler, E. C.)—171(A)
——, **E. C. Fowler, and J. C. Street.** Examples of meson production and absorption—468(A)
Coon, J. H. and R. F. Taschek. Interaction of 14-Mev neutrons with deuterons—710
Cooper, D. (see Wagner, Norbert)—449(L)
Cooper, Eugene P. On the theory of the establishment of flow in water entry—592(A)
Corak, W. S. (see Wexler, A.)—432(L)
Corben, H. C. Internal coordinates of a particle—460(A)
—— Transformation theory of thermodynamics—166(A)
Cork, J. M., H. B. Keller, W. C. Rutledge, and A. E. Stoddard. Radioactive lanthanum 140—1886(L)
——, **H. B. Keller, and A. E. Stoddard.** Neutron induced radioactivities in V^{52}, Mo^{99}, and W^{135}—575(L)
——, **H. B. Keller, and A. E. Stoddard.** Radioactivity in holmium 166, thulium 170, and lutecium 177—986(L)
Corrsin, Stanley (see Kovasznay, Leslie S. G.)—1263(L)
Corson, Dale R. (see McDaniel, Boyce D.)—162(A)
——, **C. P. Baker, J. W. DeWire, B. D. McDaniel, C. D. Swartz, R. L. Walker, R. R. Wilson, and W. M. Woodward.** Initial performance of the Cornell synchrotron—162(A)
Cortini, G. (see Bernardini, G.)—1792
Cowan, C. E. (see DeBenedetti, S.)—440(L)
Cranberg, L. and J. Halpern. Conversion electrons of RaD—187(A)
Crawford, B. L. Vibrational spectrum of the ethylene molecule—161(T)
Crawford, F. H. Jacobian thermodynamics—456(A)
Crawford, G. W. and F. T. Rogers, Jr. Generalized theory for the string galvanometer—199(A)
Crawford, M. F. (see Schawlow, A. L.)—174(A), 1876(L)
—— (see Welsh, H. L.)—580(L)
——, **F. M. Kelly, A. L. Schawlow, and W. M. Gray.** Nuclear moments of Mg^{25}—1527(L)
—— **and N. Olson.** Nuclear moments of $_{39}Y^{89}$—1528(L)
—— **and A. L. Schawlow.** Electron-nuclear potential fields from hyperfine structure—1310
Crawley, Clyde B. (see Cohen, Marvin S.)—198(A)
—— (see Kinnamon, R. C.)—198(A)
—— (see Ritchie, R. H.)—197(A)
Creagan, Robert J. Particle groups from the alpha-particle bombardment of boron—1769
Creutz, E. Shielding material for high energy accelerators—162(A)
—— (see Falk, C. E.)—322(L)
Creveling, L. G., J. R. Hood, and M. L. Pool. Delayed neutrons from thorium—946
Critchfield, C. L. Scattering of protons by helium 4—161(T)
—— **and D. C. Dodder.** Phase shifts in proton-alpha-scattering—602
Crittenden, E. C., Jr. (see Olsen, Leonard O.)—1891(A)
Crooker, A. M. Infra-red studies with the Perkin-Elmer spectrometer—592(A)
Crouch, M. F. (see Sard, R. D.)—1134
Crown, J. C. Flow of a gas characterized by the Beattie-Bridgman equation of state and variable specific heats: Part I. Isentropic flows—882(A)
Curran, S. C., J. Angus, and A. L. Cockroft. Beta-spectrum of tritium—853(L)
Curtiss, Charles F. and Joseph O. Hirschfelder. Thermodynamics of flow systems—883(A)
Curtiss, L. F. and A. Carson. Reproducibility of photoneutron standards—1412(L)
Dailey, B. P. (see Townes, C. H.)—472(A), 700(L)
——, **J. M. Mays, and C. H. Townes.** Microwave rotational spectra and structures of GeH_3Cl, SiH_3Cl, and CH_3Cl—136(L)
——, **J. M. Mays, and C. H. Townes.** Molecular structure and dipole moment of chlorosilane—472(A)
Dancoff, S. M. (see Axel, P.)—892
—— (see Kubitschek, H. E.)—182(A), 531
—— **and S. D. Drell.** Electrostatic scattering of neutrons—205
Darden, Edgar B. (see Stuhlman, Otto, Jr.)—197(A)
—— **and Otto Stuhlman, Jr.** Precision method for measuring bioelectric potentials—197(A)
Darling, B. T. (see Garvey, J. E.)—184(A)
Darrow, K. K. Recent years of the American Physical Society—452(T)
Daudel, P. (see Benoist, P.)—1000(L)
Daudel, R. (see Benoist, P.)—1000(L)
Daunt, J. G. (see Heer, C. V.)—854(L)
—— **and C. V. Heer.** Addendum: heat flow in metals below 1°K and a new method for magnetic cooling—985(L)
—— **and C. V. Heer.** Some properties of superconductors below 1°K. I. Titanium—715
—— **and C. V. Heer.** Some properties of superconductors below 1°K. II. Aluminum and zinc—1324
Davis, Luther, Jr. Nuclear spin and magnetic moment of Cs^{137}—435(L)
——, **Bernard T. Feld, Carrol W. Zabel, and Jerrold R. Zacharias.** Hyperfine structure and nuclear moments of the stable chlorine isotopes—1076
——, **Darragh E. Nagle, and Jerrold R. Zacharias.** Atomic beam magnetic resonance experiments with radioactive elements Na^{22}, K^{40}, Cs^{135}, and Cs^{137}—1068
Davis, R. H. (see Tochilin, E.)—590(A)
—— **and J. D. Graves.** Energy dependence of several organic and inorganic counters—590(A)
Davison, P. W., J. O. Buchanan, and Ernest Pollard. Proton groups from the bombardment of argon by deuterons—890
Daykin, P. N. (see Mann, K. C.)—1719(L)
DeBenedetti, S., C. E. Cowan, and W. R. Konneker. Angular distribution of annihilation radiation—440(L)
de Boer, J. Statistical mechanics of mixtures of He^3 and He^4—852(L)
—— (see van Kranendonk, J.)—998(L), 1728(L)
de Broglie, Louis. On a new conception of the interaction between charges and electromagnetic field—862(L)
de Carvalho, Hervasio G. Stopping power of nuclear emulsions for ionizing particles—1729(L)
de Fériet, J. Kampé. Spectral tensor of a homogeneous turbulence—875(T)
DeJuren, J., N. Knable, and B. Moyer. Nuclear cross sections for 95- and 270-Mev neutrons (measured with bismuth fission chambers)—589(A)
Delaney, C. F. G. (see Poole, J. H. J.)—1253(L)
de Launay, Jules (see Dolecek, R. L.)—445(L)
Deloume, Fernand E. and John R. Holmes. Source of highly forbidden lines in CdI—174(A)
Denis, P. M. (see Bene, G. J.)—1255(L)
der Mateosian, E. (see Caldwell, R. L.)—187(A)
—— **and M. Goldhaber.** Nuclear isomers produced by slow neutron capture—187(A)
Deutsch, Martin (see Fluharty, R. G.)—182(A)
—— (see Metzger, Franz)—187(A)
—— (see Shearer, James W.)—462(A)
—— (see Siegbahn, Kai)—1263(L)
—— **and Donald T. Stevenson.** Nuclear lifetime for quadrupole transition in Cd^{111}—184(A)
Dewan, J. T. and K. W. Allen. Ternary fission in uranium—181(A)
DeWire, John W. (see Corson, D. R.)—162(A)
—— (see McDaniel, Boyce D.)—162(A)

Dexter, David L. and W. W. Beeman. Multiple diffuse small angle scattering of x-rays—1782
Dickey, Fred P. (see Lagemann, Robert T.)—159(L)
Dickey, J. (see Apker, L.)—270, 453(T)
Dickinson, W. C. Magnetic moment of La^{139}—1414(L)
Dieke, G. H. Bands from doubly excited levels of the hydrogen molecule—50
—— **and F. S. Tomkins.** Molecular spectrum of hydrogen. The Fulcher bands of TH and T_2—283
Diven, B. C. (see Hanson, A. O.)—578(L)
Dodder, D. C. Double scattering of protons in helium—683(L)
—— (see Critchfield, C. L.)—602
Dolecek, R. L. and Jules de Launay. Superconducting torus—445(L)
Domenicali, C. A. Magnetic and electric properties of magnetite single crystals—460(A)
Douglas, A. E. and G. Herzberg. Nuclear spin of He^3—1529(L)
Dow, W. G. Ionospheric measurements employing a voltage-scanning probe—453(T)
—— (see Reifman, A.)—987(L)
Drake, W. W. (see Clark, J. S.)—162(A)
Drell, S. D. Anomalous magnetic moments of nucleons—427(L)
—— (see Dancoff, S. M.)—205
Drosd, Ralph D. (see Liddiard, Thomas P.)—879(A)
Drost-Hansen, W. (see Koch, J.)—279
Drukey, D. L. Radiation from a uniformly accelerated charge—543
Duckworth, Henry E. New measurement of the Pt^{195}-Cu^{65} packing fraction difference—690(L)
——, **Robert F. Black, and Richard F. Woodcock.** Search for some rare stable isotopes—462(A)
Duffendack, O. S. (see Fowler, R. G.)—81
Duffield, R. B. (see Hanson, A. O.)—578(L)
—— **and J. D. Knight.** Radioactivity of Mo^{91} and Mo^{93}—573(L)
—— **and L. M. Langer.** Disintegrations of Sn^{121} and Sn^{123}—1272(L)
DuMond, Jesse W. M. (see Lind, David A.)—591(A), 1838
Duncan, D. B. Magnetic analyzer for electrostatic generators—587(A)
Dunipace, Donald W. Solar position calculator—464(A)
du Pré, F. K. (see Rittner, E. S.)—996(L)
Dyer, R. M. (see Finston, H. L.)—465(A)
Dyson, F. J. Recent developments in the quantum theory of fields—162(T)

Eber, G. R. Measurement of temperature recovery factors and heat transfer coefficients on cones at supersonic speeds in the 40 by 40 cm^2 White Oak wind tunnel—879(A)
Eckart, G. (see Kahan, T.)—406
Edgell, W. F. (see Roberts, A.)—178(A)
Edwards, H. D. (see Gilliam, O. R.)—195(A)
——, **O. R. Gilliam, and W. Gordy.** Microwave spectrum of methyl alcohol and of methyl amine—196(A)
Eichholz, G. G. and N. J. Harrick. Absorption of alpha-particles in gases—589(A)
Einbinder, Harvey. Further deductions from the $\mathfrak{N}$-theorem—410
Eisenbud, L. Distributions from resonance reactions and angular correlation experiments—185(A)
Ekstein, H. Magnetic interaction between neutrons and electrons—1328
Elder, F. R. (see Westendorp, W. F.)—445(L)
Ellioff, R. and A. A. Bless. Electrical energy of seeds at various stages of growth—200(A)
Elliott, L. G. and R. E. Bell. Lifetime of the 479-kev excited state of Li^7—168(A)
Elliott, Norman. Magnetic susceptibilities of some tetravalent uranium fluorides—431(L)
Elsasser, W. M. and I. Isenberg. Electronic phase transition in iron at extreme pressures—469(A)
Emmerich, Werner S., L. H. Ballweg, and J. D. Kurbatov. Monochromatic electron groups in long-life manganese—1891(A)
—— **and J. D. Kurbatov.** Beta-spectrum of silver-110—454(A)
Epstein, P. S. Aerothermodynamics of sound waves—875(T)
Erdman, K. L., G. T. Kokotailo, and D. B. Scott. Positive particles associated with beta-ray emitters—1262(L)
Erickson, K. W. (see Allred, J. C.)—1430
—— (see Stovall, E. J., Jr.)—589(A)
——, **J. L. Fowler, and E. J. Stovall, Jr.** Cross section as a function of angle for the $D(d,n)He^3$ reaction for 10-Mev bombarding deuterons—1141
Errett, D., J. MacKay, R. Pepper, F. Rieke, D. Roller, and L. Silber. Microwave linear accelerator for electrons—180(A)
Evans, Lyle W. (see Schulman, James H.)—178(A), 459(A)
Everhart, Edgar and Sanborn C. Brown. Admittance of high frequency gas discharges—839
Extermann, R. C. (see Bene, G. J.)—1255(L)
Eyges, L. Straggling of electrons near the critical energy—264

Fagin, S. (see Rogers, M.)—884(A)
Fahy, Edward F. and Marcel Schein. "Off-scale" bursts under 26.7-cm lead at an altitude of 3500 meters—170(A)
Fairbank, Henry A. (see Reynolds, Charles A.)—64, 167(A)
—— (see Webber, Robert T.)—609
—— **and C. T. Lane.** Rollin film rates in liquid helium—1209
Fairbank, William M. High frequency surface resistivity of tin in the normal and superconducting states—1106
—— Surface resistance of superconducting tin at 9400 mc/sec.—167(A)
Falk, C. E., E. Creutz, and F. Seitz. Angular distribution of neutrons from (d,n) reactions—322(L)
Falkoff, David L. (see Chang, C. S. Wang)—365
—— (see Ling, Daniel S., Jr.)—431(L), 1639
Fan, H. Y. (see Becker, M.)—1530(L), 1531(L)
—— **and R. Bray.** Barrier layer on *P*-type germanium—458(A)
Fano, U. Penetration and diffusion of x-rays through thick barriers. II. Asymptotic behavior when pair production is important—739
—— (see Bethe, H. A.)—538
Farmer, E. C., H. B. Moore, and Clark Goodman. Studies on synthetic LiF as a scintillation detector of heavy particles and quanta—454(A)
Farrior, G. M. (see Brown, J. S.)—196(A)
Faul, Henry and Clark Goodman. Neutron distributions in cylindrical geometry—463(A)
Feenberg, Eugene. Notes on the *j-j* coupling shell model—1275
Feer, Daniel B. Polarization of mesons produced at threshold in gamma-nucleon collisions—306(L)
Feld, Bernard T. Angular correlations in successive $\alpha-\gamma$ emission and the excited state of Li^7—168(A)
—— (see Davis, Luther, Jr.)—1076
—— (see Osborne, L. S.)—468(A)
Feldman, David. On realistic field theories and the polarization of the vacuum—1369
Feldman, L. (see Wu, C. S.)—692(L), 693(L), 696(L), 698(L)
——, **L. Lidofsky, P. Macklin, and C. S. Wu.** Beta-spectrum of praeseodymium 143—1888(L)
—— **and C. S. Wu.** Improved baffle system for helical focusing β-ray spectrometer—180(A)
—— **and C. S. Wu.** Interpretation of beta-spectra from thick sources—697(L)
Feldmeier, J. R. (see Serin, B.)—167(A)
Fermi, E. and C. N. Yang. Are mesons elementary particles?—1739
Feshbach, Herman. Phenomenological theory of nuclear forces—185(A)

—— (see Lax, Melvin)—190(A)
—— **and Melvin Lax.** Production of mesons by photons and electrons—134——Erratum—689(L)
—— **and V. F. Weisskopf.** Schematic theory of nuclear cross sections—1550
Feynman, R. P. Recent advances in quantum electrodynamics —584(T)
—— Space-time approach to quantum electrodynamics—769
—— Theory of positrons—749
Filosofo, I. (see Bassi, P.)—854(L)
Finck, J. L. Thermodynamics: the meaning of the first law, and its relation to the behavior of material systems—166(A)
Finkelnburg, Wolfgang. Electron screening, electron quantum numbers, and ionization potentials of atoms and ions—173(A)
Finkelstein, R. (see Ruderman, M.)—1458
Finston, H. L. and R. M. Dyer. Ion exchange and chromatography—465(A)
Fleeman, J., D. B. Nicodemus, and H. H. Staub. Neutron polarization—1774
—— **and H. H. Staub.** Neutron polarization—586(A)
Fletcher, C. H. (see Bleakney, W.)—323(L)
—— **and W. Bleakney.** Reflection of a weak plane shock at nearly glancing incidence—881(A)
Fletcher, R. C. Impulse breakdown in the 10^{-9}-sec. range of air at atmospheric pressure—1501
Fluharty, R. G. and Martin Deutsch. Low emission probability gamma-rays—182(A)
Foldy, Leslie L. Single production of mesons by gamma-rays near threshold—372
—— (see Milford, F. J.)—468(A)
Foley, H. M. (see Townes, C. H.)—1415(L)
Forbes, Stephen H. (see Swann, W. F. G.)—467(A)
Forbush, S. E. and I. Lange. Search for systematic variations in cosmic-ray intensity predicted on the basis of a permanent solar magnetic moment—164(A)
Forgue, S, V. (see Rose, A.)—179(A)
Forman, Guy. Color produced in quartz by x-rays—196(A)
Forsbergh, P. W., Jr. Domain structures and phase transition in barium titanate—1187
Fowler, E. C. (see Cool, R. L.)—468(A)
——, **R. L. Cool, and J. C. Street.** Delayed proton-electron activity induced in aluminum by non-ionizing cosmic rays—171(A)
Fowler, J. L. (see Allred, J. C.)—1430
—— (see Erickson, K. W.)—1141
—— (see Stovall, E. J., Jr.)—589(A)
—— **and J. M. Slye.** $Cu^{63}(n,2n)Cu^{62}$ cross section as a function of neutron energy near the threshold—169(A)
Fowler, R. D. (see Andrews, D. H.)—154(L)
Fowler, R. G. and O. S. Duffendack. Radiative processes in thermionically controlled discharges in helium—81
Fowler, W. A. Nuclear spectroscopy—584(T)
—— (see Schardt, A. W.)—587(A)
—— (see Tollestrup, A. V.)—181(A), 428(L)
—— **and C. C. Lauritsen.** Gamma-radiation from light nuclei under proton bombardment—314(L)
——, **C. C. Lauritsen, and A. V. Tollestrup.** Investigations of the capture of protons and deuterons by deuterons—1767
Fowles, G. R. Hyperfine structure of Te^{125}—571(L)
Fox, R., C. Leith, K. McKenzie, and L. Wouters. Total cross sections of nuclei for 280-Mev neutrons—590(A)
Frame, J. L. (see Braithwaite, J. W.)—883(A)
Franzen, W., J. Halpern, and W. E. Stephens. Ionization measurement of $He^3(np)$ and $N^{14}(np)$ and the neutron hydrogen mass difference—317(L)
——, **J. Halpern, and W. E. Stephens.** Reactions $N^{14}(n,p)C^{14}$ and $He^3(n,p)H^3$ and the neutron-hydrogen mass difference —462(A)
Fraser, J. S. Disintegration scheme of Tm^{170}—1540(L)
Freier, G. (see Lampi, E. E.)—188(A)
Freistadt, Hans and Nathan Rosen. Field of a gravitational dipole—201(A)
Frenkiel, F. N. Erratum: influence of the length of a hot wire on the measurements of turbulence—686(L)
—— On a method of measurement of some characteristics of turbulence using non-compensated hot-wires—171(A)
—— On the hot-wire length correction—999(L)
—— Some remarks on turbulent diffusion—875(T)
Frerichs, Rudolf. On the conductivity produced in CdS crystals by irradiation with gamma-rays—1869
Fretter, W. B. Penetrating showers—511
—— (see Ise, John, Jr.)—933
Fritz, J. J., O. D. Gonzales, and H. L. Johnston. Magnetic moment and eddy current damping in spherical superconductors—580(L)
Frye, Royal M. (see Merritt, Thomas P.)—470(A)
Fulbright, H. W. and J. C. D. Milton. Beta-spectrum of Be^{10} —1271(L)
Fuller, Everett G. Photo-disintegration of deuterium by seven- to twenty-Mev x-rays—576(L)
Furry, W. H. (see Neuman, M.)—1677
—— (see Snyder, James N.)—359
—— **and M. Neuman.** Interaction of mesons with the electromagnetic field—432(L)
Fye, Paul M. and Robert S. Price. High speed photography of explosion bubbles at depths of one and two miles—881(A)

Gaerttner, E. R. and M. L. Yeater. Note on the resonance scattering of high energy γ-rays by nuclei of carbon and copper—363
Gamow, George. Astronomical, radioactive, and atomic time —161(T)
Garber, David H. (see Bloch, F.)—585(A)
Garbuny, M. (see Altar, W.)—496
Gardner, Clifford. Method for solving certain time-dependent problems for wings in supersonic flow, with an application to the calculation of stability derivatives—882(A)
Gardner, J. H. and E. M. Purcell. Precise determination of the proton magnetic moment in Bohr magnetons—1262(L)
Garfunkel, M. (see Serin, B.)—167(A)
Garvey, J. E. and B. T. Darling. ThC-C″ alpha-transition according to the water drop model of alpha-decay—184(A)
Garwin, Richard L. Experimental beta-gamma-angular correlation—1876(L)
Gebbie, H. A., W. R. Harding, C. Hilsum, and V. Roberts. Atmospheric HDO—1534(L)
Geiger, F. W. Shock tube as a tool for the investigation of flow phenomena—881(A)
Geiger, Felix E., Jr. Effect of finite aperture on the fringe intensity distribution of Fabry Perot interferometers—173(A)
Geiringer, Hilda. Two-dimensional problems of the ideal plastic body—875(A)
Genevese, Frank. Angular distribution of neutrons from the photo-disintegration of the deuteron—1288
George, Waller (see Kauffmann, John)—467(A)
—— (see LaTorre, Richard)—470(A)
Gerjuoy, Edward (see Halpern, Otto)—1117
Ghiorso, A. (see Thompson, S. G.)—1406(L)
——, **W. W. Meinke, and G. T. Seaborg.** New low mass isotopes of emanation (element 86)—1414(L)
Ghosh, Amal (see Siegbahn, Kai)—307(L)
Giamboni, Louis A. (see Barnett, S. J.)—1542(L)
Gião, Antonio. Equations of Codazzi and the relations between electromagnetism and gravitation—764
Gideon, D. (see Waldman, B.)—181(A)
Giese, J. H. (see Clippinger, R. F.)—878(A)
Gilbert, D. A., A. Roberts, and P. A. Griswold. Nuclear and molecular information from the microwave spectrum of FCl—1723(L)

Gilliam, O. R. (see Edwards, H. D.)—196(A)
—— (see Gordy, Walter)—443(L)
——, **H. D. Edwards, and W. Gordy.** Microwave spectrum of methyl fluoride, fluoroform, and phosphorus tri-fluoride—195(A)
Ginther, Robert J. (see Schulman, James H.)—178(A), 459(A)
Gittings, H. T. (see Argo, H. V.)—182(A)
Glass, I. I. (see Patterson, G. N.)—881(A)
Glauberman, M. H. (see Stoner, R. G.)—882(A)
Glendenin, L. E. and A. K. Solomon. Self-absorption and backscattering of soft beta-radiations—462(A)
Goddard, C. Harold (see Ter-Pogossian, Michel)—453(A), 909, 1407(L)
—— **and C. Sharp Cook.** On the photo-electron spectrum of Ta^{182}—1419(L)
Goeckermann, R. H. and I. Perlman. High energy induced fission of bismuth and lead—628
Goertzel, G. H. (see Rose, M. E.)—184(A), 1883(L)
Goldberg, Edward (see Brown, Harrison)—1260(L)
Goldberg, Leo (see McMath, Robert R.)—1533(L)
——, **Orren C. Mohler, Robert R. McMath, and A. Keith Pierce.** Carbon dioxide in the infra-red solar spectrum—1848
Goldberger, M. L. Recent theoretical work at the Radiation Laboratory—548(T)
—— (see Brueckner, K. A.)—1725(L)
Goldhaber, M. (see Caldwell, R. L.)—187(A)
—— (see der Mateosian, E.)—187(A)
—— (see Lowry, L. L.)—189(A)
—— (see Sunyar, A. W.)—189(A)
Goldin, A. S., G. B. Knight, P. A. Macklin, and R. L. Macklin. U-234 specific alpha-activity—336
Goldman, J. E. Magnetostriction and order in $FeNi_3$—471(A)
Goldstein, J. H. (see Westenberg, A. A.)—472(A)
Goldstein, Louis and Max Goldstein. On exchange energy in He_3 assemblies—464(A)
Goldstein, Max (see Goldstein, Louis)—464(A)
Gonzales, O. D. (see Fritz, J. J.)—580(L)
Good, W. B. (see Melchor, J. L.)—202(A)
Good, Wilfred M. (see Campbell, Edward C.)—195(A)
Goodman, Clark (see Farmer, E. C.)—454(A)
—— (see Faul, Henry)—463(A)
Gordy, Walter. Relation of nuclear quadrupole moment to nuclear shell structure—139(L)
—— (see Edwards, H. D.)—196(A)
—— (see Gilliam, O. R.)—195(A)
—— **and O. R. Gilliam.** Nuclear magnetic moments from microwave spectra: I^{127} and I^{129}—443(L)
Goudsmit, S. A. (see Richards, Paul I.)—180(A)
Goward, F. K. (see Titterton, E. W.)—142(L)
Grabner, Ludwig (see Hughes, Vernon)—471(A)
——, **Vernon Hughes, and I. I. Rabi.** Radiofrequency spectrum of $K^{39}F$—472(A)
Grad, Harold. On the kinetic theory of rarefied gases—882(A)
Graham, John W. Permanency of magnetism in sedimentary rocks—176(A)
Graves, E. R. and D. I. Meyer. End point of the tritium beta-ray spectrum—183(A)
Graves, J. D. (see Davis, R. H.)—590(A)
—— (see Koch, G. E.)—590(A)
—— **and G. E. Koch.** RCA 1P21 photo-multiplier tube as a gamma-ray detector—590(A)
Gray, W. M. (see Crawford, M. F.)—1527(L)
Green, Alex E. S. Future nuclear interaction—870(L)
—— Spin dependence of nuclear forces—460(A)
Green, L. L. and D. L. Livesey. Alpha-particles emitted in fission—580(L)
Greenwald, A. J. (see Bergdolt, V. E.)—879(A)
Gregory, Bernard (see Tinlot, John)—170(A)
Greisen, K. Interpretation of underground cosmic-ray data—1718(L)
—— (see Cocconi, G.)—192(A), 1020
Griffel, Maurice (see Stout, J. W.)—144(L)
Griswold, P. A. (see Gilbert, D. A.)—1723(L)
Grosskreutz, J. C. Neutrons from C(d,n)N and Cu(d,n)Zn 482
Grunlund, Jean M. (see Yaffe, L.)—617
Gugelot, P. C. and M. G. White. Neutron spectra from (p,n) reactions with 16-Mev protons—463(A)
Gum, Jane R., Lowell E. Thompson, and M. L. Pool. Silver and cadmium activities—184(A)
Gundlach, J. C. (see Jordan, W. H.)—196(A)
Gunlock, H. F. Radioactive materials as x-ray sources—453(A)
Gurevitch, M. and J. G. Teasdale. Nuclear spin of Fe^{57}—151(L)
Guth, Eugene (see Marshall, J. F.)—1879(L), 1880(L)
—— (see Mullin, C. J.)—682(L)
—— **and Charles J. Mullin.** Theory of the photo- and electro-disintegration of Be^9—234

Hahn, Erwin L. Accurate nuclear magnetic resonance method for measuring spin-lattice relaxation times—145(L)
—— Nutation of the nuclear magnetic moment—461(A)
Hainer, R. M. and Gilbert W. King. Infra-red spectrum of benzene at liquid-helium temperature—473(A)
Haisley, W. E. and Joseph W. Straley. High-speed spectrometer for Raman studies—200(A)
Halban, H. (see Bishop, G. R.)—683(L)
Hall, Newman A. Performance of multiple shock diffusers—884(A)
Halpern, I. (α,n) cross sections of beryllium, magnesium, and aluminum—248
—— (see Woodward, W. M.)—107
Halpern, J. (see Cranberg, L.)—187(A)
—— (see Franzen, W.)—317(L), 462(A)
Halpern, Otto. On magneto optics of neutrons and some related phenomena—1130
—— **and Edward Gerjuoy.** Small angle diffraction of neutrons and similar wave phenomena—1117
—— **and R. K. Luneberg.** Multiple scattering of neutrons. II. Diffusion in a plate of finite thickness—1811
Hamermesh, Bernard. Capture γ-ray spectrum of cadmium—182(A)
——, **M. Hamermesh, and A. Wattenberg.** Angular distribution of the photo-neutrons from beryllium—611
—— **and Albert Wattenberg.** Angular distribution of the photo-neutrons from deuterium at 2.76 Mev—1408(L)
—— **and Albert Wattenberg.** Photo-neutrons from neutron capture gamma-rays—1420(L)
Hamermesh, M. (see Hamermesh, B.)—611
Hanau, Richard. Cathode sputtering in the abnormal glow discharge—153(L)
Hanna, S. S. Excited state of Li^7 and the angular yield in $Li^6(d,p)Li^{7*}(\gamma)Li^7$—686(L)
—— (see Resnick, I.)—168(A)
Hansen, John L. and John E. Willard. Thermal neutron absorption cross section of K^{39}—577(L)
Hanson, A. O., R. B. Duffield, J. D. Knight, B. C. Diven, and H. Palevsky. Thresholds for photo-neutron reactions in Mn, Zn, Zr, Mo, Cd, Pr, Nd, Au, Hg, Tl, and Pb—578(L)
Hanson, Harold and W. W. Beeman. MnK absorption edge in manganese metal and manganese compounds—118
Hansson, Ingvar F. E. and Lamek Hulthén. Photo-disintegration of the deuteron—1163
Harding, W. R. (see Gebbie, H. A.)—1534(L)
Harkins, William D. Effect of nuclear shells upon the pattern of the atomic species—1538(L)
—— **and Martin Popelka, Jr.** Existence of stable nuclei as related to the principle of regularity and continuity of series and the ends of nuclear shells—989(L)
Harr, J. (see Rose, M. E.)—184(A), 1883(L)

Harrick, N. J. (see Eichholz, G. G.)—589(A)
Harris, G. G. (see White, L. D.)—468(A)
Harris, Louis and Lloyd H. Shaffer. Conduction processes in thin deposits of antimony—943
Harris, S. and C. O. Muehlhause. Neutron resonance scattering by W^{186}—189(A)
Harrison, F. B. (see Reynolds, George T.)—169(A)
—— **and George T. Reynolds.** Uniformity of response of a scintillation counter—169(A)
Harrison, S. W. (see Hutter, R. G. E.)—453(T)
Haslam, R. N. H., L. Katz, H. E. Johns, and H. J. Moody. Confirmation of Cl^{39} activity—704(L)
Havens, W. W., Jr. (see Ruderman, I. W.)—434(L)
Haynie, William H. Adjustable mounting for large mirrors—1891(A)
Hays, Earl E. (see Richards, Paul I.)—180(A)
Head, R. Wind tunnel investigation of condensation phenomena—882(A)
Hedgran, Arne (see Siegbahn, Kai)—1263(L)
—— (see Thulin, Sigvard)—871(L)
Heer, C. V. (see Daunt, J. G.)—715, 985(L), 1324
—— **and J. G. Daunt.** Heat flow in metals below 1°K and a new method for magnetic cooling—854(L)
Hemmendinger, A. (see Argo, H. V.)—182(A)
—— (see Jarvis, G. A.)—168(A)
—— (see Taschek, R. F.)—325
——, **G. A. Jarvis, and R. F. Taschek.** Scattering of protons by tritons—1137
Henderson, Joseph E. (see Miller, Charles E.)—165(A), 591(A)
—— (see Potter, D. S.)—590(A)
—— (see Todd, Jay, Jr.)—591(A)
Henkel, R. L. (see Adair, R. K.)—463(A)
Henkels, Herbert W. Properties of single crystal selenium prepared from a melt—1737(L)
Henri, V. P. (see Thomas, J. E., Jr.)—162(A)
Henry, Hugh F. (see Pryor, W. A.)—199(A)
—— (see Young, R. L.)—198(A)
Herb, R. G. Proton-proton scattering—161(T)
Hereford, Frank L. Nature of the penetrating particles in extensive showers—171(A)
—— On the penetrating component of cosmic-ray air showers—142(L)
—— (see Pomerantz, Martin A.)—997(L)
—— **and C. P. Swann.** Penetration of high energy electrons in aluminum—570(L)
Herlin, Melvin A. (see Maurer, R. D.)—948
Hernqvist, K. G. (see Linder, E. G.)—453(T)
Herzberg, G. Where we stand in repsect to spectra of diatomic molecules—161(T)
—— (see Douglas, A. E.)—1529(L)
Herzfeld, K. F. Effect of relaxation on shock waves in gases—875(T)
Herzog, R. F. K. and F. P. Viehböck. Ion source for mass spectrography—855(L)
Hess, David C., Jr. (see Inghram, Mark G.)—1717(L)
—— **and Mark G. Inghram.** Slow neutron cross sections of the neodymium isotopes—300(L)
—— **and Mark G. Inghram.** On the occurrence of vanadium 50 in nature—1717(L)
Hess, Victor F. and Roger P. Vancour. New methods of determining the absolute intensity of cosmic rays in the atmosphere and the residual ionization in ionization chambers—1205
Hibdon, C. T. and C. O. Muehlhause. Neutron cross section at 115 ev and 300 ev—188(A)
—— **and C. O. Muehlhause.** Neutron cross sections at 115 ev and 300 ev—I—100
Hicks, Bruce L. Non-linear problem in transient heat flow—166(A)
Hildebrand, R. H. and C. E. Leith. Total cross sections of nuclei for 40-Mev neutrons—587(A)
Hill, R. D. Internal conversion electrons from long-lived tellurium isomers—186(A)
—— Long-lived tellurium isomers—333
—— Nuclear quadrupole moments and shell structure—998(L)
Hilsum, C. (see Gebbie, H. A.)—1534(L)
Hinshaw, R. A. Radioactive tin 111—454(A)
—— **and M. L. Pool.** Radioactive tin 111—358
Hipple, J. A., H. Sommer, and H. A. Thomas. Precise method of determining the Faraday by magnetic resonance—1877(L)
Hirschfelder, Joseph O. Transport properties of gases—875(T)
—— (see Curtiss, Charles F.)—883(A)
Hoang-Tchang-Fong (see Leprince-Ringuet, L.)—1273(L)
Hoffman, R. W. (see Olsen, Leonard O.)—1891(A)
Hofstadter, Robert and John A. McIntyre. Experimental study of the Compton effect at 1.2 Mev—1269(L)
—— **and John A. McIntyre.** Simultaneity in the Compton effect—172(A)
Holden, A. N. (see Matthias, B. T.)—175(A)
Holmes, D. K. Calculations of the energy levels in elemental silicon—178(A)
Holmes, John R. (see Deloume, Fernand E.)—174(A)
Holstein, T. Self-broadening of monatomic resonance lines—457(A)
—— (see Alpert, D.)—457(A), 1257(L)
——, **D. Alpert, and A. O. McCoubrey.** Persistence of band fluorescence in mercury vapor—1259(L)
Holt, R. B., J. M. Richardson, B. Howland, and B. T. McClure. Recombination spectrum and electron density measurements in neon afterglows—456(A)
Hood, J. R. (see Creveling, L. G.)—946
Hopfield, Helen S. (see Hornbeck, George A.)—174(A)
Hornbeck, George A. and Helen S. Hopfield. Spectroscopic investigation of the carbon monoxide-oxygen reaction—174(A)
Hornbeck, J. A. Townsend discharge on a microsecond time-scale—453(T)
Hornbostel, J. and E. O. Salant. Energetic events in emulsions at high altitude—859(L)
—— **and E. O. Salant.** High energy events at high altitude—468(A)
Hornig, D. F. Selection rules for infra-red and Raman spectra of molecular crystals—161(T)
Hornyak, W. F. (see Rasmussen, V. K.)—581(L)
——, **T. Lauritsen, and V. K. Rasmussen.** Gamma-ray measurements with a magnetic lens spectrometer—731
Hough, P. V. C. Automatic grain counting of tracks in nuclear emulsions—163(A)
Houston, W. V. and C. F. Squire. Electromagnetic induction in a superconductor—685(L)
Hovorka, Frank (see Bugosh, John)—1890(A), 1891(A)
—— (see Yeager, Ernest)—1890(A)
Howard, Raydeen (see Smith, William V.)—473(A)
Howland, B. (see Holt, R. B.)—456(A)
Hsieh, Yu-Chang (see Slack, F. G.)—197(A)
Hu, Ning. On the treatment of quantum electrodynamics without eliminating the longitudinal field—391
Huang, Su-Shu. Elastic scattering of electrons by neutral hydrogen atoms by the variational method—477
—— New formulation of the variational principle for scattering problems—866(L)
—— Note on the variational method for the scattering problem—1878(L)
Hudson, Alvin M. (see Rosen, Louis)—181(A)
Hudspeth, Emmett L. (see Swann, Charles P.)—168(A)
—— **and Charles P. Swann.** Deuteron bombardment of boron isotopes—1150

—— **and Charles P. Swann.** Neutron spectrum from $N^{15}(d,n)$—464(A)
Huff, L. D. On the freezing of fresh water lakes—200(A)
Hughes, D. J. (see Burgy, Merle)—188(A)
—— (see Sherman, D. F.)—188(A)
—— **and M. T. Burgy.** Reflection and polarization of neutrons by magnetized mirrors—1413(L)
—— **and M. T. Burgy.** Reflection of neutrons from magnetized mirrors—463(A)
Hughes, Harold Kenneth. Rotational Stark spectrum of linear molecules—1675
Hughes, R. H. (see Coles, D. K.)—178(A), 858(L)
Hughes, Vernon. Experimental limit for the inequality of the electron and proton charges—474(A)
—— (see Grabner, Ludwig)—472(A)
——, **Ludwig Grabner, and I. I. Rabi.** Radiofrequency spectrum of $Rb^{85}F$ and $Rb^{87}F$—471(A)
Hulburt, E. O. Light of the night sky—453(T)
Hull, G. F., Sr. Early meetings of the American Physical Society—452(T)
Hulsizer, Robert I. Further results in the search for electrons in the primary cosmic radiation—164(A)
Hulthén, Lamek (see Hansson, Ingvar F. E.)—1163
Hume, J. N. P. (see Schawlow, A. L.)—1876(L)
Hunter, G. T. and H. T. Richards. Yield and angular distribution of the *D-D* neutrons—1445
Huntington, H. B. and Frederick Seitz. Energy for diffusion by direct interchange—1728(L)
Huntoon, R. D. and H. A. Thomas. Amplitude bridge for nuclear resonance detection—163(A)
Hurwitz, H., Jr. Note on the variational method for finding extrapolated endpoints—867(L)
Hutner, R. A. (see Rittner, E. S.)—996(L)
Hutter, R. G. E., L. H. McKee, and S. W. Harrison. Deflection defocusing in cathode-ray tubes and methods for correction—453(T)
Huus, Torben and C. B. Madsen. Proton stopping power of gold—323(L)

Inghram, Mark G. (see Hess, David C., Jr.)—300(L), 1717(L)
——, **David C. Hess, Jr. and John H. Reynolds.** On the relative yields of fission cesium isotopes—1717(L)
—— **and John H. Reynolds.** On the double beta-process—1265(L)
Inglis, D. R. (see Resnick, Robert)—1318
Ingram, D. J. E. (see Bleaney, B.)—466(A)
Ise, John, Jr. and W. B. Fretter. Extensive penetrating cosmic-ray showers—933
Isenberg, I. (see Elsasser, W. M.)—469(A)
Iskenderian, Haig P. Magnetic properties of ferromagnetic ferrite—175(A)
Ivey, Henry F. Cathode field in diodes under partial space-charge conditions—554
—— Thermionic electron emission from carbon—567(L)

Jackson, J. David (see Blatt, John M.)—18
Jackson, J. L. On the continuity of the first derivative in the Wigner-Eisenbud formalism—185(A)
—— (see Rose, M. E.)—1540(L)
Jacobs, S. J. and A. A. Klebra. New high speed frame camera—881(A)
Jacobsohn, B. A. Propagation rate of streamers in high pressure sparks—585(A)
James, Hubert M. Electronic states in perturbed periodic systems—1611
—— Energy bands and wave functions in periodic potentials—1602
Janofsky, R. F., M. Melamed, and R. A. Beth. Novel magnetostriction effect—1891(A)
Jarrell, Herman and Joseph W. Straley. Infra-red absorption spectrum of hydrogen telluride vapor from 3.8μ–5.5μ—199(A)
Jarvis, G. A. (see Argo, H. V.)—182(A)
—— (see Hemmendinger, A.)—1137
—— (see Taschek, R. F.)—325
——, **A. Hemmendinger, H. V. Argo, and R. F. Taschek.** Differential cross sections for the reaction $T^3(p,n)He^3$ from 1- to 2.5-Mev proton energies—168(A)
Jashemski, Stanley A. and W. C. Wineland. Magnetic effect of eddy currents induced in a conducting plane by the approach of a bar magnet—198(A)
Jastram, P. S. Measurement of probability-amplitude distributions—190(A)
Jauneau, L. (see Leprince-Ringuet, L.)—1273(L)
Jech, Č. Detection of radioactive atoms in the air with nuclear emulsions—1731(L)
Jen, C. K. Paschen-Back effect in NH_3 and N_2O microwave spectra—1494
—— Rotational magnetic moments of H_2O and HDO—471(A)
Jenkins, F. A. (see Tollestrup, A. V.)—181(A)
Jenkins, Fannie (see Spencer, L. V.)—462(A), 1885(L)
Jenkins, J. F., Jr. Zenith angle dependence of flux of the hard cosmic-ray component up to 36,000 feet—992(L)
Jenks, G. H. (see Cannon, C. V.)—455(A)
Jennings, B. (see Allen, A. J.)—188(A), 463(A)
—— (see Charpie, R. A.)—1255(L)
—— (see Shoupp, W. E.)—502
Jensen, Erling N. Radiations from Hf^{181}—958
——, **L. Jackson Laslett, and William W. Pratt.** Revaluation of the gamma-radiations from Co^{60} and Zn^{65}—430(L)
Jesse, William P. and John Sadauskis. Corrections to the range-energy curves for alpha-particles and protons—163(A)
Johns, H. E. (see Haslam, R. N. H.)—704(L)
Johnson, E. O. and L. Malter. Double-probe method for determination of electron temperatures in steady and time-varying gas discharges—1411(L)
Johnson, Gerald W. Temperature dependence of structure of thin silver films—588(A)
—— **and T. Watanabe.** Surface self-diffusion of silver on thin single crystals—588(A)
Johnson, M. H. and B. A. Lippmann. Motion in a constant magnetic field—828
—— **and B. A. Lippmann.** Note on wave functions in a magnetic field—184(A)
Johnson, W. E. and K. Lark-Horovitz. Neutron irradiated semiconductors—442(L)
Johnston, H, L. (see Fritz, J. J.)—580(L)
Jones, Ernest A. (see Kirby-Smith, J. S.)—200(A)
—— (see Parkinson, T. F.)—199(A)
—— (see Woltz, P. J. H.)—200(A)
——, **T. F. Parkinson, R. B. Murray, and J. S. Kirby-Smith.** Infra-red and Raman spectra of chlorine tri-fluoride—200(A)
Jones, J. G. (see Jones, M. W.)—581(L)
Jones, M. W. and J. G. Jones. Tidal effects in the *F* layer—581(L)
Jones, Stanley B. and R. Stephan White. Yield of negative π-mesons produced by high energy protons as a function of proton energy—588(A)
Jones, W. (see Shoupp, W. E.)—502
Jones, W. M. Determination of the half-life of carbon 14—885
Jordan, W. H. and J. C. Gundlach. Threefold coincidence counter—196(A)
Jungerman, J. and S. C. Wright. Kinetic energy release in fission of U^{238}, U^{235}, Th^{232}, and Bi^{209} by high energy neutrons—1112
Jurney, E. T. Coincidence and absorption investigation of the disintegration of Rh^{106}, Sb^{125}, and Pr^{142}—290

Kahan T. and G. Eckart. On the electromagnetic surface wave of Sommerfeld—406
Kamei, T. (see Murakawa, K.)—1721(L)
Kammer, E. W. and T. E. Pardue. Instrumentation for studying electric resistance changes of fine wires during elastic and plastic strains—202(A)
—— **and T. E. Pardue.** Results of electric resistance changes of fine wires during elastic and plastic strains—202(A)
Kaplan, J. (see Kash, S.)—584(A)
Kaplan, Nathan (see Yagoda, Herman)—171(A), 702(L)
Kaplon, M. F., B. Peters, and H. L. Bradt. Evidence for multiple meson and γ-ray production in cosmic-ray stars—1735(L)
Karplus, Robert and Norman M. Kroll. Fourth-order corrections in quantum electrodynamics and the magnetic moment of the electrons—846(L)
Karr, P. R. (see Bethe, H. A.)—538
—— **and J. C. Lamkin.** Penetration and diffusion of hard x-rays through thick barriers. III. Studies of spectral distributions—1843
Kash, S. and J. Kaplan. Forbidden oxygen lines in afterglows—584(A)
Kasha, Michael. Fluorescence and phosphorescence spectra of organic molecules—161(T)
Katz, L. (see Haslam, R. N. H.)—704(L)
Kauffman, John and Waller George. Model for the plastic flow of oriented Nylon fibers—467(A)
Kaufman, Bruria. Crystal statistics. II. Partition function evaluated by spinor analysis—1232
—— **and Lars Onsager.** Crystal statistics. III. Short-range order in a binary ising lattice—1244
Kaufmann, S. G. (see Bender, R. S.)—273
Kaylor, Hoyt M. (see Talley, R. M.)—201(A)
—— **and Alvin H. Nielsen.** Infra-red spectrum and molecular constants of deuterium fluoride—200(A)
Kê, T'ing-Sui. Analysis of the temperature coefficient of shear modulus of aluminum—579(L)
—— Anomalous internal friction associated with the precipitation of Cu in plastically deformed Al-Cu alloys—470(A)
Keepin, George R. and James H. Roberts. On the measurement of the energy of fast neutrons by photographic emulsions loaded with enriched Li^6—154(L)
Keim, C. P. Electromagnetic separation of the isotopes of mercury—1270(L)
Keller, H. B. (see Cork, J. M.)—575(L), 986(L), 1886(L)
Keller, Joseph M., Ernest Koenigsberg, and Arthur Paskin. Ring focus in a thin magnetic lens beta-ray spectrometer—454(A)
Kelly, E., C. Leith, and C. Wiegand. *N-P* scattering experiments at 280 Mev—589(A)
Kelly, F. M. (see Crawford, M. F.)—1527(L)
Kendall, J. M. Electrical analog for heat flow with varying parameters—879(A)
Kern, Bernard D., Allan C. G. Mitchell, and Daniel J. Zaffarano. Nuclear spectra of Sb^{125}, Te^{125*}, Cr^{51}, and I^{131}—94
Kerst, D. W. (see Price, G. A.)—182(A)
Ketelle, B. H. New radioactive isotopes of dysprosium—1256(L)
—— (see Bell, P. R.)—574(L)
—— **and G. W. Parker.** Sm^{151} beta-ray spectrum—1416(L)
Kienberger, C. A. Uranium 234 content of natural uranium and the specific alpha-activities of the isotopes—1561
Kilmister, C. W. Two-component wave equations—568(L)
Kimball, G. E. (see Weingarten, I. R.)—177(A)
King, Gilbert W. Empirical formula for the refractive indices of infra-red dispersing materials—473(A)
—— (see Hainer, R. M.)—473(A)
King, Ronold (see Tomiyasu, K.)—456(A)
Kingdon, K. H. Distribution in mass and charge of fission products—136(L)
Kinnamon, R. C., M. S. Cohen, and C. B. Crawley. Equivalent electrical circuit for a galvanometer—198(A)
Kirby-Smith, J. S. (see Jones, Ernest A.)—200(A)
—— **and E. A. Jones.** Raman spectrum of hydrogen fluoride—200(A)
Kirn, F. S. (see Becker, R. A.)—182(A), 1406(L)
Kirsch, M. (see Yaffe, L.)—617
Kissinger, C. W. (see Perlow, G. J.)—164(A)
——, **C. A. Schroeder, and G. J. Perlow.** Gamma-rays in the primary cosmic-radiation—164(A)
Kittel, Charles. Gyromagnetic ratios and splitting factors of ferromagnetic substances—176(A)
—— On the gyromagnetic ratio and spectroscopic splitting factor of ferromagnetic substances—743
—— Theory of the formation of powder patterns on ferromagnetic crystals—1527(L)
Klebra, A. A. (see Jacobs, S. J.)—881(A)
Klein, M. J. and L. Tisza. Theory of critical fluctuations—1861
Klick, Clifford C. (see Schulman, James H.)—459(A)
—— **and R. J. Maurer.** Mobility of electrons in diamond—179(A)
Knable, N. (see DeJuren, J.)—589(A)
Knight, G. B. (see Goldin, A. S.)—336
Knight, J. D. (see Duffield, R. B.)—573(L)
—— (see Hanson, A. O.)—578(L)
Knight, W. D. Nuclear magnetic resonance shift in metals—1259(L)
—— **and V. W. Cohen.** Nuclear gyromagnetic ratio of V^{51}—1421(L)
Koch, G. E. (see Graves, J. D.)—590(A)
—— **and J. D. Graves.** Temperature dependence of a scintillation counter using several organic and inorganic phosphors—590(A)
Koch, H. W., R. E. Carter, and C. S. Robinson. Determination of the energy distribution of bremsstrahlung from 19.5-Mev electrons—172(A)
Koch, Jørgen, O. Kofoed-Hansen, P. Kristensen, and W. Drost-Hansen. Measurements on radioactive krypton isotopes from fission after mass-spectrographic separation—279
—— **and Ebbe Rasmussen.** Hyperfine structure and nuclear spin of Kr^{83} and Ne^{21} investigated with separated isotopes—1417(L)
Koehler, J. S. (see Blewitt, T. H.)—470(A)
Koenigsberg, Ernest (see Keller, Joseph M.)—454(A)
Kofoed-Hansen, O. (see Koch, J.)—279
Kohman, Truman P. Binding energies of alpha-particles in medium-heavy nuclides—448(L)
Kohn, Walter (see Borowitz, Sidney)—818
Kokotailo, G. T. (see Erdman, K. L.)—1262(L)
Konneker, W. R. (see DeBenedetti, S.)—440(L)
Kopal, Z. Shock wave phenomena in astronomy—875(T)
Koppe, H. On the production of mesons—688(L)
Korff, S. A. and A. D. Krumbein. Tests of self-regenerating fillings for Geiger counters—1412(L)
Koski, W. S. (see Cohen, Victor W.)—703(L)
—— **and Carl O. Thomas.** Scintillations produced by α-particles in a series of structurally related organic crystals—308(L)
Kothari, D. S. and F. C. Auluck. Thompson scattering and the hole theory—433(L)
Kothari, L. S. (see Singwi, K. S.)—305(L)
Kouts, H. (see Bohm, D.)—867(L)
Kovasznay, Leslie S. G., Mahinder S. Uberoi, and Stanley Corrsin. Transformation between one- and three-dimensional power spectra for an isotropic scalar fluctuation field—1263(L)
Kraft, Hans. Calculation and use of logarithmic singularities in the hodograph representation of isentropic subsonic compressible flow—877(A)
Kramer, R. L. (see McMillen, J. Howard)—875(T)

Krasik, S., D. Alpert, and A. O. McCoubrey. Breakdown and maintenance of microwave discharges in argon—722
Kratz, H. R. and J. E. Mack. Forbidden absorption lines from extraordinarily large orbits in alkali metal atoms—173(A)
Kraushaar, William L. Cosmic-ray mesons near sea level—1045
Kraybill, Henry L. Extensive air showers at high altitudes—1092
Kristensen, P. (see Koch, J.)—279
Kroll, Norman M. (see Karplus, Robert)—846(L)
Kruger, P. Gerald (see Leiter, H. A.)—167(A)
—— (see Phillips, J. A.)—1471
Krumbein, A. D. (see Korff, S. A.)—1412(L)
Kruschwitz, W. H. (see Rudnick, P.)—201(A)
Krzywoblocki, M. Z. On the non-existence of limiting lines and their relation to shock in viscous gases—877(A)
Kubitschek, H. E. and S. M. Dancoff. Capture gamma-ray studies—182(A), 531
Kundu, D. N. and M. L. Pool. Columbium 90, 96 and molybdenum 91, 93—183(A)
Kurbatov, J. D. (see Emmerich, Werner S.)—454(A), 1891(A)
—— (see Thomas, D. G.)—1891(A)
Kusch, Polycarp. On the sign of the electric quadrupole moment of Li^7—138(L)
—— Some design considerations of an atomic clock using atomic beam techniques—161(T)
—— (see Mann, A. K.)—163(A)
—— **and A. K. Mann.** Precision measurement of the ratio of the nuclear g values of Li^7 and Li^6—707
Kyhl, R. L. (see Lawrance, R. B.)—472(A)

Lachenbruch, S. H. (see Marton, L.)—460(A)
Ladenburg, R., C. C. Van Voorhis, and J. Winckler. Interferometric studies of faster than sound phenomena. Part II. Analysis of supersonic air jets—662
Lagemann, Robert T. Overtones in the absorption spectra of color centers in alkali halide crystals—199(A)
——, **Alvin H. Nielsen, and Fred P. Dickey.** Erratum: the infra-red spectrum and molecular constants of $C^{12}O^{16}$ and $C^{13}O^{16}$—159(L)
La Mer, Victor K. (see Reiss, Howard)—192(A)
Lamkin, J. C. (see Kaar, P. R.)—1843
Lampi, E. E., G. Freier, and J. H. Williams. Total cross section of carbon and hydrogen for fast neutrons—188(A)
Lanczos, Cornelius. Logical extension of the field equations of general relativity—592(A)
Land, E. H. and W. A. Shurcliff. Rotating illumination method of locating stars in nuclear track plates—469(A)
Landé, Alfred. Interaction between elementary particles. Part I—1176
—— On the classical theory of the electron—191(A)
Landshoff, Rolf. Transport phenomena in a completely ionized gas in presence of a magnetic field—904
Lane, C. T. Note on the resistivity of gold at low temperatures—304(L)
—— (see Fairbank, Henry A.)—1209
—— (see Reynolds, Charles A.)—64, 167(A)
—— (see Webber, Robert T.)—609
Lang, R. J. and A. R. J. Stephenson. Extinction coefficients for oxygen in the Schumann region—464(A)
Lange, I. (see Forbush, S. E.)—164(A)
Langer, Lawrence M. (see Duffield, R. B.)—1272(L)
—— (see Price, H. Clay., Jr.)—454(A)
——, **R. D. Moffat, and H. C. Price, Jr.** Beta-spectra of Cu^{64}—1725(L)
—— **and H. Clay Price, Jr.** Beta-spectra of forbidden transitions—641
—— **and H. Clay Price, Jr.** Shapes of forbidden beta-spectra—186(A)
Laporte, Otto. Theory and applications of the shock tube—584(T)
Lark-Horovitz, K. (see Johnson, W. E.)—442(L)
—— **and K. W. Meissner.** Optical properties of semiconductors. I. The reflectivity of germanium semiconductors—1530(L)
Laslett, L. Jackson. On the half-life of Na^{22}—858(L)
—— (see Jensen, Erling N.)—430(L)
LaTorre, Richard and Waller George. Strain rate effects in polycrystalline cadmium wire—470(A)
Lauritsen, C. C. (see Chao, C. Y.)—586(A)
—— (see Fowler, W. A.)—314(L), 1767
—— (see Tollestrup, A. V.)—181(A), 428(L)
Lauritsen, Thomas. Gamma-ray spectroscopy—161(T)
—— (see Chao, C. Y.)—582(L)
—— (see Hornyak, W. F.)—731
—— (see Rasmussen, V. K.)—581(L)
Lawrance, R. B., R. L. Kyhl, and M. W. P. Strandberg. Microwave spectrum of formaldehyde—472(A)
Lawson, A. W. and Ting-Yuan Tang. Concerning the high pressure allotropic modification of cerium—301(L)
Lax, Benjamin and Sanborn C. Brown. High frequency breakdown in magnetic field—457(A)
Lax, Melvin (see Feshbach, Herman)—134, 689(L)
—— **and H. Feshbach.** Meson production in a photonuclear collison—190(A)
Lazarus, David. Variation of the adiabatic elastic constants of KCl, NaCl, CuZn, and Al with pressure to 10,000 bars—545
Lee, J. C. and M. L. Pool. Radioactive tin 121, 123, and 125—192(A), 606
Lees, L. and S. M. Bogdonoff. Study of condensation of components of air at high Mach numbers—875(T)
Lehovec, K. On the structure of the barrier layer in dry disk rectifiers—178(A)
Leighton, Robert B., Carl D. Anderson, and Aaron J. Seriff. Addendum: energy spectrum of the decay particles and the mass and spin of the mesotron—159(L)
Leininger, R. F., E. Segrè, and C. Wiegand. Experiments on the effect of atomic electrons on the decay constant of Be^7. II—897
Leiter, H. A., R. E. Meagher, F. A. Rodgers, and P. Gerald Kruger. Angular distribution of protons from the D-D reaction for 10-Mev deuterons—167(A)
Leith, C. E. (see Fox, R.)—590(A)
—— (see Hildebrand, R. H.)—587(A)
—— (see Kelly, B.)—589(A)
Leland, Wallace T. Naturally occurring odd-odd isotope of vanadium—1722(L)
—— On the abundance of I^{129}, Te^{118}, and Pt^{190}—992(L)
Lepore, J. V. (see Watson, K. M.)—193(A), 1157
Leprince-Ringuet, L., F. Bousser, Hoang-Tchang-Fong, L. Jauneau, and D. Morellet. Two kinds of very high energy cosmic-ray stars—1273(L)
Lessen, Martin. On the stability of the laminar boundary layer between parallel streams—879(A)
Levinger, J. S. Photoelectric disintegration of the deuteron—699(L)
Levinstein, Henry (see Bode, Donald)—179(A)
Lew, Hin. Hyperfine structure of the $^2P_{3/2}$ state of Al^{27}. The nuclear electric quadrupole moment—1086
Lewis, H. W. Note on meson production—566(L)
Li, Yin-Yuan. Quasi-chemical method in the statistical theory of regular mixtures—972
Liddiard, Thomas P. and Ralph D. Drosd. Electrically exploded wires as a light source for hydrodynamical studies—879(A)
Lidofsky, L. (see Feldman, L.)—1888(L)
——, **P. Macklin, and C. S. Wu.** Beta-spectrum of $_{61}Pm^{147}$—1888(L)
Lieber, Paul. Some studies in gas dynamics, conducted at the Polytechnic Institute of Brooklyn—882(A)

Liebermann, Leonard N. Erratum: second viscosity of liquids —440(L)
—— Sound propagation in chemically active media—1520
Lin, C. C. Flow behind stationary shocks of varying strength —875(T)
Lind, David A. Direct crystal spectroscopy of gamma-radiation —584(T)
——, **J. R. Brown, and J. W. M. DuMond.** Precision determination of the energy of the 1.1- and 1.3-Mev gamma-radiations from Co^{60} by direct crystal diffraction—591(A)
——, **J. R. Brown, and Jesse W. M. DuMond.** Precision wavelength measurements of the 1.1- and 1.3-Mev lines of Co^{60} with the 2-meter focusing curved-crystal spectrometer—1838
Lind, S. C. (see Watson, John H. L.)—466(A)
Linder, E. G. and K. G. Hernqvist. Space-charge effects in electron beams and their reduction by positive-ion trapping —453(T)
Ling, Daniel S., Jr. and David L. Falkoff. Interference effects in gamma-gamma-angular correlations—1639
—— **and David L. Falkoff.** On the γ-γ-angular correlation in Pd^{106}—431(L)
Linker, Mary Jane A. Apparent straggling of $_{16}S^{35}$ beta-particles in glass—428(L)
—— Electrostatic analyzer—198(A)
Linz, A., Jr. (see Scherrer, V. E.)—202(A)
—— (see Varwig, R. L.)—201(A)
——, **V. E. Scherrer, and G. Carmichael.** Inductive method of detection of speed of brittle fractures in steel plates—202(A)
Lipkin, H. J. Beta-ray spectra—567(L)
Lippmann, B. A. (see Johnson, M. H.)—184(A), 828
Livesey, D. L. (see Green, L. L.)—580(L)
Livingston, Ralph. Nuclear spin and quadrupole moment of I^{129}—149(L)
Locke, J. L. (see Welsh, H. L.)—580(L)
Loeb, Leonard B. Role of the cathode in discharge instability —255
Lofgren, E. J. High intensity cyclotron—587(A)
Long, Earl A. and Lothar Meyer. Anomalous adsorption of helium at liquid helium temperatures—440(L)
Longmire, C., C. S. Wu, and C. H. Townes. On the spin and beta-spectrum of Cl^{36}—695(L)
Longuet-Higgins, H. C. Spectra and structure of borohydrides and related compounds—161(T)
Loomis, F. W. Future of physics—452(T)
Lord, J. J. (see Schein, Marcel)—170(A)
——, **Marcel Schein, and M. Vidale.** Altitude and latitude dependence of nuclear disintegrations measured in photographic emulsions in the stratosphere—171(A)
——, **Marcel Schein, and M. Vidale.** Large nuclear disintegration produced by a very high energy alpha-particle of the cosmic radiation—321(L)
Loubser, J. H. N. and C. H. Townes. Spectroscopy between 1.5- and 2-mm wave-length using magnetron harmonics—178(A)
Louw, J. D. and S. M. Naudé. Spurious counts in Geiger counters and the pretreatment of the electrodes—571(L)
Love, W. F. (see Blunt, R. F.)—1202
——, **R. F. Blunt, and P. B. Alers.** Magnetic effects of a rotating superconductor—305(L)
Low, W. (see Townes, C. H.)—1415(L)
—— **and C. H. Townes.** Molecular dipole moments and Stark effects. I. Stark effects on symmetric top molecules with nuclear quadrupole coupling—1295
Lowance, F. E. and R. A. Martin. Method for microwave propagation study in the lower troposphere—202(A)
Lowen, I. S. (see Tralli, N.)—1541(L)
Lowry, L. L. and M. Goldhaber. Widths of neutron resonances —189(A)
Lundby, Arne. Angular correlation of delayed radiations—993(L)
—— Decay scheme of Hf^{181}—1809
Lundquist, S. Experimental investigations of magneto-hydrodynamic waves—1805
Luneberg, R. K. (see Halpern, Otto)—1811
Lyons, Harold. Atomic clock of the National Bureau of Standards—161(T)

MacDonald, A. D. (see Brown, Sanborn C.)—1629
—— **and Sanborn C. Brown.** High frequency gas discharge breakdown in hydrogen—1634
MacIntyre, W. J. Measurement of a 2.3×10^{-8}-second metastable state in Hg^{198}—312(L)
Mack, J. E. (see Arroe, O. H.)—173(A), 873(L)
—— (see Kratz, H. R.)—173(A)
—— **and O. H. Arroe.** Hyperfine structure and isotope shift studies, especially of the nuclear spin of Se^{77}—173(A)
—— **and O. H. Arroe.** Nuclear spin $\frac{1}{2}$ for Te^{123} and isotope shift in the tellurium spectrum—1002(L)
MacKay, J. (see Errett, D.)—180(A)
Macklin, P. A. (see Feldman, L.)—1888(L)
—— (see Goldin, A. S.)—336
—— (see Lidofsky, L.)—1888(L)
Macklin, R. L. U-235 gamma-radiation—595
—— (see Goldin, A. S.)—336
MacLeod, David W., Jr. (see Mingins, Charles R.)—467(A)
Madison, T. C. (see Sharbaugh, A. H.)—1419(L), 1529(L)
Madsen, C. B. (see Huus, Torben)—323(L)
Maienschein, Fred C. (see Meem, J. Lawrence, Jr.)—328
—— (see Mitchell, Allan, C. G.)—1450
—— **and J. Lawrence Meem, Jr.** Coincidence experiments in Ni^{65}, Ni^{67}, Ag^{110}, and In^{114}—899
Mallary, E. C. and M. L. Pool. Radioactive In and Sn—186(A)
—— **and M. L. Pool.** Radioactive In^{107}, In^{108}, In^{109}, and Sn^{108} —1454
Malm, R. (see Buechner, W. W.)—1543
Malter, L. (see Johnson, E. O.)—1411(L)
Mandeville, C. E. Neutrons from the disintegration of sodium by deuterons—436(L)
—— **and M. V. Scherb.** Radiations from the 11-day neodymium and the 47-hour element 61—186(A)
—— **and E. Shapiro.** Radiations from indium (114) and barium (140)—454(A), 718
——, **C. P. Swann, and S. C. Snowdon.** Neutrons from deuterons on lithium (6)—980(L)
Manfredini, A. (see Bernardini, G.)—1792
Mann, A. K. (see Kusch, P.)—707
—— **and P. Kusch.** Further data on the spin gyromagnetic ratio of the electron—163(A)
Mann, K. C., D. Rankin, and P. N. Daykin. Radiations from Zn^{65}—1719(L)
Manning, Thurston E. Isotope shift in the HeI spectrum—173(A)
—— Isotopic spectra of lead—464(A)
Marcus, Jules A. Magnetic susceptibility of zinc at liquid hydrogen temperatures—413
—— Temperature dependence of susceptibility of zinc, cadmium, and gamma-brass—621
Marcus, P. M. (see Maxwell, E.)—1332
Margenau, Henry. Inversion frequency of ammonia and molecular interaction—1423
—— Pressure broadening in the inversion spectrum of ammonia—121
—— Pressure dependence of the inversion frequency of NH_3 —585(A)
—— (see Van Vleck, J. H.)—585(A), 1211
Marshak, R. E. Remarks on multiple meson and gamma-ray production—1736(L)
—— (see Ashkin, J.)—58, 989(L)

—— **and A. S. Wightman.** Absorption of negative π-mesons by protons—114
Marshall, J. F. and E. Guth. High energy photo-disintegration of the deuteron—1880(L)
—— **and E. Guth.** Photo-disintegration of the deuteron at intermediate energies—1879(L)
Martin, John H. Ionization of neon by atomic projectiles of neon—190(A)
Martin, L. Recent developments in electron microscopy—584(T)
Martin, M. H. Plane, rotational, Prandtl-Meyer flows—877(A)
Martin, R. A. (see Lowance, F. E.)—202(A)
Martinelli, E. A. Half-life of the positive π-meson—589(A)
Marton, L. Field mapping by electron-optical methods—162(T)
—— **and S. H. Lachenbruch.** Fringe fields of ferromagnetic domains—460(A)
Mason, W. P., R. M. Bozorth, H. J. McSkimin, and J. G. Walker. Elastic constants of single crystals of nickel—470(A)
Mather, K. B. Fading of proton tracks in vacuum—486
—— (see Bondelid, R. O.)—865(L)
Matlack, G. (see Bianco, D.)—473(A)
Matossi, Frank, Pressure dependence of line width in infra-red spectra—1845
——, **Robert Mayer, and Emma Rauscher.** On total absorption in spectra with overlapping lines—760
Matthews, P. T. Application of Dyson's methods to meson interactions—684(L)——Erratum—1419(L)
—— Application of the Tomonaga-Schwinger theory to the interaction of nucleons with neutral scalar and vector mesons—1657
—— *S*-matrix for meson-nucleon interactions—1254(L)
Matthias, B. T. Ferroelectric properties of WO_3—430(L)
—— **and J. P. Remeika.** Ferroelectricity in the ilmenite structure—1886(L)
——, **Elizabeth A. Wood, and A. N. Holden.** New ferroelectric crystals—175(A)
Maurer, R. D. and Melvin A. Herlin. Second sound velocity in helium II—948
Maurer, R. J. (see Klick, C. C.)—179(A)
Mautz, C. W. Factors affecting the production of steady flow past models in the shock tube—172(A)
Maxwell, E. (see Condon, E. U.)—578(L)
——, **P. M. Marcus and J. C. Slater.** Surface impedance of normal and superconductors at 24,000 megacycles per second—1332
Maxwell, Louis R. and Stephen Brunauer. Thermomagnetic investigations of promoted iron oxide and iron catalysts—175(A)
——, **J. Samuel Smart, and Stephen Brunauer.** Dependence of the intensity of magnetization and the Curie point of certain iron oxides upon the ratio of Fe^{++}/Fe^{+++}—459(A)
Mayer, H. (see Argo, H. V.)—182(A)
Mayer, Maria G. Closed shells in nuclei—185(A)
—— **and Edward Teller.** On the origin of elements—1226
Mayer, Robert (see Matossi, Frank)—760
Mays, J. M. (see Dailey, B. P.)—136(L), 472(A)
—— (see Townes, C. H.)—700(L)
McCarthy, J. T. Use of WWV signals to time pendulums—1891(A)
McClure, B. T. (see Holt, R. B.)—456(A)
McCormick, R. C. (see Poole, J. H. J.)—1253(L)
McCoubrey, A. O. (see Alpert, D.)—457(A), 1257(L)
—— (see Holstein, T.)—1259(L)
—— (see Krasik, S.)—722
McCray, P. R. (see Schroeder, C. A.)—163(A)
McCaniel, Boyce D. (see Corson, D. R.)—162(A)
——, **John W. DeWire, Dale R. Corson, and Robert R. Wilson.** Design and construction of the Cornell synchrotron—162(A)
McGowan, F. K. Metastable state of half-life 13×10^{-8} sec. in $_{71}Lu^{177}$—1730(L)
McGuire, T. R. Magnetic susceptibility measurements at liquid helium temperatures—167(A)
—— (see Webber, Robert T.)—293
McInteer, B. B. (see Reynolds, Charles A.)—64, 167(A)
McIntyre, John A. (see Hofstadter, Robert)—172(A), 1269(L)
McKay, A. S. (see Brown, W. W.)—506, 1034
—— (see Palmatier, E. D.)—196(A)
McKay, Kenneth G. Germanium counter—1537(L)
McKee, L. H. (see Hutter, R. G. E.)—453(T)
McKellar, Andrew. Isotopes in stellar atmospheres—584(T)
McKenzie, K. (see Fox, R.)—590(A)
McLachlan, Dan, Jr. Electrodynamic examination of the hydrogen atom—592(A)
McMath, Robert R. (see Goldberg, Leo)—1848
——, **Orren C. Mohler, A. Keith Pierce, and Leo Goldberg.** Note on methane in the infra-red solar spectrum—1533(L)
McMillen, J. Howard and R. L. Kramer. Impact shock waves in water—875(T)
McReynolds, Andrew W. Martensitic transformations in iron-nickel—469(A)
McSkimin, H. J. (see Mason, W. P.)—470(A)
Mead, L. W. (see Armistead, F. C.)—860(L)
Meagher, R. E. (see Leiter, H. A.)—167(A)
Meem, J. Lawrence, Jr. (see Maienschein, Fred)—899
—— **and Fred Maienschein.** Coincidence and absorption measurements on Cs^{134}, I^{124}, Au^{199}, and Ca^{45}—328
Meggers, W. F. Where we stand with respect to atomic spectra—161(T)
Mei, J. Y. (see Mitchell, Allan C. G.)—1450
——, **Allan C. G. Mitchell, and Daniel J. Zaffarano.** Disintegration of In^{114}—1883(L)
Meiners, Edwin P., Jr. Angular distribution of photo-neutrons from deuterium—259
Meinke, W. W. (see Ghiorso, A.)—1414(L)
Meissner, K. W. (see Lark-Horovitz, K.)—1530(L)
Melamed, M. (see Janofsky, R. F.)—1891(A)
Melchor, J. L., W. B. Good, and T. E. Pardue. Energy losses and fracture of some metals subjected to high repeated strains—202(A)
Melkonian, Edward. Precise determination of the slow neutron cross section of the free proton—1744
—— Slow neutron velocity spectrometer studies of O_2, N_2, A, H_2, H_2O, and seven hydrocarbons—1750
Melvin, M. Avramy. Handedness in space-time and the nature of magnetic poles—592(A)
Mendenhall, H. E. Secondary emission from silicon and germanium oxides—458(A)
Meneghetti, D. Small angle scattering of neutrons—188(A)
Menius, A. C., Jr. (see Watkins, J. M., Jr.)—196(A)
Merritt, Thomas P. and Royal M. Frye. Lattice energy, lattice constant and compressibility of metallic copper and silver—470(A)
Merz, Walter J. Electric and optical behavior of $BaTiO_3$ single-domain crystals—1221
—— Spontaneous polarization of $BaTiO_3$ single-domain crystals—459(A)
Metzger, Franz and Martin Deutsch. Correlation between direction and polarization of successive gamma-ray quanta—187(A)
Meyer, D. I. (see Graves, E. R.)—183(A)
Meyer, H. A. and G. Schwachheim. Exchange phenomena of the nucleons that generate penetrating showers—149(L)
——, **G. Schwachheim, A. Wataghin, and G. Wataghin.** On penetrating showers in cosmic radiation—598
Meyer, Lothar (see Band, William)—417

—— (see Long, Earl A.)—440(L)
Michels, A. M. J. F. High pressure experiments and molecular physics—162(T)
Michels, Walter C. and Sally E. Wilford. Spectral emissivity and conductivity of titanium—174(A)
Milford, F. J. and L. L. Foldy. Energy degeneration of cosmic-ray primaries—468(A)
Miller, A. R. Phenomenological theory of superconductors—1001(L)
Miller, Charles E. (see Potter, D. S.)—590(A)
—— (see Todd, Jay, Jr.)—591(A)
——, **J. E. Henderson, D. S. Potter, and Jay Todd, Jr.** Penetrating component of cosmic-rays at 3.4 km—591(A)
——, **Joseph E. Henderson, D. S. Potter, Jay Todd, Jr., and A. W. Wotring.** Momentum spectra and positive excess of cosmic-ray particles at 11,000 feet—165(A)
Miller, P. H., Jr. (see Rothlein, B. J.)—1882(L)
—— (see Russell, B. R.)—190(A)
—— **and Julius Taylor.** Pressure coefficient of resistance in intrinsic semiconductors—179(A)
Miller, W. C. (see Waldman, B.)—181(A)
Millikan, R. A. Recollections of the American Physical Society—453(T)
Milton, J. C. D. (see Fulbright, H. W.)—1271(L)
Mingins, Charles R., Carl A. Stevens, and David W. McLeod, Jr. Studies of the vibrational characteristics of a piezoid—467(A)
Minnhagen, L. (see Bøggild, J. K.)—988(L)
Mitchell, Allan C. G. Survey of the energy-levels of radioactive nuclei—161(T)
—— (see Brolley, John E., Jr.)—624
—— (see Kern, Bernard D.)—94
—— (see Mei, J. Y.)—1883(L)
——, **J. Y. Mei, Fred C. Maienschein, and Charles L. Peacock.** Disintegration of I^{124} and I^{126}—1450
Miyazaki, Y. Cosmic rays at a great depth—1733(L)
Mizushima, Masataka. Theory of pressure absorption—1268(L)
Moeckel, W. E. Approximate method for predicting the form and location of detached shock waves—877(A)
Moffat, R. D. (see Langer, L. M.)—1725(L)
Mohler, Orren C. (see Goldberg, Leo)—1848
—— (see McMath, Robert R.)—1533(L)
Montgomery, C. G. (see Wei, John)—1488
—— **and D. D. Montgomery.** Analysis of bursts of cosmic-ray-ionization—1482
—— **and A. R. Tobey.** Neutron production at mountain altitudes—1478
Montgomery, D. D. (see Montgomery, C. G.)—1482
Moody, H. J. (see Haslam, R. N. H.)—704(L)
Moore, Benjamin L. Pentode counting or control ring—465(A)
Moore, George E. Thermionic emission of (BaSr)O without metallic support—458(A)
Moore, H. B. (see Farmer, E. C.)—454(A)
Moore, John W. Electric current transients through human tissue and skin—190(A)
Moorhouse, R. G. Bosons in an electromagnetic field—1691
Morellet, D. (see Leprince-Ringuet, L.)—1273(L)
Morette, Cecile. On the production of π-mesons by nucleon-nucleon collisions—1432
Morganstern, Kennard H. and Karl P. W. Wolf. Cloud-chamber study of high energy positrons from Na^{22}—1261(L)
Morrish, A. H. Absolute voltage determination of two nuclear resonances below 0.4 Mev—1651
Morrison, H. L. and F. T. Rogers, Jr. Dependence of convective process on thickness of porous medium—203(A)
Moseley, H. M. Composite particles—197(A)
Mostow, Wolfe. Plastic behavior of stiffened panels subjected to underwater explosive load—876(A)
Moulton, J. F., Jr. (see Shafer, P. E.)—881(A)
Moyer, Burton J. High energy gamma-rays from the cyclotron target—584(T)
—— (see DeJuren, J.)—589(A)
—— (see York, Herbert F.)—187(A)
Mrozowski, S. Hyperfine structure in the band spectrum of the mercury hydride HgH—1820
—— Structure of the mercury bands λ2540 and λ2476—1714
Muehlhause, C. O. (see Harris S.)—189(A)
—— (see Hibdon, C. T.)—100, 188(A)
Muether, Herbert (see White, M. G.)—161(T)
Mulliken, R. S. Where we stand in respect to the electronic structure of molecules—161(T)
—— (see Shull, Harrison)—176(A)
Mullin, Charles J. (see Guth, Eugene)—234
—— **and Eugene Guth.** Theory of the angular distribution of photo-neutrons from Be^9—682(L)
Murakawa, K. and S. Suwa. Quadrupole moment of Sb^{121} and Sb^{123}—433(L)
——, **S. Suwa, and T. Kamei.** Structure of the line λ4686 of He II—1721(L)
Murray, R. B. (see Jones, Ernest A.)—200(A)
Myers, Vernon. Forces between ammonia molecules—177(A)

Nafe, John E. (see Blau, M.)—860(L)
—— (see Nelson, Edward B.)—1858
Nagle, Darragh E. Nuclear spin and magnetic moment of Cs^{135} and Cs^{137}—847(L)
—— (see Davis, Luther, Jr.)—1068
Nakamura, Seitaro (see Sakai, Mitsuo)—967
—— (see Taketani, Mituo)—60
Nakano, Yashihiro. On the angular distribution of *D-D* reaction products—981(L)
Narlikar, V. V. and Ramji Tiwari. Particular case in Einstein's generalized theory of gravitation—868(L)
Naudé, S. M. (see Louw, J. D.)—571(L)
Nechaj, J. F. (see Allen, A. J.)—188(A), 463(A)
—— (see Charpie, R. A.)—1255(L)
Neher, H. V. Correlation of cosmic-ray geomagnetic effects—164(A)
—— (see Biehl, A. T.)—914
Nelson, Edward B. and John E. Nafe. Comparison of the *g* value of the electron in hydrogen with that in deuterium—1858
Neuman, M. (see Furry, W. H.)—432(L)
—— **and W. H. Furry.** On the interactions of mesons with the electromagnetic field—1677
Newkirk, J. B. and R. Smoluchowski. Mechanism of ordering in Co-Pt—471(A)
Newton, T. D. and E. P. Wigner. Invariant theoretical determination of position operators—191(A)
Ney, E. P. (see Oppenheimer F.)—1418(L)
Nicodemus, D. B. (see Fleeman, J.)—1774
Nielsen, Alvin H. (see Kaylor, Hoyt M.)—200(A)
—— (see Lagemann, Robert T.)—159(L)
—— (see Parkinson, T. F.)—199(A)
—— (see Woltz, P. J. H.)—200(A)
Nielsen, O. B. (see Bøggild, J. K.)—988(L)
Nier, Alfred O. C. (see Reynolds, Charles A.)—64, 167(A)
Nordheim, Gertrud P. and H. Sponer. Remarks on the low lying singlet electronic levels in naphthalene—177(A)
Nottingham, W. B. Studies of thermionic emission, photoelectric emission and conductivity of oxide-coated cathodes—453(T)
Nowak, W. B. and J. C. Slater. Surface impedance of metals at 24,000 Mc/sec.—469(A)

Oberly, J. J. (see Burstein, E.)—1254(L)
O'Day, Marcus. Rocketborne upper atmospheric experiments of the Air Materiel Command—195(T)
Oguchi, Takehiko. Statistics of the three-dimensional ferromagnet—1001(L)

Olsen, Leonard O., E. C. Crittenden, Jr., and R. W. Hoffman. Condensation of evaporated metals on surfaces—1891(A)
Olson, N. (see Crawford, M. F.)—1528(L)
Ono, Kenichi (see Taketani, Mituo)—60
Onsager, Lars (see Kaufman, Bruria)—1244
Oppenheimer, F. and E. P. Ney. Wide angle sprays of minimum ionization particles—1418(L)
Orr, J. B. Uranium^{235} in thucholite—155(L)
Orr, William C. (see Bonner, Norman A.)—140(L)
Osborne, D. W. (see Abraham, B. M.)—864(L)
Osborne, L. S. and B. T. Feld. Measurements and interpretation on the "showers" associated with stars in nuclear emulsions—468(A)
Osborne, M. F. M. Bose-Einstein condensation for charged particles in a magnetic field—400
—— Bose-Einstein condensation for thin films—396
Osoba, J. S. Forbidden transition of yttrium^{91} and cesium^{137}—345
Ott, D. G. (see Wyly, L. D.)—1532(L)
Otto, William H. Use of the density-gradient tube in the study of finely divided materials—465(A)
Overhauser, Albert W. Clustering of ions and the mobilities in gaseous mixtures—250
Owen, George E. (see Cook, C. Sharp)—183(A)
—— **and C. Sharp Cook.** On the shape of the positron spectrum of Cu^{61}—1536(L)
—— **and C. Sharp Cook.** Positron and negatron spectra of Cu^{64}—1726(L)
Oxholm, Mary Louise and Dudley Williams. Infra-red absorption by homonuclear diatomic molecules—151(L)
Oxley, Charles L. Proton-proton scattering experiment at 250 Mev—461(A)

Page, Leigh and Norman I. Adams, Jr. Diode space charge for any initial velocity and current—381
Palevsky, H. (see Hanson, A. O.)—578(L)
Palmatier, E. D. (see Brown, W. W.)—506
——, **W. W. Brown, and A. S. McKay.** On the knock-on secondaries of penetrating particles—196(A)
Panofsky, Wolfgang K. H. Proton-proton scattering—584(T)
Paraghamian, Berg (see Sanderson, H. C., Jr.)—878(A)
Pardue, T. E. (see Kammer, E. W.)—202(A), 202(A)
—— (see Melchor, J. L.)—202(A)
—— (see Parker, J. P.)—202(A)
Parkash, Om. On the temperature dependence of counter characteristics in self-quenching G-M counters—568(L)
Parker, G. W. (see Ketelle, B. H.)—1416(L)
Parker, J. P. and T. E. Pardue. Instrumentation for studying energy losses and fracture of some metals subjected to large repeated strains—202(A)
Parkinson, T. F. (see Jones, Ernest A.)—200(A)
——, **E. A. Jones, and A. H. Nielsen.** Infra-red spectrum of chlorine monofluoride—199(A)
Parkinson, W. C. Absorption of gamma-rays in aluminum—1348
Parzen, G. Some results in the scattering theory of the Dirac equation—592(A)
Paskin, Arthur (see Keller, Joseph M.)—454(A)
Patten, R. B. (see Thomas, J. E., Jr.)—162(A)
Patterson, G. M., I. I. Glass, and D. Bitondo. Interaction of a plane shock wave with a contact surface of general type—881(A)
Peacock, Charles L. Disintegration of Cs^{137}—186(A)
—— (see Beach, Louis A.)—187(A), 1585, 1624
—— (see Mitchell, Allan C. G.)—1450
Pearson, G. L. Electrical properties of crystal grain boundaries in germanium—459(A)
—— Electron and hole mobilities in germanium single crystals—179(A)
—— (see Shockley, W.)—180(A), 459(A)
Peck, Edson. Infra-red recording spectrograph of high resolution and high precision—584(T)
Peck, R. A., Jr. Photographic study of neutrons from Al+H^2—1279
Peed, W. F., E. J. Spitzer, and L. E. Burkhart. *L* spectrum of element 61—143(L)
Pegram, G. B. Early years of the American Physical Society—452(T)
Pell, E. M. (see Tomboulian, D. H.)—172(A)
—— **and D. H. Tomboulian.** Absorption by aluminum between 100A and 300A—172(A)
Pellam, John R. Correlations in measurements on the superfluidity in liquid helium II—158(L)
—— Second sound and classical heat flow—872(L)
—— **and Russell B. Scott.** Second sound velocity in paramagnetically cooled liquid helium II—869(L)
Pennock, J. C. (see Armistead, F. C.)—860(L)
Pepper, R. (see Errett, D.)—180(A)
Perez-Mendez, V. and H. Brown. Beta-spectrum of O^{15}—689(L)
Perlman, I. (see Goeckermann, R. H.)—628
Perlow, G. J. (see Kissinger, C. W.)—164(A)
——, **C. W. Kissinger, and C. A. Schroeder.** Search for cosmic-ray diurnal effects at rocket altitudes—164(A)
Perry, J. E. New California Institute electrostatic generator—584(T)
Petch, H. E. (see Bell, R. E.)—1409(L)
Peters, B. (see Bradt, H. L.)—156(L)
—— (see Kaplon, M. F.)—1735(L)
Peterson, John W. Influence of piezo-electrification on tribo-electrification—1882(L)
Peterson, R. E. (see Adair, R. K.)—308(L), 463(A)
—— (see Barschall, H. H.)—1146
—— (see Bockelman, C. K.)—277
Pfann, W. G. and J. H. Scaff. *P*-type germanium transistor—459(A)
Phillips, G. C., T. W. Bonner, and J. E. Richardson. Study of the long range protons from the bombardment of carbon by deuterons—169(A)
Phillips, J. A. and P. Gerald Kruger. On the production of electron pairs in the field of an electron—1471
Phillips, M. Effect of nuclear motion on atomic magnetic moments—1803
Pickup, E. and L. Voyvodic. Disintegration electrons from Li^8 nuclei ejected cosmic stars—1534(L)
—— **and L. Voyvodic.** Large cosmic stars in electron sensitive emulsions—447(L)
Pierce, A. Keith (see Goldberg, Leo)—1848
—— (see McMath, Robert R.)—1533(L)
Pierce, J. R. Note on plasma oscillation—565(L)
Pietenpol, William J. and John D. Rogers. Microwave absorption spectrum of methylene bromide—690(L)
Pine, J. and R. Sherr. Constant sensitivity gamma-ray detector—455(A)
Platt, Joseph B. (see Zizzo, Samuel G.)—704(L)
Plumb, Harmon (see Bockstahler, Lester I.)—166(A)
Plyler, Earle K. Infra-red absorption spectra of seven freons—177(A)
—— New developments in infra-red spectrometry—195(T)
Podgor, S. Preliminary note on nuclear periodic scheme in three dimensions—1271(L)
Polachek, H. (see Seeger, R. J.)—875(T)
Pollard, Ernest C. Deep energy levels in nuclei from neon to calcium—161(T)
—— (see Davison, P. W.)—890
Pomerance, H. S. Some isotopic neutron absorption cross sections—195(A)

Pomeranchuk, I. On a generalization of the lambda-limiting process and the non-uniqueness in the removal of divergence difficulties in the quantum theory of elementary particles —298
Pomerantz, Martin A. Properties of cosmic radiation in the lower atmosphere—165(A)
—— **and Frank L. Hereford.** Detection of heavy particles in the primary cosmic radiation—997(L)
—— **and M. S. Vallarta.** On the low energy spectrum of primary cosmic radiation, and the sun's magnetic dipole moment—1889(L)
Pool, M. L. (see Creveling, L. G.)—946
—— (see Gum, Jane R.)—184(A)
—— (see Hinshaw, R. A.)—358
—— (see Kundu, D. N.)—183(A)
—— (see Lee, J. C.)—192(A), 606
—— (see Mallary, E. C.)—186(A), 1454
—— (see Robertson, B. E.)—1408(L), 1649
—— (see Scott, W. E.)—183(A)
Poole, J. H. J., C. F. G. Delaney, and R. C. McCormick. Possible existence of the $4n+1$ radioactive series in chloritized ytterby mica—1253(L)
Pooler, L. G. Free flight aerodynamics—880(A)
Popelka, Martin, Jr. (see Harkins, William D.)—989(L)
Potter, D. S. (see Miller, Charles E.)—165(A), 591(A)
—— (see Todd, Jay, Jr.)—591(A)
——, **J. E. Henderson, C. E. Miller, and Jay Todd, Jr.** Portable high intensity magnet and cloud chamber for use in cosmic-ray research—590(A)
Potter, J. G. (see Simons, L. H.)—467(A)
Pound, R. V. On the spatial alignment of nuclei—1410(L)
Power, S. Decay of a heavy τ-meson into three lighter mesons —865(L)
Pratt, William W. (see Jensen, Erling N.)—430(L)
Price, G. A. and D. W. Kerst. Angular distribution and relative yields of gamma-n processes with bremsstrahlung—182(A)
Price, H. Clay, Jr. (see Langer, Lawrence M.)—186(A), 641, 1725(L)
—— **and Lawrence M. Langer.** Forbidden beta-spectra of Sr^{89} and Y^{90}—454(A)
Price, Robert S. (see Fye, Paul M.)—881(A)
Proctor, W. G. Magnetic moments of Sn^{117}, Sn^{119}, and Pb^{207}—684(L)
—— **and F. C. Yu.** On the magnetic moments of Sn^{115}, Cd^{111}, Cd^{113}, Pt^{195}, and Hg^{199}—1728(L)
Pryor, W. A. and Hugh F. Henry. Spectral color determination by the human eye—199(A)
Pugh, Emerson M. Hall effect in ferromagnetics. I—176(A)
—— (see Schindler, Albert I.)—176(A)
Puppi, G. (see Bassi, P.)—854(L)
Purcell, E. M. Progress in the study of nuclear magnetic resonance since the 1949 symposium at Washington—162(T)
—— (see Gardner, J. H.)—1262(L)
—— (see Sachs, A. M.)—466(A)
—— (see Slichter, C. P.)—466(A)
—— (see Turner, E. H.)—465(A)
Purcell, J. D., R. Tousey, and K. Watanabe. Observations at high altitudes of extreme ultraviolet and x-rays from the sun—165(A)

Rabi, I. I. (see Grabner, Ludwig)—472(A)
—— (see Hughes, Vernon)—471(A)
Racah, Giulio. Theory of complex spectra. IV—1352
Rainwater, I. J. Recent results with the slow-neutron spectrometer at Columbia University—161(T)
—— (see Ruderman, I. W.)—434(L)
Ramsey, Norman F. New molecular beam resonance method —996(L)
Rank, D. H. Some recent results on molecular structure obtained by means of the Raman effect—161(T)
Rankin, D. (see Mann, K. C.)—1719(L)
Rasmussen, Ebbe (see Koch, Jørgen)—1417(L)
Rasmussen, J. O. (see Thompson, S. G.)—1406(L)
Rasmussen, V. K. (see Chao, C. Y.)—582(L)
—— (see Hornyak, W. F.)—731
——, **W. F. Hornyak, and T. Lauritsen.** Gamma-radiation from deuteron bombardment of Be^9—581(L)
Rauscher, Emma (see Matossi, Frank)—760
Reed, Charles Albert and William Schriever. Macroscopic space charge in electrolytes during electrolysis—197(A)
Reifman, A. and W. G. Dow. Dynamic probe measurements in the ionosphere—987(L)
Reiss, Howard and Victor K. La Mer. Approximate solution of certain boundary value problems involving moving boundaries—192(A)
Reissner, H. J. Results of a theory of the blade shapes of compressors—878(A)
Remeika, J. P. (see Matthias, B. T.)—1886(L)
Resnick, I. and S. S. Hanna. Angular yield of protons, tritons, and alphas from the bombardment of Be^9 by deuterons—168(A)
Resnick, Robert and D. R. Inglis. Theory of the lithium two-alpha-reactions. II. Angular distribution of $Li^6(d,\alpha)\alpha$—1318
Reynolds, Charles A., Henry A. Fairbank, C. T. Lane, B. B. McInteer, and Alfred O. Nier. "Heat flush" method of He^3 separation—64
——, **H. A. Fairbank, C. T. Lane, B. B. McInteer, and A. O. C. Nier.** Heat flux separation of He^3 in liquid helium II—167(A)
Reynolds, George T. (see Harrison, F. B.)—169(A)
—— (see White, L. D.)—468(A)
—— **and F. B. Harrison.** Measurements of meson decay by scintillation counters—169(A)
Reynolds, J. M. (see Webber, Robert T.)—293
Reynolds, John H. (see Inghram, Mark G.)—1265(L), 1717(L)
Rhodes, J. Elmer, Jr. Statistical consideration of collisions—202(A)
Rhodes, K. B. and E. E. Bell. ν_3-fundamental of nitrous oxide —1273(L)
Rice, O. K. Thermodynamics of liquid helium on the basis of the two-fluid theory—1701
Richards, H. T. (see Hunter, G. T.)—1445
—— (see Williamson, R. M.)—453(A), 614
Richards, J. (see Saxon, D.)—186(A), 982(L)
Richards, Paul I., Earl E. Hays, and S. A. Goudsmit. Magnetic time-of-flight mass spectrometer—180(A)
Richardson, H. T. (see Castillejo, L.)—1732(L)
Richardson, J. E. (see Phillips, G. C.)—169(A)
Richardson, J. M. (see Holt, R. B.)—456(A)
Richardson, J. Reginald (see Burkig, J. W.)—586(A)
Rieke, F. (see Errett, D.)—180(A)
Ritchie, R. H. and C. B. Crawley. Conduction of heat from a long circular cylinder—197(A)
Rittner, E. S., F. K. du Pré, and R. A. Hutner. Suggestion regarding emission phenomena in (Ba-Sr)O cathodes—996(L)
Roberts, A. (see Bianco, D.)—473(A)
—— (see Gilbert, D. A.)—1723(L)
—— **and W. F. Edgell.** Microwave rotational spectrum of $CH_2=CF_2$—178(A)
Roberts, J. A. Wave amplification by interaction with a stream of electrons—340
Roberts, James H. (see Keepin, George R.)—154(L)
Roberts, Shepard. Dielectric constants and polarizabilities of ions in simple crystals and barium titanate—1215
Roberts, V. (see Gebbie, H. A.)—1534(L)
Roberts, Walter O. Solar activity variations and their apparent consequences—584(T)

Robertson, B. E. (see Scott, W. E.)—183(A)
—— **and M. L. Pool.** 28.7-hour Ba^{135}—1408(L)
——, **W. E. Scott, and M. L. Pool.** Radioactive Y^{84}, Y^{88}, and Zr^{87}—1649
Robertson, J. M. (see Ross, Donald)—879(A)
Robinson, C. S. (see Koch, H. W.)—172(A)
Robinson, C. V. Design of small, self-quenching, G-M counter —455(A)
Robinson, J. Eugene (see Ter-Pogossian, Michel)—453(A), 909, 1407(L)
Rodgers, Eric. Experiment in x-ray scattering—196(A)
Rodgers, F. A. (see Leiter, H. A.)—167(A)
Roesch, W. C. (see Biehl, A. T.)—914
Rogers, E. H. and H. H. Staub. Nuclear resonances in rotating magnetic fields—585(A)
—— **and H. H. Staub.** Signs of the magnetic moments of neutron and proton—980(L)
Rogers, F. T., Jr. Relations in quasi-isothermal slow fracture. I. General considerations—203(A)
—— (see Byatt, W. J.)—199(A)
—— (see Crawford, G. W.)—199(A)
—— (see Morrison, H. L.)—203(A)
—— (see Rogers, Marguerite M.)—203(A)
Rogers, John D. (see Pietenpol, William J.)—690(L)
Rogers, M. and S. Fagin. Effects of heat addition on the aerodynamic design of ramjet diffusers—884(A)
Rogers, Marguerite M. and F. T. Rogers, Jr. Relations in quasi isothermal slow fracture. II. The problem of brittleness—203(A)
Rogozinski, A. (see Benoist, P.)—1000(L)
Rojansky, V. and Frank Stern. Relativity corrections for energy levels—184(A)
Roller, D. (see Errett, D.)—180(A)
Rose, A., P. K. Weimer, and S. V. Forgue. Some observations on the photo-effect in cadmium sulphide—179(A)
Rose, M. E. Electron neutrino correlation in heavy elements —195(A)
—— Internal pair formation—461(A), 678
——, **G. H. Goertzel, B. I. Spinrad, J. Harr, and P. Strong.** *K*-shell internal conversion coefficients—184(A), 1883(L)
—— **and J. L. Jackson.** Ratio of L_I to *K* capture—1540(L)
Rosen, Louis (see Williams, J. H.)—168(A)
—— **and Alvin M. Hudson.** On the tripartition of U^{235} nuclei by thermal neutrons—181(A)
——, **Francis K. Tallmadge, and John H. Williams.** Range distribution of the charged particles from the *D-D* reactions for 10-Mev deuterons: differential elastic scattering cross section at 40 degrees, 60 degrees and 80 degrees in the center-of-mass system—1283
Rosen, Nathan. Quantum mechanics of a particle on a string —202(A)
—— (see Freistadt, Hans)—201(A)
Rosenbaum, Alma (see Rusk, Rogers D.)—1166
Rosenbluth, Marshall N. Electromagnetic interactions of a vector meson with a scalar excited state—951
Rosenthal, Jenny E. Deflection of electrons in an inhomogeneous electrostatic field—180(A)
Ross, Donald and J. M. Robertson. Shear stress in a turbulent boundary layer—879(A)
Rothlein, B. J. and P. H. Miller, Jr. Measurements of the variation of work function of silicon with temperature—1882(L)
Ruderman, I. W. Scattering of slow neutrons by paramagnetic crystals—1572
—— (see Bendt, P. J.)—463(A)
——, **W. W. Havens, Jr., T. I. Taylor, and L. J. Rainwater.** Erratum: scattering of slow neutrons by paramagnetic crystals—434(L)
Ruderman, M. and R. Finkelstein. Note on the decay of the π-meson—1458
Rudnick, P. and W. H. Kruschwitz. Measurement of the velocity of a flow of a combustible gas mixture just prior to ignition—201(A)
Rueger, L. J. (see Todd, F. C.)—189(A)
—— **and F. C. Todd.** Dynamic system for secondary electron emission measurements at high temperatures—189(A)
Rusk, Rogers D. and Alma Rosenbaum. Effects of scattering and absorption of mesons on coincidence-anticoincidence measurements—1166
Russell, B. R. and P. H. Miller, Jr. Noise characteristics of dry cells—190(A)
Rutledge, W. C. (see Cork, J. M.)—1886(L)

Sachs, A. M. (see Turner, E. H.)—465(A)
——, **E. H. Turner, and E. M. Purcell.** Study of internal motion in ammonium salts by nuclear spin-lattice relaxation time measurements—466(A)
Sadauskis, John (see Jesse, William P.)—163(A)
Sailor, Vance L. *Q* values for $Ca^{40}(d,p)Ca^{41}$ and the mass difference (Ca^{40}-A^{40})—169(A)
—— (see Wyly, L. D.)—1532(L)
Sakai, Mitsuo and Seitaro Nakamura. New method of analysis of the beta-ray spectrum—967
Salant, E. O. (see Hornbostel, J.)—468(A), 859(L)
Sampson, M. B. (see Brolley, John E., Jr.)—624
Sanderson, H. C., Jr. and Berg Paraghamian. Supersonic aerodynamic characteristics of triangular planform wings—878(A)
Sard, R. D. (see Benade, A. H.)—488
——, **A. M. Conforto, and M. F. Crouch.** Further results on neutron production by cosmic-ray particles at sea level—1134
Sargent, B. W. (see Yaffe, L.)—617
Sartain, C. C. Measurement of the Thompson coefficient for tungsten at high temperatures—197(A)
Sasaki, Muneo (see Taketani, Mituo)—60, 852(L)
Sawyer, G. A. and M. L. Wiedenbeck. Gamma-ray of K^{40}—1535(L)
Saxon, D. Neutrinos from the sun and the source of the earth's heat—986(L)
—— **and J. Richards.** Beta-spectrum of Tl^{204}, magic numbers, and neutron pairing—982(L)
—— **and J. Richards.** Beta-spectrum of Tm^{170}—186(A)
Scaff, J. H. (see Pfann, W. G.)—459(A)
Schardt, A. W., E. J. Woodbury, and W. A. Fowler. Application of proportional counter to p-α-reactions at 100 kev—587(A)
Scharff-Goldhaber, Gertrude (see Bowe, J. C.)—437(L)
Schawlow, A. L. (see Crawford, M. F.)—1310, 1527(L)
—— **and M. F. Crawford.** Electron-nuclear potential fields from hyperfine structure—174(A)
——, **J. N. P. Hume, and M. F. Crawford.** Hyperfine structure and nuclear moment of Pb^{207}—1876(L)
Schedling, J. A. Movement of small metal particles having six degrees of freedom in air around a wire carrying a constant electric current—843
Scheibner, E. J. Mathematical method for determining points of maximum and minimum intensity in the Fresnel diffraction pattern of a single slit—201(A)
Schein, Marcel (see Fahy, Edward F.)—170(A)
—— (see Lord, J. J.)—171(A), 321(L)
—— **and J. J. Lord.** Production of mesons in the stratosphere —170(A)
Schenck, J. (see Stroud, W. G.)—1005
Scherb, M. V. (see Mandeville, C. E.)—186(A)
Scherrer, V. E. (see Linz, A., Jr.)—202(A)
—— (see Varwig, R. L.)—201(A)
——, **G. Carmichael, R. Varwig, and A. Linz.** Photographic method of detection of the speed of fracture in steel plates —202(A)

Schiff, L. I. Radiation accompanying meson creation—89
—— Spontaneous decay rate of heavy mesons—303(L), 468(A)
—— (see Stein, Irving)—461(A)
—— **and D. L. Weisman.** Spontaneous decay rate of heavy mesons. II—1266(L)
Schindler, Albert I. and Emerson M. Pugh. Hall effect in nickel. II—176(A)
Schlegel, Richard. Operator matrices for relations of space and time intervals—191(A)
Schmidt, F. H. Solenoidal beta-ray spectrometer with uniform magnetic field—586(A)
Schriever, William (see Reed, Charles Albert)—197(A)
Schroeder, C. A. (see Kissinger, C. W.)—164(A)
—— (see Perlow, G. J.)—164(A)
——, **J. D. Shipman, Jr., and P. R. McCray.** Laboratory coincidence, anticoincidence unit—163(A)
Schubaer, G. B. Some features of boundary-layer turbulence —878(A)
Schulman, James H., E. Burstein, R. J. Ginther, M. White, and L. W. Evans. Sensitized luminescence of alkali-halide phosphors—178(A)
——, **Robert J. Ginther, Clifford C. Klick, and Lyle W. Evans.** Effect of x-rays on the absorption and luminescence of alkali halide phosphors—459(A)
Schwachheim, G. (see Meyer, H. A.)—149(L), 598
Schwartz, Herman M. Basic electromagnetic theory and the correspondence principle—192(A)
Schwarzmann, Gertrude. On the uncertainty principle—192(A)
Schwinger, Julian. Quantum electrodynamics—453(T)
—— Quantum electrodynamics. III. Electromagnetic properties of the electron-radiative corrections to scattering—790
Scott, D. B. (see Erdman, K. L.)—1262(L)
Scott, Russell B. (see Pellam, John R.)—869(L)
Scott, W. E. (see Robertson, B. E.)—1649
——, **B. E. Robertson, and M. L. Pool.** New radioactive isotopes of yttrium and zirconium—183(A)
Scott, W. T. Correlated probabilities in multiple scattering —212
—— (see Snyder, H. S.)—220
Seaborg, G. T. (see Ghiorso, A.)—1414(L)
—— (see Thompson, S. G.)—1406(L)
Seeger, R. J. and H. Polachek. Shock wave phenomena: water-like substances—875(T)
Segrè, E. (see Leininger, R. F.)—897
Seidlitz, L., E. Bleuler, and D. J. Tendam. Disintegration energy of Al^{29}—453(A), 861(L)
Seitz, Frederick. On the theory of electron multiplication in crystals—1376
—— (see Falk, C. E.)—322(L)
—— (see Huntington, H. B.)—1728(L)
Selove, W. Rotating-shutter time-of-flight neutron spectrometer for the resonance region—187(A)
Serber, Robert. Interpretation of high-energy experiments at the Berkeley Radiation Laboratory—162(T)
Seriff, Aaron J. (see Leighton, Robert B.)—159(L)
Serin, B., J. R. Feldmeier, and M. Garfunkel. Experiment with alternating currents on tin superconductors—167(A)
Serpe, J. Two-component wave equations—1538(L)
Shafer, P. E. and J. F. Moulton, Jr. Ratio delay device for simplifying the photography of shocks in a tube—881(A)
Shaffer, Lloyd H. (see Harris, Louis)—943
Shakespeare, W. M., Jr. (see Thomas, J. E., Jr.)—162(A)
Shanks, Daniel. Non-linear transformations of divergent and slowly convergent sequences and an example from hydrodynamics—876(A)
Shanley, T. J. B. (see Winckler, J. R.)—1012
Shapiro, E. (see Mandeville, C. E.)—454(A), 718
Sharbaugh, A. H., J. K. Bragg, T. C. Madison, and V. G. Thomas. Determination of the molecular structure of bromosilane by microwave measurements—1419(L)
——, **T. C. Madison, and J. K. Bragg.** Inversion spectrum of ammonia—1529(L)
Shaw, T. M. and J. J. Windle. Measurement of electrical anisotropy of high polymers at microwave frequencies—586(A)
Shearer, James W. and Martin Deutsch. Lifetime of positrons in matter—462(A)
Sherman, D. F., D. J. Hughes, and J. R. Wallace. Fast neutron cross sections and nuclear shell structure—188(A)
Sherr, Rubby (see Pine, J.)—455(A)
—— (see White, M. G.)—161(T)
Sherwin, C. W. Recoils from the beta-decay of Y^{90}—183(A)
Shipman, J. D., Jr. (see Schroeder, C. A.)—163(A)
Shive, J. N. New germanium photo-resistance cell—575(L)
Shockley, W. (see Suhl, H.)—180(A)
——, **G. L. Pearson, and M. Sparks.** Current flow across n-p junctions—180(A)
——, **G. L. Pearson, M. Sparks, and W. H. Brattain.** Modulation of the resistance of a germanium filament by hole injection—459(A)
Shoemaker, F. C. (see Bender, R. S.)—273
Shor, S. W. W. Theoretical treatment of neutron attenuation in thick shields—474(A)
Shoupp, W. E., B. Jennings, and W. Jones. Absolute calibration of the $Li^7(p,n)$ threshold voltage—502
Shue, G. L. Method for calculating the drag coefficient from data obtained in a precision aeroballistics range—879(A)
Shull, C. G. (see Strauser, W. A.)—195(A)
—— **and J. Samuel Smart.** Detection of antiferromagnetism by neutron diffraction—1256(L)
Shull, F. B., C. H. Braden, and L. Slack. Forbidden beta-spectra of Sr^{89}, Sr^{90}, and Y^{90}—453(A)
Shull, Harrison and R. S. Mulliken. Theoretical computation of transition probabilities for electronic spectra of C_2 and N_2^+—176(A)
Shulman, R. G. (see Townes, C. H.)—472(A)
Shultz, W. S. (see Slifko, John P.)—881(A)
Shurcliff, W. A. (see Land, E. H.)—469(A)
Sibert, H. W. Inconsistencies in the Prandtl-Glauert transformation—877(A)
Sidhu, S. S. (see Chatterjee, G. P.)—175(A)
Siegbahn, Kai and Amal Ghosh. Decay scheme of Ni^{65}—307(L)
——, **Arne Hedgran, and Martin Deutsch.** Gamma-radiation from Br^{82}—1263(L)
Siegel, Armand. Relativistic generalization of phenomenological n-p interactions—185(A)
Siegert, Arnold J. F. On the approach to statistical equilibrium —1708
Silber, L. (see Errett, D.)—180(A)
Silver, Lorna M. Precision measurement of half-lives—589(A)
Simon, Albert. Energy levels of a vector meson in a smeared Coulomb field—1877(L)
Simmons, James W. Microwave spectra of CD_3Cl and CD_3I —686(L)
Simons, L. H., D. F. Weekes, and J. G. Potter. X-ray analysis of clays for quantity of montmorillonite—467(A)
Simpson, J. A., Jr., H. W. Baldwin, and R. B. Uretz. On the neutrons in the atmosphere—165(A)
—— **and R. B. Uretz.** On the latitude dependence of nuclear disintegrations and neutrons at 30,000 feet—569(L)
Singer, S. F. Specific ionization of the cosmic radiation above the atmosphere—701(L)
Singwi, K. S. and L. S. Kothari. Viscosity and thermal conductivity of mixtures of He^3 and He^4—305(L)
Sitte, K. Test set for measurement of dead time and recovery time of counters—164(A)

Slack, F. G. and Hsieh Yu-Chang. Electric field and discharge photographs—197(A)
Slack, L. (see Shull, F. B.)—453(A)
Slater, J. C. Electrons in perturbed periodic lattices—1592
—— (see Maxwell, E.)—1332
—— (see Nowak, W. B.)—469(A)
Slawsky, Z. I. Investigation of the excitation of molecular vibrations by high speed missiles—882(A)
Sleator, D. B. (see Bergdolt, V. E.)—879(A)
Slichter, C. P. and E. M. Purcell. Measurements of spin-lattice relaxation times in paramagnetic solids by the saturation method—466(A)
Slifko, John P., E. Swift, Jr., and W. S. Shultz. Explosion bubble period at great depths—881(A)
Slye, J. M. (see Fowler, J. L.)—169(A)
Smart, J. Samuel. Computed binding energies of some light nuclei—439(L)
—— (see Maxwell, Louis R.)—459(A)
—— (see Shull, C. G.)—1256(L)
Smith, F. M. (see Bishop, A. S.)—588(A)
Smith, P. D. P. Difficulty in using $mk^{\frac{1}{2}}$ as a residual charge to explain stellar magnetism—690(L)
Smith, Paul L. (see Burstein, Elias)—175(A)
Smith, William V. and Raydeen Howard. Quadrupole interactions in pressure broadening of ammonia inversion spectrum by non-polar gases—473(A)
Smoluchowski, R. (see Achter, M. R.)—470(A)
—— (see Newkirk, J. B.)—471(A)
—— **and H. Burgess.** Vacancies and diffusion in NiAl—309(L)
Snay, H. G. and E. Swift, Jr. Determination of adiabatic parameters of explosion bubbles from charges fired at great depths—881(A)
Snell, A. H. Search for beta-proton coincidences associated with neutron decay—195(T)
Snowdon, S. C. (see Mandeville, C. E.)—980(L)
Snyder, Hartland S. Comparison of calculations on cascade theory—1563
—— **and W. T. Scott.** Multiple scattering of fast charged particles—220
Snyder, James N. and W. H. Furry. Note on perturbation theory as applied to collision stimulated processes—359
Sollenberger, Paul. Present status of astronomical time standards—161(T)
Sollfrey, William. Propagation modes of a helix—455(A)
Solomon, A. K. (see Glendenin, L. E.)—462(A)
—— (see Steinberg, Daniel)—453(A)
Somerville, J. M. and W. R. Blevin. Current densities in the cathode spots of transient arcs—982(L)
Sommer, H. (see Hipple, J. A.)—1877(L)
Sparks, M. (see Shockley, W.)—180(A), 459(A)
Spencer, L. V. and Fannie Jenkins. Multiply scattered γ-rays: angular distribution—462(A)
—— **and Fannie Jenkins.** Penetration and diffusion of hard x-rays through thick barriers. IV. Multiply scattered γ-rays: angular distribution—1885(L)
Sperduto, A. (see Buechner, W. W.)—1543
Spinrad, B. I. (see Rose, M. E.)—184(A), 1883(L)
Spitzer, E. J. (see Peed, W. F.)—143(L)
Spitzer, Lyman, Jr. On the origin of heavy cosmic-ray particles—583(L)
Sponer, H. (see Bass, Arnold M.)—177(A)
—— (see Nordheim, Gertrud P.)—177(A)
Springer, George. On conformal mapping of multiply connected domains—876(A)
Squire, C. F. (see Houston, W. V.)—685(L)
Squire, H. B. Investigation of the turbulence characteristics of an experimental low turbulence wind tunnel—875(T)
Standil, S. (see Yaffe, L.)—617
Stanton, John S. Study of transient stresses in photo-elastic media—174(A)
Staub, H. H. (see Fleeman, J.)—586(A), 1774
—— (see Rogers, E. H.)—585(A), 980(L)
Stearns, Martin. Mean square angles of bremsstrahlung and pair production—836
Steele, M. C. Proximity effects in the measurement of magnetic susceptibility—566(L)
Stein, Irving and L. I. Schiff. Capture of μ-mesons by deuterons—461(A)
Steinberg, Daniel and A. K. Solomon. Effect of C^{14}, Ca^{45}, P^{32}, I^{131}, and Zn^{65} on photographic emulsions—453(A)
Steinberger, J. On the use of subtraction fields and the lifetimes of some types of meson decay—1180
—— **and G. C. Wick.** On the polarization of slow neutrons—994(L)
Stephens, William E. Neutron-hydrogen mass difference—181(A)
—— (see Franzen, W.)—317(L), 462(A)
Stephenson, A. R. J. (see Lang, R. J.)—464(A)
Stephenson, Harold P. Ultraviolet absorption spectra of some pyridine derivatives in liquid solution—199(A)
Stern, Frank (see Rojansky, V.)—184(A)
Sternglass, E. J. Interpretation of secondary electron emission data for homogeneous solids—189(A)
Stevens, Carl A. (see Mingins, Charles R.)—467(A)
Stevenson, Donald T. (see Deutsch, Martin)—184(A)
Stewart, Ellen S. (see Stewart, James L.)—464(A)
Stewart, H. J. Note on non-stationary supersonic wing theory—882(A)
Stewart, James L. and Ellen S. Stewart. Rotational dispersion of ultrasonics in deuterium and hydrogen—464(A)
Stoddard, A. E. (see Cork, J. M.)—575(L), 986(L), 1886(L)
Stoner, R. G. and M. H. Glauberman. Refraction of shock waves at a gas interface—882(A)
Stout, J. W. Solutions of He^3 in He^4—864(L)
—— **and Maurice Griffel.** Paramagnetic anisotropy of manganous fluoride—144(L)
Stovall, E. J., Jr. (see Allred, J. C.)—1430
—— (see Erickson, K. W.)—1141
——, **J. C. Allred, K. W. Erickson, and J. L. Fowler.** Angular distribution of 10.8-Mev deuterons scattered by deuterons—589(A)
Strait, E. N. (see Buechner, W. W.)—168(A), 1543, 1547
—— **and W. W. Buechner.** Magnetic analysis of the $Li^6(d,p)Li^7$ and $Li^7(d,p)Li^8$ reactions—1766
Straley, Joseph W. (see Haisley, W. E.)—200(A)
—— (see Jarrell, Herman)—199(A)
Strandberg, M. W. P. (see Lawrance, R. B.)—472(A)
Strang, C. D. (see Burwell, J. T.)—455(A)
Strauser, W. A., C. G. Shull, and E. O. Wollan. Neutron diffraction studies of AgCl, $Ag^{107}Cl$, and $Ag^{109}Cl$—195(A)
Street, J. C. (see Cool, R. L.)—468(A)
—— (see Fowler, E. C.)—171(A)
—— (see Voorhies, H. G.)—1100
—— (see Whittemore, W. L.)—170(A), 1786
Stresau, Richard H. F. Vacuum thermocouple microsecond timer—880(A)
Strick, E. Creation of mesons by high energy nucleons—190(A)
—— **and D. ter Haar.** Production of π-mesons by high energy nucleons—304(L)
Strong, H. M. (see Bundy, F. P.)—457(A)
—— **and F. P. Bundy.** Measurement of temperatures in complex flame structures by high resolution spectroscopy of the sodium *D*-lines, II—458(A)
Strong, P. (see Rose, M. E.)—184(A), 1883(L)
Stroud, W. G. (see Winckler, J. R.)—1012
——, **J. Schenck, and J. R. Winckler.** Preliminary directional study of cosmic rays at high altitude. I. Apparatus and procedure—1005

Stuhlman, Otto, Jr. Bioelectric potential transients accompanying closing movement of the lobes of Venus' Fly-Trap —464(A)
—— (see Darden, Edgar B.)—197(A)
—— **and Edgar B. Darden.** Bioelectric transients accompanying the closing movement of the lobes of Venus' Fly-Trap—197(A)
Suhl, H. and W. Shockley. Concentration of holes and electrons by magnetic fields—180(A)
Suits, C. G. Physics in industry—452(T)
Sun, Kuan-Han. On the negative proton—1266(L)
—— (see Allen, A. J.)—188(A), 463(A)
—— (see Charpie, R. A.)—1255(L)
Sunyar, A. W. and M. Goldhaber. Resonance neutron activation of "even-even" nuclei—189(A)
Suwa, S. Hyperfine structure of 4^3P-4^3D of the spectrum of Al II—847(L)
—— (see Murakawa, K.)—433(L), 1721(L)
Swann, Charles P. (see Hereford, F. L.)—570(L)
—— (see Hudspeth, Emmett L.)—464(A), 1150
—— (see Mandeville, C. E.)—980(L)
—— **and Emmett L. Hudspeth.** Bombardment of B^{10} with deuterons—168(A)
Swann, W. F. G. Mean life considerations in relation to curvature of cosmic-ray paths in a magnetic field—157(L)
—— **and Stephen H. Forbes.** Cosmic-ray variations at high altitudes resulting from meteorological variations—467(A)
Swartz, C. D. (see Corson, D. R.)—162(A)
Swartz, Gwynne B. Temperature variation of the thermal diffusion constant of HCl—166(A)
Swift, E., Jr. (see Slifko, John P.)—881(A)
—— (see Snay, H. G.)—881(A)
Szabó, Zoltán. Actinide series and the periodic table—147(L)

Taft, E. (see Apker, L.)—270, 453(T)
Tai, C. T. Application of a variational principle to biconical atennas—456(A)
Taketani, Mituo, Seitaro Nakamura, Kenichi Ono, and Muneo Sasaki. On the two-meson theory—60
—— **and M. Sasaki.** On the μ-meson capture—852(L)
Talley, R. M. and H. M. Kaylor. Calibration of an engraved circle by a constant angle method—201(A)
Tallmadge, Francis K. (see Rosen, Louis)—1283
—— (see Williams, J. H.)—168(A)
Tamburino, Sara (see Addario, Margherita)—983(L)
Tang, Ting-Yuan (see Lawson, A. W.)—301(L)
Taschek, R. F. Scattering and reactions of protons on tritons —584(T)
—— (see Argo, H. V.)—182(A)
—— (see Coon, J. H.)—710
—— (see Hemmendinger, A.)—1137
—— (see Jarvis, G. A.)—168(A)
——, **H. V. Argo, A. Hemmendinger, and G. A. Jarvis.** Neutron-hydrogen mass difference from the $T^3(p,n)He^3$ reaction threshold—325
Taylor, Julius (see Miller, P. H., Jr.)—179(A)
Taylor, T. I. (see Ruderman, I. W.)—434(L)
Taylor, William J. Radial density function for crystals from x-ray intensity data—175(A)
Tchen, Chan-Mou. Heat delivery in a two-dimensional compressible flow at subsonic and supersonic speeds—883(A)
Teasdale, John G. Experimental method for determining relative stopping power—588(A)
—— (see Gurevitch, M.)—151(L)
Teeter, Charles E., Jr. Thermal conductivity and heat capacity of beryllium carbide—466(A)
Teichmann, T. and E. P. Wigner. Applications of the dispersion formula for nuclear reactions—185(A)
Teller, Edward (see Mayer, Maria G.)—1226
Temmer, Georges M. Excitation functions for (α,n), $(\alpha,2n)$, and $(\alpha,3n)$ reactions on indium—424; Erratum—1002(L)
Tendam, D. J. (see Seidlitz, L.)—453(A), 861(L)
ter Haar, D. Energy level density and partition function of nuclei—1525
—— Series expansion at high temperatures for the partition function of the three-dimensional ferromagnet—176(A)
—— (see Strick, E.)—304(L)
Ter-Pogossian, Michel, C. Sharp Cook, C. Harold Goddard, and J. Eugene Robinson. Disintegration of Ce^{141}—909
——, **J. Eugene Robinson, and C. Harold Goddard.** Energy of an excited state of Li^7—1407(L)
——, **J. Eugene Robinson,and C. Harold Goddard.** On the excited states of Li^7—453(A)
Thackeray, E. R. Absorption spectrum of atomic sodium—173(A)
Thomas, Carl O. (see Koski, W. S.)—308(L)
Thomas, D. G. and J. D. Kurbatov. Radiations emitted by long-life species of nickel—1891(A)
Thomas, H. A. (see Hipple, J. A.)—1877(L)
—— (see Huntoon, R. D.)—163(A)
Thomas, J. E., Jr., W. M. Shakespeare, Jr., B. Cohen, R. B. Patten, and V. P. Henri. Ceramic materials for synchrotron vacuum tubes—162(A)
Thomas, Roy. Three-body scattering with central and tensor forces—1002(L)
Thomas, V. G. (see Sharbaugh, A. H.)—1409(L)
Thompson, Lowell E. (see Gum, Jane R.)—184(A)
Thompson, Stanley G. Relation between half-life and disintegration energy in orbital electron capture by heavy nuclei—319(L)
——, **A. Ghiorso, J. O. Rasmussen, and G. T. Seaborg.** Alpha-decay in isotopes of atomic number less than 83—1406(L)
Thompson, W. B. (see Brunton, D. C.)—848(L)
Thulin, Sigvard (see Bergström, Ingmar)—313(L), 1718(L)
———, **Ingmar Bergström, and Arne Hedgran.** Mass assignment of xenon activities produced in fission—871(L)
Tinlot, John and Bernard Gregory. Interactions of ionizing cosmic-ray particles at 10,600 ft. altitude—170(A)
Tiomno, J. On the spin of μ-mesons—856(L)
Tisza, L. (see Klein, M. J.)—1861
Titterton, E. W. and F. K. Goward. Evidence for the photofission of uranium into three charged fragments—142(L)
Tiwari, Ramji (see Narlikar, V. V.)—868(L)
Tobey, A. R. (see Montgomery, C. G.)—1478
Tochilin, E., R. H. Davis, and J. Clifford. Calibrated x-ray film badge dosimeter—590(A)
Todd, F. C. (see Rueger, L. J.)—189(A)
—— **and L. J. Rueger.** Secondary electron emission from oxides at high temperatures—189(A)
Todd, Jay, Jr. (see Miller, Charles E.)—165(A), 591(A)
—— (see Potter, D. S.)—590(A)
——, **J. E. Henderson, C. E. Miller, and D. S. Potter.** Cosmic-ray protons at 3.4 km—591(A)
Tollestrup, A. V. (see Chao, C. Y.)—586(A)
—— (see Fowler, W. A.)—1767
——, **W. A. Fowler, and C. C. Lauritsen.** Energy release in beryllium and lithium reactions with protons—428(L)
——, **F. A. Jenkins, W. A. Fowler, and C. C. Lauritsen.** Neutron-proton mass difference from the *D-D* reactions—181(A)
Tomboulian, D. H. (see Pell, E. M.)—172(A)
—— **and E. M. Pell.** On the position of L_1 absorption edge in aluminum—172(A)
Tomiyasu, K. and Ronold King. Terminal impedance and generalized two-wire line theory—456(A)
Tomkins, F. S. (see Dieke, G. H.)—283
Tongiorgi, Vanna Cocconi. Neutrons in the cosmic radiation —192(A)

—— On the mechanism of production of the neutron component of the cosmic radiation—517
—— (see Cocconi, G.)—192(A), 318(L), 1020
Torrey, H. C. Transient nutations in nuclear magnetic resonance—1059
Tousey, R. (see Purcell, J. D.)—165(A)
Townes, C. H. Ultimate accuracy of an atomic clock using absorption lines—161(T)
—— Where we stand in respect to radiofrequency studies of molecular structure—161(T)
—— (see Dailey, B. P.)—136(L), 472(A)
—— (see Longmire, C.)—695(L)
—— (see Loubser, J. H. N.)—178(A)
—— (see Low, W.)—1295
—— (see Wu, C. S.)—692(L)
—— **and L. C. Aamodt.** Nuclear spin and quadrupole moment of Cl^{36}—691(L)
——, **H. M. Foley, and W. Low.** Nuclear quadrupole moments and nuclear shell structure—1415(L)
——, **J, M. Mays, and B. P. Dailey.** Evidence on nuclear moments of stable Ge and Si isotopes from microwave spectra—700(L)
——, **R. G. Shulman, and B. P. Dailey.** Dipole moments from microwave spectra—472(A)
Townsend, J. W., Jr. Presentation of mass spectra with a cathode-ray oscillograph—465(A)
Tralli, N. and I. S. Lowen. Magnetic multipole internal conversion—1541(L)
Trischka, J. W. Moment of inertia and electric dipole moment of CsF from radiofrequency spectra—1365
Truesdell, C. Effect of viscosity on circulation—192(A)
Tsao, C. Y. (see Clark, J. S.)—162(A)
Turnbull, D. Rate of self-diffusion in single and polycrystals of silver—471(A)
Turner, C. M. Branching ratio in Be^7 decay—148(L), 588(A)
Turner, E. H. (see Sachs, A. M.)—466(A)
——, **A. M. Sachs, and E. M. Purcell.** Some measurements of nuclear spin-lattice relaxation times in solids—465(A)
Tyler, Winfield W. Optical absorption in barium oxide films —1887(L)
—— Photo-conductivity and optical absorption in BaO crystals—179(A)

Uberoi, Mahinder S. (see Kovasznay, Leslie S. G.)—1263(L)
Uehling, E. A. Transients in the phenomena of nuclear induction—585(A)
Uhlenbeck, G. E. Transport phenomena in dilute gases—875(T)
Uretz, R. B. (see Simpson, J. A., Jr.)—165(A), 569(L)

Vallarta, M. S. Sun and cosmic rays—453(T)
—— (see Pomerantz, M. A.)—1889(L)
Vancour, Roger P. (see Hess, Victor F.)—1205
Van der Grinten, W. Fast electron tracks in nuclear emulsions —163(A)
Van der Ziel, A. Thermal noise at very high frequencies—591(A)
van Kranendonk, J., K. Compaan, and J. de Boer. Equation of state of gaseous He^3—998(L); Erratum—1728(L)
Van Name, F. W., Jr. Note on analysis of delayed coincidence counting experiments—1734(L)
Van Patter, D. M. New gamma-ray resonance in the reaction $C^{12}(p,\gamma)N^{13}$—1264(L)
Vanpee, Marcel (see Watson, John H. L.)—466(A)
Van Vleck, J. H. and Henry Margenau. Collision theories of pressure broadening of spectral lines—585(A), 1211
Van Voorhis, C. C. (see Ladenburg, R.)—662
Varnerin, Lawrence J., Jr. and Sanborn C. Brown. Method for determining the average energy of electrons in a gas discharge—457(A)
Varwig, R. L. (see Scherrer, V. E.)—202(A)
——, **V. E. Scherrer, G. Carmichael, and A. Linz.** Photomultiplier trigger for flash photography—201(A)
Vidale, M. (see Lord, J. J.)—171(A), 321(L)
Viehböck, F. P. (see Herzog, R. F. K.)—855(L)
Vigneron, L. (see Chastel, R.)—870(L)
Volkoff, G. M. On the theory of neutron reflectors for chain-reacting spheres—589(A)
von Hippel, A. and R. S. Alger. Breakdown of ionic crystals by electron avalanches—127
Voorhies, H. G. and J. C. Street. Star production by negative μ-mesons in a silver chloride crystal—1100
Voyvodic, L. (see Pickup, E.)—447(L), 1534(L)

Wachtell, G. P. (see Bershader, D.)—880(A)
Wagner, Norbert and D. Cooper. τ-meson—449(L)
Waldman, B., W. C. Miller, and D. Gideon. Electron excitation of In^{115*}—181(A)
Walker, J. G. (see Mason, W. P.)—470(A)
Walker, L. R. Note on wave amplification by interaction with a stream of electrons—1721(L)
Walker, R. L. Absorption of 17.6-Mev gamma-rays in C, Al, Cu, Sn, and Pb—527
—— (α,n) cross section of boron—244
—— Relative cross sections for pair production at 17.6 Mev—1440
—— (see Corson, D. R.)—162(A)
Wallace, J. R. (see Sherman, D. F.)—188(A)
Waltner, Arthur W. Improved scintillation counter—196(A)
—— (see Brown, J. S.)—196(A)
—— (see Byatt, W. J.)—199(A)
Wang, An (see Woo, W. D.)—465(A)
Wang, P. K. S. and M. Wiener. Spectral analysis of 10-Mev betatron radiation by nuclear emulsion—1724(L)
Wannier, G. H. On the energy band structure of insulators—438(L)
Warshaw, S. D. Stopping power of protons in several metals —1759
Watanabe, K. (see Purcell, J. D.)—165(A)
Watanabe, Satosi. Wave equations in the de Sitter space—296
Watanabe, T. (see Johnson, Gerald W.)—588(A)
Wataghin, A. (see Meyer, H. A.)—598
Wataghin, G. (see Meyer, H. A.)—598
Watkins, J. M., Jr. and A. C. Menius, Jr. Optimum thickness for alpha-particles of phosphor surface in scintillation counters—196(A)
Watson, John H. L., Marcel Vanpee, and S. C. Lind. Solids condensed from carbon monoxide by alpha-particles—466(A)
Watson, K. M. and J. V. Lepore. Neutron-proton scattering —193(A)
—— **and J. V. Lepore.** Radiative corrections to nuclear forces in the pseudoscalar meson theory—1157
Wattenberg, Albert (see Hamermesh, Bernard)—611, 1408(L), 1420(L)
Webb, J. H. Fogging of photographic film by radioactive contaminants in cardboard packaging materials—375
Webber, Robert T. Time effects in superconducting cylinders —167(A)
——, **Henry A. Fairbank, and C. T. Lane.** On the film transfer rate in helium II—609
——, **J. M. Reynolds, and T. R. McGuire.** Superconductors in alternating magnetic fields—293
Weekes, D. F. (see Simons, L. H.)—467(A)
Wegener, P. P. Experiments on the influence of temperature gradient and humidity on condensation shocks in supersonic wind tunnels—883(A)
Wehausen, J. V. Ship forms of least wave resistance—878(A)
Wei, John and C. G. Montgomery. Narrow air showers of cosmic rays—1488

Wei, Ming-Yi (see Beyer, Robert T.)—455(A)
Weidner, R. T., P. R. Weiss, C. A. Whitmer, and D. R. Blosser. Magnetic resonance absorption of diluted iron ammonium alum—1727(L)
Weimer, D. K. (see Bleakney, W.)—323(L)
Weimer, P. K. (see Rose, A.)—179(A)
Weinberg, A. M. Oak Ridge National Laboratory—195(T)
Weingarten, I. R. and G. E. Kimball. Characteristics of the untuned cavity microwave spectroscope—177(A)
Weinstein, M. (see Bohm, D.)—867(L)
Weinstock, B. (see Abraham, B. M.)—864(L)
Weisman, D. L. (see Schiff, L. I.)—1266(L)
Weiss, P. R. (see Weidner, R. T.)—1727(L)
Weisskopf, V. F. (see Feshbach, H.)—1550
Weissler, G. L. and T. N. Wilson. Work functions of gas-coated silver surfaces—591(A)
Wellard, H. J. Extension of the theory of Mason and Matthias to the low temperature transitions in $BaTiO_3$—565(L)
Welsh, H. L., M. F. Crawford, and J. L. Locke. Infra-red absorption of hydrogen and carbon dioxide induced by intermolecular forces—580(L)
Welton, T. A. Field formalism without self-action—460(A)
Wentink, T., Jr. (see Cohen, Victor W.)—703(L)
Wergeland, H. Bremsstrahlung in heavy elements—184(A)
Werner, F. D. Investigation of the possible utilization of an electrical glow discharge as a means for measuring air flow characteristics—883(A)
Wert, C. and C. Zener. Interstitial atomic diffusion coefficients —1169
Wessel, Walter. On infinite relativistic particle matrices—1512
Westenberg, A. A., J. H. Goldstein, and E. B. Wilson, Jr. Microwave spectrum of chloroacetylene and deuterochloroacetylene—472(A)
Westendorp, W. F. and F. R. Elder. Electron gun emission and x-ray output for three betatrons—445(L)
Wexler, A. and W. S. Corak. Electromagnetic induction in a superconductor—432(L)
White, L. D., G. G. Harris, and George T. Reynolds. Penetrating power of extensive shower particles—468(A)
White, M. (see Schulman, J. H.)—178(A)
White, M. G. (see Gugelot, P. C.)—463(A)
——, **Rubby Sherr, and Herbert Muether.** Radioactivity of carbon 10 and oxygen 14—161(T)
White, R. Stephan (see Jones, Stanley B.)—588(A)
Whitmer, C. A. (see Weidner, R. T.)—1727(L)
Whittemore, W. L. and J. C. Street. Density effect for cosmic-ray mesons—170(A), 1786
Wick, G. C. On fission-asymmetry—181(A)
—— (see Steinberger, J.)—994(L)
Wiedenbeck, M. L. (see Sawyer, G. A.)—1535(L)
Wiegand, C. (see Kelly, E.)—589(A)
—— (see Leininger, R. F.)—897
Wiener, M. (see Wang, P. K. S.)—1724(L)
—— **and H. Yagoda.** Background eradication of thick-layered nuclear emulsions 469(A)
Wigner, E. P. Recent progress in the understanding of beta-ray disintegration—161(T)
—— (see Newton, T. D.)—191(A)
—— (see Teichmann, T.)—185(A)
Wightman, A. S. (see Marshak, R. E.)—114
Wilford, Sally E. (see Michels, Walter C.)—174(A)
Wilkinson, Roger G. (see Beach, Louis A.)—187(A), 1585, 1624
Willard, John E. (see Hansen, John L.)—577(L)
Williams, Dudley (see Chambers, William H.)—461(A), 538
—— (see Oxholm, Mary Louise)—151(L)
—— (see Zimmerman, John R.)—163(A), 350, 1264(L)
Williams, F. E. Recent experimental results and theoretical interpretations on ionic phosphors—453(T)
Williams, John H. (see Lampi, E. E.)—188(A)
—— (see Rosen, Louis)—1283
——, **F. K. Tallmadge, and L. Rosen.** Use of photographic plate detectors in experiments with 10-Mev deuterons—168(A)
Williams, M. C. (see Andrews, D. H.)—154(L)
Williams, Thomas W. and James M. Benson. Afterglow of nitrogen and argon in low density supersonic streams—456(A)
Williamson, R. M. and H. T. Richards. K capture of Be^7 and the excited state of Li^7—453(A), 614
Willoughby, A. B. Erratum: the chi-square test as a criterion for testing halogen-filled Geiger tubes—1266
Wilson, E. Bright, Jr. Molecular spectroscopy and molecular structure—453(T)
—— (see Westenberg, A. A.)—472(A)
Wilson, H. A. Energy levels of the N^{14} nucleus—687(L)
—— Rotation levels of the Na^{24} and Ca^{41} nuclei—687(L)
Wilson, M. Kent and Richard M. Badger. Reinvestigation of the vibration spectrum of nitrogen dioxide—472(A)
Wilson, R. (see Bishop, G. R.)—683(L)
Wilson, Robert R. (see Corson, D. R.)—162(A)
—— (see McDaniel, Boyce D.)—162(A)
Wilson, T. N. (see Weissler, G. L.)—591(A)
Winckler, J. R. (see Ladenburg, R.)—662
—— (see Stroud, W. G.)—1005
——, **W. G. Stroud, and T. J. B. Shanley.** Preliminary directional study of cosmic rays at high altitude. II. Experimental results and interpretation—1012
Windle, J. J. (see Shaw, T. M.)—586(A)
Wineland, W. C. Detection pattern of a magnetic gradiometer —198(A)
—— (see Jashemski, Stanley A.)—198(A)
Winkler, E. H. Light-intensity distribution in the Mach-Zehnder interferometer—880(A)
Witmer, Enos E. Integral ratios between nuclear masses and binding energies—181(A)
Wolf, Karl P. W. (see Morganstern, Kennard H.)—1261(L)
Wolfenstein, Lincoln. Polarization effects in n-p and p-p scattering—541
Wollan, E. O. (see Strauser, W. A.)—195(A)
Woltz, P. J. H., Ernest A. Jones, and A. H. Nielsen. Infra-red and Raman spectra of carbonyl fluoride—200(A)
Woo, W. D. and An Wang. Static storage system utilizing magnetic retentivity—465(A)
Wood, Elizabeth A. (see Matthias, B. T.)—175(A)
Woodbury, E. J. (see Schardt, A. W.)—587(A)
Woodcock, Richard F. (see Duckworth, Henry E.)—462(A)
Woodward, W. M. (see Corson, D. R.)—162(A)
—— **and I. Halpern.** Angular distribution of the photodisintegration of the deuteron—107
Woolf, W. E. (see Burgy, Merle)—188(A)
Wotring, A. W. (see Miller, Charles E.)—165(A)
Wouters, L. (see Fox, R.)—590(A)
Wright, Arianna. Some aspects of paramagnetic relaxation—1826
Wright, S. C. (see Jungerman, J.)—1112
Wright, W. Whittier and W. B. Wrigley. Pulse degradation in the transient response of stable linear systems—198(A)
Wrigley, W. B. (see Wright, W. Whittier)—198(A)
Wu, C. S. (see Feldman, L.)—180(A), 697(L), 1888(L)
—— (see Lidofsky, L.)—1888(L)
—— (see Longmire, C.)—695(L)
—— **and L. Feldman.** Beta-ray spectrum of chlorine^{36}—693(L)
—— **and L. Feldman.** Beta-spectrum of Be^{10}—698(L)
—— **and L. Feldman.** Beta-spectrum of Y^{91}—696(L)
——, **C. H. Townes, and L. Feldman.** Radioactivity of chlorine^{36}—692(L)
Wyly, L. D. Angular distribution of protons in the $N^{14}(dp)N^{15}$ reaction—104

—— Energy levels in N^{15} and N^{16}—316(L)
—— Nuclear energy levels in N^{15} and N^{16}—462(A)
——, **V. L. Sailor, and D. G. Ott.** Protons from the bombardment of He^3 by deuterons—1532(L)

Yadav, H. N. Neutron-proton scattering—1720(L)
Yaffe, L., B. W. Sargent, M. Kirsch, S. Standil, and Jean M. Grunlund. Neutron-capture cross section of 85-minute Ba^{139}—617
Yagoda, Herman (see Wiener, M.)—469(A)
—— **and Nathan Kaplan.** Spontaneous neutron emission from uranium and samarium—702(L)
——, **Nathan Kaplan, and C. H. Conner.** Variation of cosmic star production with altitude—171(A)
Yang, C. N. (see Fermi, E.)—1739
Yeager, Ernest (see Bugosh, John)—1890(A), 1891(A)
——, **Hyman Chessin, John Bugosh, and Frank Hovorka.** Apparatus for acoustical measurements with pulse-modulated ultrasonic waves—1890(A)
Yeater, M. L. (see Gaerttner, E. R.)—363
Yennie, D. R. (see Arons, A. B.)—172(A)
Yevick, George J. On the vector meson-photon interaction—461(A)
Yoe, Catherine (see Boyd, J. E.)—203(A)
York, Herbert F., Burton J. Moyer, and Russell Bjorklund. Production of very high energy photons by 350-Mev protons—187(A)
Yost, F. L. (see Brown, Vinton A.)—201(A)
Young, D. R. Electric breakdown in CO_2 from low pressures to the liquid state—457(A)
Young, R. L. and Hugh F. Henry. Anode spark breakdown on distilled water surfaces—198(A)
Yu, F. C. (see Proctor, W. G.)—1728(L)
Yuan, Luke C. L. Distribution of slow neutrons in free atmosphere up to 102,000 feet—165(A)
—— On the latitude dependence of the absolute neutron intensities in cosmic radiation—1267(L)
—— On the measurement of slow neutrons in the cosmic radiation on a B-29 plane—1268(L)
Yudowitch, K. L. Collimation error in small angle x-ray scattering—455(A)
Yukawa, Hideki. On the radius of the elementary particle—300(L)
—— Remarks on non-local spinor field—1731(L)

Zabel, Carrol W. (see Davis, Luther, Jr.)—1076
Zacharias, Jerrold R. (see Davis, Luther, Jr.)—1068, 1076
Zaffarano, Daniel J. (see Kern, Bernard D.)—94
—— (see Mei, J. Y.)—1883(L)
Zeichner, Arthur. Representation of transonic flow patterns around a closed body—876(A)
Zener, C. (see Wert, C.)—1169
Zettler-Seidel, P. Differential relations of rotationally symmetric and plane supersonic flows—877(A)
Zimmerman, John R. and Dudley Williams. Determination of nuclear gyromagnetic ratios I—350; Erratum—1264(L)
—— **and Dudley Williams.** Nuclear gyromagnetic ratios—163(A)
Zizzo, Samuel G. and Joseph B. Platt. Detection of x-ray quanta by a cadmium sulphide crystal counter—704(L)
Zucker, F. J. Waves guided by a single surface—586(A)

PHYSICAL REVIEW VOLUME 76, NUMBER 12 DECEMBER 15, 1949

Analytic Subject Index to Volume 76

References with (A) are to abstracts of papers presented at meetings of the American Physical Society. References with (L) are to Letters to the Editor.

Absorption of radiation
Attenuation of sunlight in natural bodies of water, W. D. Bulloch—201(A)
In BaO films, Winfield W. Tyler—1887(L)
Of γ-rays in C, Al, Cu, Sn, and Pb, R. L. Walker—527
By oxygen in Schumann region, R. J. Lang and A. R. J. Stephenson—464(A)
Acoustics (see also **Ultrasonics**)
High frequency barium titanate hydrophone, John Bugosh, Ernest Yeager, and Frank Hovorka—1890(A)
High frequency electroacoustic effect, construction of hydrophones, John Bugosh, Ernest Yeager, and Frank Hovorka—1891(A)
Propagation in chemically active media, Leonard Liebermann—1520
Pulse-modulated ultrasonic generator, Ernest Yeager, Hyman Chessin, John Bugosh, and Frank Hovorka—1890(A)
Second sound, non-equilibrium phenomena in Bose-Einstein gas, William Band—558
Second sound velocity in He II, John R. Pellam and Russell B. Scott—869(L); R. D. Maurer and Melvin A. Herlin—948
Adsorption
Of helium at liquid helium temperatures, Earl A. Long and Lothar Meyer—440(L); William Band—441(L)
Aerodynamics (see also **Hydrodynamics; Supersonic phenomena**)
Boundary-layer turbulence, G. B. Schubaer—878(A)
Calculating drag coefficient, G. L. Shue—879(A)
Condensation phenomena in wind tunnel, R. Head—882(A)
Flow of a gas, Beattie-Bridgman equation of state, J. C. Crown—882(A)
Free flight aerodynamics, L. G. Pooler—880(A)
Glow discharge, measuring air flow characteristics, F. D. Werner—833(A)
Heat delivery in two-dimensional flow, Chan-Mou Tchen—883(A)
Interferometric analysis of flow around projectiles, F. D. Bennett and W. C. Carter—880(A)

Aerodynamics (continued)
Multiple shock diffusers, Newman A. Hall—884(A)
Non-stationary supersonic wing theory, H. J. Stewart—882(A)
Ramjet diffusers, effects of heat addition, M. Rogers and S. Fagin—884(A)
Stability of laminar boundary layer, Martin Lessen—879(A)
Stress in turbulent boundary layer, Donald Ross and J. M. Robertson—879(A)
Supersonic air jets, R. Ladenburg, C. C. Van Voorhis, and J. Winckler—662
Triangular planform wings, H. C. Sanderson, Jr. and Berg Paraghamian—878(A)
Wings in supersonic flow, stability, Clifford Gardner—882(A)
Afterglow
Forbidden oxygen lines, S. Kash and J. Kaplan—584(A)
In low density supersonic streams, Thomas W. Williams and James M. Benson—456(A)
Ionization in active nitrogen, K. T. Chao and H. P. Chang—970
Recombination in neon afterglows, R. B. Holt, J. M. Richardson, B. Howland, and B. T. McClure—456(A)
Astrophysics
Atmospheric HDO, H. A. Gebbie, W. R. Harding, C. Hilsum, and V. Roberts—1534(L)
CO_2, infra-red solar spectrum, Leo Goldberg, Orren C. Mohler, Robert R. McMath, and A. Keith Pierce—1848
Methane in the solar spectrum, Robert R. McMath, Orren C. Mohler, A. Keith Pierce, and Leo Goldberg—1533(L)
Residual charge, stellar magnetism, P. D. P. Smith—690(L)
Soft x-radiation in upper atmosphere, T. R. Burnight—165(A)
Solar and stellar atmospheres, f values in iron spectrum, W. W. Carter—962
Sun's magnetic dipole, M. A. Pomerantz and M. S. Vallarta—1889(L)
Ultraviolet and x-rays from sun, J. D. Purcell, R. Tousey, and K. Watanabe—165(A)
Atmosphere (see **Meteorology**)
Atomic mass (see **Isotopes**)
Atomic structure (see also **Spectra**)
Helium wave equation, James H. Bartlett—460(A)
Of hydrogen atom, electrodynamic examination, Dan McLachlan, Jr.—592(A)
Relativity corrections for energy levels, V. Rojansky and Frank Stern—184(A)

Biophysics
Bioelectric potentials, Edgar B. Darden and Otto Stuhlman, Jr.—197(A)
Bioelectric transients, movements of lobes of Venus' Fly-Trap, Otto Stuhlman, Jr. and Edgar B. Darden—197(A); Otto Stuhlman, Jr.—464(A)
Color determination by human eye, W. A. Pryor and Hugh F. Henry—199(A)
Current transients through human tissue and skin, John W. Moore—190(A)
Electrical energy of seeds, R. Ellioff and A. A. Bless—200(A)
Bremsstrahlung (see **Radiation**)
Broadening of spectral lines
Of ammonia inversion spectrum by non-polar gases, William V. Smith and Raydeen Howard—473(A)
Collision theories, J. H. Van Vleck and Henry Margenau—585(A), 1211
Inversion spectrum of ammonia, Henry Margenau—121; William and Raydeen Howard—473(A)
Microwave and infra-red regions, P. W. Anderson—647
Monatomic resonance lines, T. Holstein—457(A)

Brownian movement
Einstein equation, Frederik J. Belinfante—473(A)

Chemical reactions
Actinide series and the periodic table, Zoltán Szabó—147(L)
Ion exchange and chromatography, H. L. Finston and R. M. Dyer—465(A)
Compton effect (see **X-rays, absorption, diffraction, scattering,** etc.)
Conductivity, thermal (see **Thermal conductivity**)
Constants, physical standards
Proton magnetic moment in Bohr magnetons, J. H. Gardner and E. M. Purcell—1262(L)
Cosmic radiation
Absolute intensity, Victor F. Hess and Roger P. Vancour—1205
Absolute neutron intensities, latitude dependence, Luke C. L. Yuan—1267(L)
Air showers at high altitudes, Henry L. Kraybill—1092
Altitude and latitude dependence, disintegrations in stratosphere, J. J. Lord, Marcel Schein, and M. Vidale—171(A)
Altitude dependence of penetrating particles, Marcello Conversi—849(L), 851(L), 1541(L)
Analysis of bursts, C. G. Montgomery and D. D. Montgomery—1482
Background eradication, M. Wiener and H. Yagoda—469(A)
Capture of negative mesons, J. Barnothy—303(L)
Cascade theory, comparison of calculations, Hartland S. Snyder—1563
Coincidence, anticoincidence unit, C. A. Schroeder, J. D. Shipman, Jr., and P. R. McCray—163(A)
Decay electrons from mesons, A. H. Benade and R. D. Sard—488
Delayed proton-electron activity induced in Al by non-ionizing rays, E. C. Fowler, R. L. Cool, and J. C. Street—171(A)
Density effect for mesons, W. L. Whittemore and J. C. Street—170(A), 1786
Detection of heavy particles, method, Martin A. Pomerantz and Frank L. Hereford—997(L)
Direction study at high altitude, apparatus and procedure, W. G. Stroud, J. Schenck, and J. R. Winckler—1005
Directional study at high altitude, results and interpretation, J. R. Winckler, W. G. Stroud, and T. J. B. Shanley—1012
Disintegration electrons from Li_3^8, E. Pickup and L. Voyvodic—1534(L)
Disintegration produced by very high energy alpha-particle, J. J. Lord, Marcel Schein, and M. Vidale—321(L)
Disintegrations and neutrons at 30,000 ft., latitude dependence, J. A. Simpson, Jr. and R. B. Uretz—569(L)
Distribution and multiplicity of neutrons, local showers, G. Cocconi and V. Cocconi Tongiorgi—318(L)
Diurnal effects at rocket altitudes, G. J. Perlow, C. W. Kissinger, and C. A. Schroeder—164(A)
Electrons in primary radiation, Robert I. Hulsizer—164(A)
Energetic events in emulsions at high altitude, J. Hornbostel and E. O. Salant—859(L)
Energy degeneration, F. J. Milford and L. L. Foldy—468(A)
Exchange phenomena, penetrating showers, H. A. Meyer and G. Schwachheim—149(L)
Extensive penetrating showers, John Ise, Jr. and W. B. Fretter—933; W. W. Brown and A. S. McKay—1034
Frequency of stars of different sizes, Margherita Addario and Sara Tamburino—983(L)
Gamma-rays in primary radiation, C. W. Kissinger, C. A. Schroeder, and G. J. Perlow—164(A)
Geomagnetic effects at 30,000 ft., H. V. Neher—164(A)
At great depth, Y. Miyazaki—1733(L)

Heavy nuclei, H. L. Bradt and B. Peters—156(L)
Heavy particles in stars, M. Blau, M. M. Block, and J. E. Nafe—860(L)
High altitude experiments over wide range of latitudes, A. T. Biehl, H. V. Neher, and W. C. Roesch—914
High energy events at high altitude, J. Hornbostel and E. O. Salant—468(A)
High energy stars, L. Leprince-Ringuet, F. Bousser, Hoang-Tchang-Fong, L. Jauneau, and D. Morellet—1273(L)
Intensity of particles, absorption in lower atmosphere, Martin A. Pomerantz—165(A)
Interactions of ionizing particles at 10,600 ft., John Tinlot and Bernard Gregory—170(A)
Knock-on secondaries of penetrating particles, E. D. Palmatier, W. W. Brown, and A. S. McKay—196(A)
Lateral structure showers, G. Cocconi, V. Cocconi Tongiorgi, and K. Greisen—1020
Latitude dependence at 30,000 ft. of penetrating particles, Marcello Conversi—444(L)
Locating stars in nuclear track plates, E. H. Land and W. A. Shurcliff—469(A)
Low energy spectrum of primary radiation, sun's magnetic dipole, M. A. Pomerantz and M. S. Vallarta—1889(L)
Magnetic deflection of mesons in nuclear plates, Ian Barbour—320(L)
Mean life and curvature of paths, W. F. G. Swann—157(L)
Mechanism of production of neutrons, Vanna Cocconi Tongiorgi—517
Meson background in showers, Giuseppe Cocconi—984(L)
Meson intensity with height, P. H. Barker—141(L)
Meson production and absorption, R. L. Cool, E. C. Fowler, and J. C. Street—468(A)
Mesons near sea level, William L. Kraushaar—1045
Momentum spectra at 11,000 ft., Charles E. Miller, Joseph E. Henderson, D. S. Potter, Jay Todd, Jr., and A. W. Wotring—165(A)
Multiple meson and gamma-ray production, R. E. Marshak—1736(L)
Multiple meson and γ-ray production in stars, M. F. Kaplon, B. Peters, and H. L. Bradt—1735(L)
Narrow air showers, John Wei and C. G. Montgomery—1488
Nature of penetrating particles in showers, Frank L. Hereford—171(A)
Neutron production at mountain altitudes, C. G. Montgomery and A. R. Tobey—1478
Neutron production at sea level, R. D. Sard, A. M. Conforto, and M. F. Crouch—1134
Neutrons in atmosphere, J. A. Simpson, Jr., H. W. Baldwin, and R. B. Uretz—165(A); Luke C. L. Yuan—165(A); Vanna Cocconi Tongiorgi—192(A)
Origin of heavy particles, Lyman Spitzer, Jr.—583(L)
Penetrating showers, Frank L. Hereford—142(L); L. D. White, G. G. Harris, and George T. Reynolds—468; W. B. Fretter—511; C. E. Miller, J. E. Henderson, D. S. Potter, and Jay Todd, Jr.—591(A); H. A. Meyer, G. Schwachheim, A. Wataghin, and G. Wataghin—598
Portable magnet and cloud chamber, D. S. Potter, J. E. Henderson, C. E. Miller, and Jay Todd, Jr.—590(A)
Positive excess of meson component, Robert B. Brode—468(A); P. Bassi, E. Clementel, I. Filosofo, and G. Puppi—854(L)
Positive mesons at 30,000 ft., Marcello Conversi—311(L)
Protons at 3.4 km, Jay Todd, Jr., J. E. Henderson, C. E. Miller, and D. S. Potter—591(A)
Sea-level mesons stopped at Pb foils, W. Y. Chang—170(A)
Scattering and absorption of mesons, effect on coincidence-anticoincidence measurements, Rogers D. Rusk and Alma Rosenbaum—1166
Secondaries of penetrating particles, W. W. Brown, A. S. McKay, and E. D. Palmatier—506
Showers associated with stars, L. S. Osborne and B. T. Feld—468(A)
Slow neutrons at high altitudes, Luke C. L. Yuan—1268(L)
Soft x-radiation in upper atmosphere, T. R. Burnight—165(A)
Specific ionization of radiation above atmosphere, S. F. Singer—701(L)
Spontaneous decay of heavy mesons, L. I. Schiff—303(L)
Star producing radiation, G. Bernardini, G. Cortini, and A. Manfredini—1792
Star production by negative μ-mesons in AgCl, H. G. Voorhies and J. C. Street—1100
Stars in electron sensitive emulsions, E. Pickup and L. Voyvodic—447(L)
Structure of extensive showers, G. Cocconi, V. Cocconi Tongiorgi, and K. Greisen—192(A)
τ-meson, Norbert Wagner and D. Cooper—449(L)
Underground cosmic-ray data, K. Greisen—1718(L)
Variation of star production with altitude, Herman Yagoda, Nathan Kaplan, and C. H. Conner—171(A)
Variations at high altitudes, W. F. G. Swann and Stephen H. Forbes—467(A)
Variations in intensity, permanent solar magnetic moment, S. E. Forbush and I. Lange—164(A)
Very large bursts under 26.7 cm Pb, Edward F. Fahy and Marcel Schein—170(A)
Wide angle sprays of minimum ionization particles, F. Oppenheimer and E. P. Ney—1418(L)
Zenith angle dependence of hard component, J. F. Jenkins, Jr.—992(L)

Cross section, measurements, theory (see also **Scattering of electrons, neutrons, and ions**)
Absorption of γ-rays in C, Al, Cu, Sn, and Pb, R. L. Walker—527
For (α,n) of Be, Mg, and Al, I. Halpern—248
Of Ba^{139}, neutron-capture, L. Yaffe, B. W. Sargent, M. Kirsch, S. Standil, and Jean M. Grunlund—617
For $B^{10,11}(\alpha,n)N^{13,14}$, R. L. Walker—244
Of C and H for fast neutrons, E. E. Lampi, G. Freier, and J. H. Williams—188(A)
$Cu^{63}(n,2n)Cu^{62}$ cross section, neutron energy near threshold, J. L. Fowler and J. M. Slye—169(A)
D-D reactions, Louis Rosen, Francis K. Tallmadge, and John H. Williams—1283
D-D neutrons, G. T. Hunter and H. T. Richards—1445
Of $D(d,\gamma)$ and $D(p,\nu)$ reactions, W. A. Fowler, C. C. Lauritsen, and A. V. Tollestrup—1767
$D(d,n)He^3$ reaction, function of angle, K. W. Erickson, J. L. Fowler, and E. J. Stovall, Jr.—1141
For fast neutrons, nuclear shell structure, D. F. Sherman, D. J. Hughes, and J. R. Wallace—188(A)
Isotopic neutron absorption cross section, H. S. Pomerance—195(A)
Of K^{39}, thermal neutrons, John L. Hansen and John E. Willard—577(L)
Of Nd isotopes, slow neutrons, David C. Hess, Jr. and Mark G. Inghram—300(L)
Neutron cross sections at 115 and 300 ev, C. T. Hibdon and C. O. Muehlhause—100
n-p and *p-p* at 83 Mev, L. Castillejo and H. T. Richardson—1732(L)
N-P scattering, E. Kelly, C. Leith, and C. Wiegand—589(A)
For 95- and 270-Mev neutrons, J. DeJuren, N. Knable, and B. Moyer—589(A)
Of nuclei for 40-Mev neutrons, R. H. Hildebrand and C. E. Leith—587(A)
Nucleon-nucleon collisions, bremsstrahlung, J. Ashkin and R. E. Marshak—58

Cross section, measurements, theory (continued)
At 115 ev and 300 ev, neutrons, C. T. Hibdon and C. O. Muehlhause—188(A)
Pair production at 17.6 Mev, R. L. Walker—1440
For $T^3(p,n)He^3$ from 1- to 2.5-Mev proton energies, G. A. Jarvis, A. Hemmendinger, H. V. Argo, and R. F. Taschek —168(A)
Schematic theory, H. Feshbach and V. F. Weisskopf—1550
Slow neutron cross section of free proton, Edward Melkonian—1744
Slow neutron studies of O_2, N_2, A, H_2, H_2O and hydrocarbons, Edward Melkonian—1750
Total for fast neutrons, C. K. Bockelman, R. E. Peterson, R. K. Adair, and H. H. Barschall—277
Total for 280-Mev neutrons, R. Fox, C. Leith, K. McKenzie, and L. Wouters—590(A)
Crystal structure
Allotropic modification of Ce, A. W. Lawson and Ting-Yuan Tang—301(L)
Analysis of clays for montmorillonite, L. H. Simons, D. F. Weekes, and J. G. Potter—467(A)
Ilmenite structure and ferroelectricity, B. T. Matthias and J. P. Remeika—1886(L)
Partition function by spinor analysis, Bruria Kaufman—1232
Short-range order in binary ising lattice, Bruria Kaufman and Lars Onsager—1244
Vacancies and diffusion in NiAl, R. Smoluchowski and H. Burgess—309(L)
Crystalline state
Anomalous internal friction, Al-Cu alloys, T'ing-Sui Kê—470(A)
Barrier layer in rectifiers, K. Lehovec—178(A)
Breakdown of ionic crystals, A. von Hippel and R. S. Alger —127
Color center bands in alkali halides, E. Burstein and J. J. Oberly—1254(L)
Color produced in quartz by x-rays, Guy Forman—196(A)
Conduction processes in thin deposits of Sb, Louis Harris and Lloyd H. Shaffer—943
Diffusion in binary alloys, J. Bardeen—1403
Electric breakdown in ionic crystals, Herbert B. Callen—1394
Electron multiplication in crystals, Frederick Seitz—1376
Electronic phase transition in iron, W. M. Elsasser and I. Isenberg—469(A)
Electronic states in perturbed periodic systems, Hubert M. James—1611
Electrons in perturbed periodic lattices, J. C. Slater—1592
Energy band structure of insulators, G. H. Wannier—438(L)
Energy bands and wave functions in periodic potentials, Hubert M. James—1602
Energy for diffusion by direct interchange, H. B. Huntington and Frederick Seitz—1728(L)
Energy levels in elemental Si, D. K. Holmes—178(A)
Ferroelectric crystals, B. T. Matthias, Elizabeth A. Wood, and A. N. Holden—175(A)
Ferroelectric properties of WO_3, B. T. Matthias—430(L)
Ferromagnetic ferrite, Haig P. Iskenderian—175(A)
Ferromagnetic resonance absorption in magnetite, L. R. Bickford, Jr.—137(L)
Fringe fields of domains, L. Marton and S. H. Lachenbruch —460(A)
Grain boundary diffusion, M. R. Achter and R. Smoluchowski—470(A)
Interstitial atomic diffusion coefficients, C. Wert and C. Zener—1169
Lattice energy of metallic Cu and Ag, Thomas P. Merritt and Royal M. Frye—470(A)
Low temperature transitions in $BaTiO_3$, H. J. Wellard—565(L)
Magnetostriction and order in $FeNi_3$, J. E. Goldman—471(A)
Martensitic transformations in iron-nickel, Andrew W. McReynolds—469(A)
Mobility of electrons in diamond, C. C. Klick and R. J. Maurer—179(A)
Nuclear magnetic resonance shift in metals, W. D. Knight —1259(L)
Nuclear spin-lattice relaxation time, internal motion, A. M. Sachs, E. H. Turner, and E. M. Purcell—466(A)
Nuclear spin-lattice relaxation times in solids, E. H. Turner, A. M. Sachs, and E. M. Purcell—465(A)
Ordering in Co-Pt, J. B. Newkirk and R. Smoluchowski—471(A)
Paramagnetic anisotropy of MnF_2, J. W. Stout and Maurice Griffel—144(L)
Partition function of the three-dimensional ferromagnet, D. ter Haar—176(A)
Polarizability of ions in simple crystals, Shepard Roberts—1215
Powder patterns on ferromagnetic crystals, Charles Kittel —1527(L)
Radial density function for crystals from x-ray intensity data, William J. Taylor—175(A)
Removal of space charge in diamond counters, A. G. Chynoweth—310(L)
Self-diffusion in silver, D. Turnbull—471(A); Gerald W. Johnson and T. Watanabe—588(A)
Single crystal selenium, properties, Herbert W. Henkels—1737(L)
Solids condensed from CO by alpha-particles, John H. L. Watson, Marcel Vanpee, and S. C. Lind—466(A)
Spin-lattice relaxation times in paramagnetic solids, C. P. Slichter and E. M. Purcell—466(A)
Statistical theory of regular mixtures, Yin-Yuan Li—972
Structures and phase transitions in barium titanate, P. W. Forsbergh, Jr.—1187
Thermo-optic properties of cubic crystals, Elias Burstein and Paul L. Smith—175(A)

Dielectric constants (see **Dielectrics and dielectric properties**)
Dielectrics and dielectric properties
Barium titanate at low temperatures, R. F. Blunt and W. F. Love—1202
Barium titanate, polarizabilities of ions in simple crystals, Shepard Roberts—1215
$BaTiO_3$ single-domain crystals, Walter J. Merz—1221
Diffraction of neutrons (see **Neutron diffraction**)
Diffusion (see also **Thermal diffusion**)
In binary alloys, J. Bardeen—1403
Interstitial atomic diffusion, C. Wert and C. Zener—1169
Self-diffusion of silver, D. Turnbull—471(A); Gerald W. Johnson and T. Watanabe—588(A)
Temperature variation for HCl, Gwynne B. Swartz—166(A)
Discharge of electricity in gases
Admittance of high frequency gas discharges, Edgar Everhart and Sanborn C. Brown—839
Amplification by interaction with stream of electrons, J. A. Roberts—340; L. R. Walker—1721(L)
Average energy of electrons in discharge, Lawrence J. Varnerin, Jr. and Sanborn C. Brown—457(A)
Coulomb interactions in a plasma, error, William P. Allis —146(L)
Clustering of ions and mobilities, Albert W. Overhauser—250
Densities in cathode spots, J. M. Somerville and W. R. Blevin—982(L)

Diffusion in helium, erratum, Manfred A. Biondi and Sanborn C. Brown—302(L)
Discharge instability, role of cathode, Leonard B. Loeb—255
Double-probe method, electron temperatures in gas discharges, E. O. Johnson and L. Malter—1411(L)
Electric breakdown in CO_2, D. R. Young—457(A)
Electric field and discharge photographs, F. G. Slack and Hsieh Yu-Chang—197(A)
Electron-ion recombination in diatomic gases, Manfred A. Biondi and Sanborn C. Brown—457(A)
High frequency breakdown in magnetic field, Benjamin Lax and Sanborn C. Brown—457(A)
High frequency discharge breakdown in H_2, A. D. MacDonald and Sanborn C. Brown—1634
High frequency gas discharge breakdown, diffusion theory, Sanborn C. Brown and A. D. MacDonald—1629
Imprisonment of resonance radiation, D. Alpert, A. O. McCoubrey, and T. Holstein—457(A)
Impulse breakdown in air, R. C. Fletcher—1501
Ionization measurement of $He^3(np)$ and $N^{14}(np)$, W. Franzen, J. Halpern, and W. E. Stephens—317(L)
Ions in Hg resonance cell containing N_2, R. H. Brown—591(A)
Microwave discharges in A, S. Krasik, D. Alpert, and A. O. McCoubrey—722
Plasma oscillation, J. R. Pierce—565(L)
Positive ion-electron recombination, Manfred A. Biondi and Sanborn C. Brown—190(A)
Potential and gradient distributions in parallel plane diodes, Wilson M. Brubaker—592(A)
Probe measurements in ionosphere, A. Reifman and W. G. Dow—987(L)
Propagation of streamers in sparks, B. A. Jacobsohn—585(A)
Radiative processes in discharges in He, R. G. Fowler and O. S. Duffendack—81
Sputtering in abnormal glow discharge, Richard Hanau—153(L)
Transport phenomena in presence of magnetic field, Rolf Landshoff—904

Discharge of electricity in high vacuum (see also **Thermionic emission**)
Cathode field in diodes, Henry F. Ivey—554
Diode space charge, Leigh Page and Norman I. Adams, Jr.—381

Disintegration and excitation of nucleus (see also **Nuclear spectra; Radioactivity**)
Of Al^{29}, L. Seidlitz, E. Bleuler, and D. J. Tendam—453(A)
Angular distribution from (d,n) reactions, C. E. Falk, E. Creutz, and F. Seitz—322(L)
Angular distribution of $Li^6(d,\alpha)\alpha$, Robert Resnick and D. R. Inglis—1318
Angular distribution, photo-disintegration of deuteron, W. M. Woodward and I. Halpern—107
Branching ratio in Be^7 decay, C. M. Turner—148(L)
Of Be^9, theory, Eugene Guth and Charles J. Mullin—234
Capture γ-ray spectrum of Cd, Bernard Hamermesh—182(A)
Capture gamma-ray studies, H. E. Kubitschek and S. M. Dancoff—182(A), 531
D-D reaction products, angular distribution, Yashihiro Nakano—981(L)
Deuteron bombardment of boron, Charles P. Swann and Emmett L. Hudspeth—168(A); Emmett L. Hudspeth and Charles P. Swann—1150
Disintegration electrons from Li_3^8, E. Pickup and L. Voyvodic—1534(L)
Disintegration energy of Al^{29}, L. Seidlitz, E. Bleuler, and D. J. Tendam—861(L)
Dispersion formula, applications, T. Teichmann and E. P. Wigner—185(A)
Distribution of photo-neutrons from deuterium, Edwin P. Meiners, Jr.—259
Distribution of protons from *D-D* reaction, H. A. Leiter, R. E. Meagher, F. A. Rodgers, and P. Gerald Kruger—167(A)
Distribution of protons in $N^{14}(dp)N^{15}$, L. D. Wyly—104
Electron excitation of In^{115*}, B. Waldman, W. C. Miller, and D. Gideon—181(A)
Electron-neutrino correlation in heavy elements, M. E. Rose—195(A)
Energy release in Be and Li reactions, A. V. Tollestrup, W. A. Fowler, and C. C. Lauritsen—428(L)
Excited state in Be^{10}, W. W. Buechner and E. N. Strait—168(A)
Excited states of Mg, proton bombardment, Roy Britten—169(A)
Gamma-n processes with bremsstrahlung, G. A. Price and D. W. Kerst—182(A)
Gamma-radiation from light nuclei, W. A. Fowler and C. C. Lauritsen—314(L)
Gamma-ray measurements, magnetic lens spectrometer, levels in Li^{7*}, B^{10*}, and Ni^{60*}, W. F. Hornyak, T. Lauritsen, and V. K. Rasmussen—731
Gamma-ray resonance in $C^{12}(p,\gamma)N^{13}$, D. M. Van Patter—1264(L)
γ-rays, deuteron bombardment of Be^9, V. K. Rasmussen, W. F. Hornyak, and T. Lauritsen—581(L); C. Y. Chao, T. Lauritsen, and V. K. Rasmussen—582(L)
Gamma-rays, direction and polarization, Franz Metzger and Martin Deutsch—187(A)
Gamma-rays from $T^3(p,\gamma)He^4$, H V. Argo, H. T. Gittings, A. Hemmendinger, G. A. Jarvis, H. Mayer, and R. F. Taschek—182(A)
Gamma-rays, interference effects, angular correlation, Daniel S. Ling and David L. Falkoff—1639
High energy photons by 350-Mev protons, Herbert F. York, Burton J. Moyer, and Russell Bjorklund—187(A)
K capture of Be^7, R. M. Williamson and H. T. Richards—453(A)
Lifetime of 479-kev state of Li^7, L. G. Elliott and R. E. Bell—168(A)
$Li^7(p,n)$ threshold voltage, absolute calibration, W. E. Shoupp, B. Jennings, and W. Jones—502
Long-range protons from bombardment of C by deuterons, G. C. Phillips, T. W. Bonner, and J. E. Richardson—169(A)
Low emission probability gamma-rays, R. G. Fluharty and Martin Deutsch—182(A)
Magnetic analysis of $Be^9(d,\alpha)Li^7$ and $Be^9(d,p)Be^{10}$, W. W. Buechner and E. N. Strait—1547
Magnetic analysis of $C^{12}(d,p)C^{13}$ and $O^{16}(d,p)O^{17}$, W. W. Buechner, E. N. Strait, A. Sperduto, and R. Malm—1543
Magnetic analysis of Li, *d* reactions, E. N. Strait and W. W. Buechner—1766
Neutrons from deuterons on Li^6, C. E. Mandeville, C. P. Swann, and S. C. Snowdon—980(L)
Neutrons from disintegration of Na by deuterons, C. E. Mandeville—436(L)
Particle groups from alpha-bombardment of boron isotopes, Robert J. Creagan—1769
Proton groups from bombardment of argon by deuterons, P. W. Davison, J. O. Buchanan, and Ernest Pollard—890
Protons from $He^3(d,p)He^4$, L. D. Wyly, V. L. Sailor, and D. G. Ott—1532(L)
Q value for $B^{10}(p\alpha)Be^7$, C. Y. Chao, C. C. Lauritsen, and A. V. Tollestrup—586(A)
Q values for $Ca^{40}(d,p)Ca^{41}$, mass difference (Ca^{40}-A^{40}), Vance L. Sailor—169(A)

Disintegration and excitation of nucleus (continued)
Range of charged particles from *D-D* reactions, Louis Rosen, Francis K. Tallmadge, and John H. Williams—1283
Relativistic generalization of *n-p* interactions, Armand Siegel—185(A)
Resonance reactions and angular correlation, L. Eisenbud—185(A)
Of Rh^{106}, Sb^{125}, and Pr^{142}, E. J. Jurney—290
Successive α-γ-emission and excited state of Li^{7}, Bernard T. Feld—168(A)
Thresholds for photo-neutron reactions, A. O. Hanson, R. B. Duffield, J. D. Knight, B. C. Diven, and H. Palevsky—578(L)
Voltage determination of resonances $F^{19}(p\alpha',\gamma)$, $B^{11}(p,\alpha)$ and $B^{11}(p,\gamma)$, A. H. Morrish—1651
X-ray yield curves for $(\gamma,2n)$ and (γ,p) reactions, G. C. Baldwin—182(A)
Yield of protons, tritons, and alphas from bombardment of Be^{9}, I. Resnick and S. S. Hanna—168(A)
Yields of Mn in spallation reactions, Norman A. Bonner and William C. Orr—140(L)

Elasticity
Constants of single crystals of Ni, W. P. Mason, R. M. Bozorth, H. J. McSkimin, and J. G. Walker—470(A)
Energy losses and fracture, J. L. Melchor, W. B. Good, and T. E. Pardue—202(A)
Ideal plastic body, Hilda Geiringer—875(A)
Large repeated strains of metals, instrumentation, J. P. Parker and T. E. Pardue—202(A)
Lattice energy of metallic Cu and Ag, Thomas P. Merritt and Royal M. Frye—470(A)
Plastic behavior of stiffened panels, Wolfe Mostow—876(A)
Quasi-isothermal slow fracture, F. T. Rogers, Jr.—203(A)
Shear modulus of Al, temperature coefficient, T'ing-Sui Kê—579(L)
Slow fracture, brittleness, Marguerite M. Rogers and F. T. Rogers, Jr.—203(A)
Statistical consideration of collisions, J. Elmer Rhodes, Jr.—202(A)
Strain rate effects, Richard LaTorre and Waller George—470(A)
Variation of constants of KCl, NaCl, CuZn, Cu, and Al with pressure, David Lazarus—545
Vibrational characteristics of piezoid, Charles R. Mingins, Carl A. Stevens, and David W. MacLeod, Jr.—467(A)
Vibrational spectrum of crystals, W. A. Bowers—467(A)

Electrical conductivity and resistance
Alpha-particles on superconductor, D. H. Andrews, R. D. Fowler, and M. C. Williams—154(L)
Al and Zn as superconductors below 1°K, J. G. Daunt and C. V. Heer—1324
Anode spark breakdown on distilled water surfaces, R. L. Young and Hugh F. Henry—198(A)
Barrier layer in rectifiers, K. Lehovec—178(A)
Barrier layer on *P*-type germanium, H. Y. Fan and R. Bray—458(A)
Bose-Einstein condensation for particles in magnetic field, superconductivity, M. F. M. Osborne—400
Breakdown of ionic crystals, A. von Hippel and R. S. Alger—127; Herbert B. Callen—1394
Concentration of holes and electrons by magnetic fields, H. Suhl and W. Shockley—180(A)
Crystal grain boundaries in Ge, G. L. Pearson—459(A)
In dielectrics during 2.5-Mev x-radiation, F. C. Armistead, J. C. Pennock, and L. W. Mead—860(L)
Electron injection in *P*-type germanium, Ralph Bray—458(A)
Electron multiplication in crystals, Frederick Seitz—1376
Energy band structure of insulators, G. H. Wannier—438(L)
Flow across *n-p* junctions, W. Shockley, G. L. Pearson, and M. Sparks—180(A)
Forces between currents in a superconductor and the lattice, E. U. Condon and E. Maxwell—578(L)
Of Au at low temperatures, C. T. Lane—304(L)
Induction in a superconductor, A. Wexler and W. S. Corak—432(L); W. V. Houston and C. F. Squire—685(L)
Infra-red transmission of germanium, M. Becker and H. Y. Fan—1530(L); of silicon, M. Becker and H. Y. Fan—1531(L)
Magnetic effects of rotating superconductor, W. F. Love, R. F. Blunt, and P. B. Alers—305(L)
Magnetic moments, spherical superconductors, J. J. Fritz, O. D. Gonzales, and H. L. Johnston—580(L)
Magnetic threshold of a superconductor, G. Preston Burns—999(L)
Magnetically biased transistors, C. Bradner Brown—1736(L)
Mobilities in Ge single crystals, G. L. Pearson—179(A)
Modulation of resistance of Ge filament, W. Shockley, G. L. Pearson, M. Sparks, and W. H. Brattain—459(A)
Neutron irradiated semiconductors, W. E. Johnson and K. Lark-Horovitz—442(L)
Of ordered $AuCu_3$ produced by single slip, T. H. Blewitt and J. S. Koehler—470(A)
P-type germanium transistor, W. F. Pfann and J. H. Scaff—459(A)
Of polycrystalline graphite, theory, Dwain Bowen—1878(L)
Pressure coefficient of resistance in semiconductors, P. H. Miller, Jr. and Julius Taylor—179(A)
Reflectivity of germanium semiconductors, K. Lark-Horovitz and K. W. Meissner—1530(L)
Resistance changes during strains, E. W. Kammer and T. E. Pardue—202(A); instrumentation, E. W. Kammer and T. E. Pardue—202(A)
Resistivity of Ge, electric field, Ralph Bray—152(L)
Single crystal selenium, properties, Herbert W. Henkels—1737(L)
Superconducting torus, R. L. Dolecek and Jules de Launay—445(L)
Superconductors at 24,000 megacycles per second, E. Maxwell, P. M. Marcus, and J. C. Slater—1332
Superconductors below 1°K, Ti, J. G. Daunt and C. V. Heer—715
Superconductors in alternating fields, Robert T. Webber, J. M. Reynolds, and T. R. McGuire—293
Surface impedance of metals at 24,000 Mc/sec., W. B. Nowak and J. C. Slater—469(A)
Theory of superconductors, A. R. Miller—1001(L)
Thin deposits of Sb, Louis Harris and Lloyd H. Shaffer—943
Time effects in superconducting cylinders, Robert T. Webber—167(A)
Of Sn in normal and superconducting states, surface resistiviy, William M. Fairbank—167(A), 1106
Of tin superconductors, B. Serin, J. R. Feldmeier, and M. Garfunkel—167(A)
Of Ti, Walter C. Michels and Sally E. Wilford—174(A)

Electrodynamics (see **Electromagnetic theory; Quantum electrodynamics**)

Electrolysis
Space charge in electrolytes, Charles Albert Reed and William Schriever—197(A)

Electromagnetic theory
Amplification by interaction with stream of electrons, J. A. Roberts—340; L. R. Walker—1721(L)
Basic theory and correspondence principle, Herman M. Schwartz—192(A)
Biconical antennas, C. T. Tai—456(A)
Deflection of electrons in inhomogeneous electrostatic field, Jenny E. Rosenthal—180(A)

Eddy currents induced in conducting plane, Stanley A. Jashemski and W. C. Wineland—198(A)
Finite relativistic charge-current distributions, D. Bohm, M. Weinstein, and H. Kouts—867(L)
Impedance and generalized two-wire line theory, K. Tomiyasu and Ronold King—456(A)
Induction in a superconductor, A. Wexler and W. S. Corak—432(L); W. V. Houston and C. F. Squire—685(L)
Magneto-hydrodynamic waves, S. Lundquist—1805
Motion in constant magnetic field, M. H. Johnson and B. A. Lippmann—828
Propagation modes of a helix, William Sollfrey—455(A)
Radiation from uniformly accelerated charge, D. L. Drukey—543
Scalar and longitudinal photons in electromagnetic fields, Frederik J. Belinfante—226
Superconducting torus, R. L. Dolecek and Jules de Launay—445(L)
Surface wave of Sommerfeld, T. Kahan and G. Eckart—406
Waves guided by single surface, F. J. Zucker—586(A)

Electrons (see also **Positrons**)
Classical theory, Alfred Landé—191(A)
Inequality of electron and proton charges, experimental limit, Vernon Hughes—474(A)

Electrons, scattering of (see **Scattering of electrons, neutrons, and ions**)

Electrons, secondary
At high temperatures, F. C. Todd and L. J. Rueger—189(A)
From homogeneous solids, interpretation, E. J. Sternglass—189(A)
From silicon and germanium oxides, H. E. Mendenhall—458(A)

Elements
Abundance of Re in nature, Harrison Brown and Edward Goldberg—1260(L)
Actinide series and the periodic table, Zoltán Szabó—147(L)
Origin, Maria G. Mayer and Edward Teller—1226
Regularity and continuity of nuclear series, William D. Harkins and Martin Popelka, Jr.—989(L)
V^{50} in nature, David C. Hess, Jr. and Mark G. Inghram—1717(L)

Equations of state
For gaseous He^3, J. van Kranendonk, K. Compaan, and J. de Boer—998(L); 1728(L)

Errata
Altitude dependence of penetrating particles slowed down after traversing 15 cm of lead, Marcello Conversi—1541(L)
Application of Dyson's method to meson interactions, P. T. Matthews—1419(L)
Bremsstrahlung in high energy nucleon-nucleon collisions, J. Ashkin and R. E. Marshak—989(L)
Chi-square test as a criterion for testing halogen-filled Geiger tubes, A. B. Willoughby—1266(L)
Determination of nuclear gyromagnetic ratios, John R. Zimmerman and Dudley Williams—1264(L)
On the difficulty of the meson theory of nuclear forces, Gentaro Araki—437(L)
Equation of state of gaseous He^3, J. van Kranendonk, K. Compaan, and J. de Boer—1728(L)
Excitation functions for (α,n), $(\alpha,2n)$, and $(\alpha,3n)$ reactions on indium, Georges M. Temmer—1002(L)
Influence of the length of a hot wire on the measurements of turbulence, F. N. Frenkiel—686(L)
Infra-red spectrum and molecular constants of $C^{12}O^{16}$ and $C^{13}O^{16}$, Robert T. Lagemann, Alvin H. Nielsen, and Fred P. Dickey—159(L)
Measurements of ambipolar diffusion in helium, Manfred A. Biondi and Sanborn C. Brown—302(L)
Paper by Landau on Coulomb interactions in a plasma, William P. Allis—146(L)
Production of mesons by photons and electrons, Herman Feshbach and Melvin Lax—689(L)
Scattering of slow neutrons by paramagnetic crystals, I. W. Ruderman, W. W. Havens, Jr., T. I. Taylor, and L. J. Rainwater—434(L)
Second viscosity of liquids, L. N. Liebermann—440(L)

Excitation of nuclei (see **Disintegration and excitation of nucleus; Nuclear structure**)

Explosion phenomena (see also **Shock waves**)
Adiabatic parameters of explosion bubbles, H. G. Snay and E. Swift, Jr.—881(A)
Bubble period at great depths, John P. Slifko, E. Swift, Jr., and W. S. Shultz—881(A)
Photography of explosion bubbles, Paul M. Fye and Robert S. Price—881(A)

Ferroelectric properties (see also **Crystalline state**)
Barium titanate at low temperatures, R. F. Blunt and W. F. Love—1202
Barium titanate, polarizabilities of ions in simple crystals, Shepard Roberts—1215
$BaTiO_3$ single-domain crystals, Walter J. Merz—1221
Ferroelectric crystals, B. T. Matthias, Elizabeth A. Wood, and A. N. Holden—175(A)
Of ferromagnetic ferrite, Haig P. Iskenderian—175(A)
In ilmenite structure, B. T. Matthias and J. P. Remeika—1886(L)
Spontaneous polarization of $BaTiO_3$, W. J. Merz—459(A)
Structures and phase transitions in barium titanate, P. W. Forsbergh, Jr.—1187
Of WO_3, B. T. Matthias—430(L)

Ferromagnetism (see **Magnetic properties**)

Field theory (see also **Quantum electrodynamics**)
Covariant field theories, Peter G. Bergmann and Johanna H. M. Brunings—191(A)
Relations between electromagnetism and gravitation, Antonio Gião—764

Films, properties of
Condensation of metals on surfaces, effect of temperature, Leonard O. Olsen, E. C. Crittenden, Jr., and R. W. Hoffman—1891(A)
Temperature dependence of structure, Ag films, Gerald W. Johnson—588(A)

Fission of nucleus
Alpha-particles emitted, L. L. Green and D. L. Livesey—580(L)
Of Bi and Pb, R. H. Goeckermann and I. Perlman—628
Cloud-chamber study of fragments, J. K. Bøggild, L. Minnhagen, and O. B. Nielsen—988(L)
Delayed neutrons from thorium, L. G. Creveling, J. R. Hood, and M. L. Pool—946
Division of nuclear charge, D. C. Brunton—1798
Energy distribution of fragments, D. C. Brunton and W. B. Thompson—848(L)
Fission-asymmetry, G. C. Wick—181(A)
Kinetic energy release in fission of U^{238}, U^{235}, Th^{232}, and Bi^{209}, J. Jungerman and S. C. Wright—1112
Mass and charge of fission products, K. H. Kingdon—136(L)
Mass of xenon activities, Sigvard Thulin, Ingmar Bergström, and Arne Hedgran—871(L)
Radioactive krypton isotopes, J. Koch, O. Kofoed-Hansen, P. Kristensen, and W. Drost-Hansen—279
Ternary fission in U, J. T. Dewan and K. W. Allen—181(A); Louis Rosen and Alvin M. Hudson—181(A)
Tripartition and quadripartition of uranium, R. Chastel and L. Vigneron—870(L)
Uranium^{235} in thucholite, J. B. Orr—155(L)
Widespread detection of fission products, J. H. Webb—375

Fission of nucleus (continued)
Yields of Cs isotopes, Mark G. Inghram, David C. Hess, Jr., and John H. Reynolds—1717(L)
Fluid dynamics (see also **Aerodynamics; Hydrodynamics**)
Flow past models in shock tube, C. W. Mautz—172(A)
Momentum thickness in turbulent layer, D. Bershader—171(A)
Turbulence by using non-compensated hot-wires, F. N. Frenkiel—171(A)
Fluorescence
Of mono-substituted benzenes in near ultraviolet, Arnold M. Bass and H. Sponer—177(A)
Persistence in Hg vapor, T. Holstein, D. Alpert, and A. O. McCoubrey—1259(L)
Friction
Anomalous internal friction, Al-Cu alloys, T'ing-Sui Kê—470(A)
Molecular structure of lubricant, J. T. Burwell and C. D. Strang—455(A)

Gamma-rays (see **Disintegration and excitation of nucleus; Radioactivity**)
Gases (see **Aerodynamics; Kinetic theory**)
Geophysics
Convective process and thickness of porous medium, H. L. Morrison and F. T. Rogers, Jr.—203(A)
Magnetism in sedimentary rocks, John W. Graham—176(A)
Neutrinos from the sun, source of earth's heat, D. Saxon—986(L)
Gravitation
Einstein's generalized theory, V. V. Narlikar and Ramji Tiwari—868(L)
Relations between electromagnetism and gravitation, Antonio Gião—764
Gyromagnetic effect
New effect, S. J. Barnett and Louis A. Giamboni—1542(L)
Gyromagnetic ratio (see **Magnetic properties; Nuclear moments and spin**)

Hall effect
In ferromagnetics, Emerson M. Pugh—176(A)
Metal-semiconductor point contacts, S. Benzer—150(L)
In Ni, Albert I. Schindler and Emerson M. Pugh—176(A)
Heat conduction (see **Thermal conductivity**)
Hydrodynamics
Conformal mapping of multiply-connected domains, George Springer—876(A)
Convective process and thickness of porous medium, H. L. Morrison and F. T. Rogers, Jr.—203(A)
Effect of viscosity on circulation, C. Truesdell—192(A)
Establishment of flow in water entry, Eugene P. Cooper—592(A)
Flows of compressible fluid, Stefan Bergman—876(A)
Isotropic turbulence, S. Chandrasekhar—158(L)
Magneto-hydrodynamic waves, S. Lundquist—1805
Non-linear transformations, Daniel Shanks—876(A)
Plane, rotational, Prandtl-Meyer flows, M. H. Martin—877(A)
Prandtl-Glauert transformation, inconsistencies, H. W. Sibert—877(A)
Representation of isentropic subsonic compressible flow, Hans Kraft—877(A)
Ship forms of least resistance, J. V. Wehausen—878(A)
Symmetric and plane supersonic flows, P. Zettler-Seidel—877(A)
Transformation between one- and three-dimensional power spectra, fluctuation field, Leslie S. G. Kovasznay, Mahinder S. Uberoi, and Stanley Corrsin—1263(L)
Transonic flow around a closed body, Arthur Zeichner—876(A)

Hyperfine structure (see also **Nuclear moments and spin**)
Band spectrum of HgH, S. Mrozowski—1714
Of Co, B. Bleaney and D. J. E. Ingram—466(A)
Electron-nuclear potential fields, M. F. Crawford and A. L. Schawlow—1310
Of 4^3P-4^3D of Al II, S. Suwa—847(L)
Of hydrogen, effect of nuclear motion, G. Breit, G. E. Brown, and G. B. Arfken—1299
Of hydrogen, effects of proton radius, G. E. Brown and G. B. Arfken—1305
Of Fe 57, Jean Brossel—858(L)
Of Kr^{83} and Ne^{21}, Jørgen Koch and Ebbe Rasmussen—1417(L)
Potential fields from hyperfine structure, A. L. Schawlow and M. F. Crawford—174(A)
Resonance experiments with Na^{22}, K^{40}, Cs^{135}, and Cs^{137}, Luther Davis, Jr., Darragh E. Nagle, and Jerrold R. Zacharias—1068
Of Se^{77}, J. E. Mack and O. H. Arroe—173(A)
Of stable chlorine isotopes, Luther Davis, Jr., Bernard T. Feld, Carrol W. Zabel, and Jerrold R. Zacharias—1076
Of Te^{125}, G. R. Fowles—571(L)
Of $^2P_{3/2}$ state of Al^{27}, Hin Lew—1086

Ionization potentials
Electron quantum numbers of atoms and ions, Wolfgang Finkelnburg—173(A)
Of neon by atomic projectiles, John H. Martin—190(A)
Ionosphere
Probe measurements, A. Reifman and W. G. Dow—987(L)
Tidal effects in *F* layer, M. W. Jones and J. G. Jones—581(L)
Isomers, nuclear (see **Nuclear structure; Radioactivity**)
Isotopes
Abundance of I^{129}, Te^{118}, and Pt^{190}, Wallace T. Leland—992(L)
Abundance of Re in nature, Harrison Brown and Edward Goldberg—1260(L)
Neutron-hydrogen mass difference, William E. Stephens—181(A)
Nuclear periodic scheme in three dimensions, S. Podgor—1271(L)
Odd-odd isotope of V, Wallace T. Leland—1722(L)
Pt^{195}-Cu^{65} packing fraction difference, Henry E. Duckworth—690(L)
Rare stable isotopes, Henry E. Duckworth, Robert F. Black, and Richard F. Woodcock—462(A)
Regularity and continuity of nuclear series, William D. Harkins and Martin Popelka, Jr.—989(L)
Separation of He^3, Charles A. Reynolds, Henry A. Fairbank, C. T. Lane, B. B. McInteer, and Alfred O. Nier—64, 167(A)
Separation of isotopes of Hg, C. P. Keim—1270(L)
V^{50} in nature, David C. Hess, Jr. and Mark G. Inghram—1717(L)
Xe isotopes produced in fission, Sigvard Thulin, Ingmar Bergström, and Arne Hedgran—871(L)

Kinetic theory
Gas dynamics, Paul Lieber—882(A)
Of rarefied gases, Harold Grad—882(A)
Transport phenomena in ionized gas, Rolf Landshoff—904

Liquids (see also **Hydrodynamics**)
Absorption and dispersion of sound, Leonard Liebermann—1520
Adsorption of helium at liquid helium temperatures, Earl A. Long and Lothar Meyer—440(L); William Band—441(L)
Bose-Einstein condensation for particles in magnetic field, M. F. M. Osborne—400

Film transfer rate in He II, Robert T. Webber, Henry A. Fairbank, and C. T. Lane—609
He^3 assemblies, Louis Goldstein and Max Goldstein—464(A)
He^3 in He^4, J. W. Stout—864(L)
Lambda-temperatures of He^3-He^4 mixtures, B. M. Abraham, B. Weinstock, and D. W. Osborne—864(L)
Non-equilibrium states in He II, William Band and Lothar Meyer—417
Rollin film in liquid helium, Henry A. Fairbank and C. T. Lane—1209
Second sound and classical heat flow, John R. Pellam—872(L)
Second sound velocity in He II, John R. Pellam and Russell B. Scott—869(L); R. D. Maurer and Melvin A. Herlin—948
Separation of He^3, Charles A. Reynolds, Henry A. Fairbank, C. T. Lane, B. B. McInteer, and Alfred O. Nier—64, 167(A)
Superfluidity in He II, correlations in measurements, John R. Pellam—158(L)
Thermodynamics of liquid He, O. K. Rice—1701

Magnetic properties (see also **Nuclear moments and spin**)
Antiferromagnetism, detection of, C. G. Shull and J. Samuel Smart—1256(L)
Ferromagnetic ferrite, Haig P. Iskenderian—175(A)
Ferromagnetic resonance absorption in magnetite, L. R. Bickford, Jr.—137(L)
Fringe fields of domains, L. Marton and S. H. Lachenbruch—460(A)
Gyromagnetic ratios and splitting factors of ferromagnetic substances, Charles Kittel—176(A)
Magnetic threshold of a superconductor, G. Preston Burns—999(L)
Of magnetite single crystals, C. A. Domenicali—460(A)
Magnetization and Curie point of iron oxides, Louis R. Maxwell, J. Samuel Smart, and Stephen Brunauer—459(A)
Magnetostriction and order in $FeNi_3$, J. E. Goldman—471(A)
Magnetostriction, twisting of rod, R. F. Janofsky, M. Melamed, and R. A. Beth—1891(A)
Movement of small metal particles about an electric current, J. A. Schedling—843
Nature of magnetic poles, M. Avramy Melvin—592(A)
Paramagnetic anisotropy of MnF_2, J. W. Stout and Maurice Griffel—144(L)
Paramagnetic relaxation, absorption line width, Arianna Wright—1826
Powder patterns on ferromagnetic crystals, Charles Kittel—1527(L)
Proximity effects, magnetic susceptibility, M. C. Steele—566(L)
Of rotating superconductor, W. F. Love, R. F. Blunt, and P. B. Alers—305(L)
Of sedimentary rocks, John W. Graham—176(A)
Susceptibilities of tetravalent uranium fluorides, Norman Elliott—431(L)
Susceptibility at liquid He temperatures, T. R. McGuire—167(A)
Susceptibility of zinc, cadmium, and gamma-brass, temperature dependence, Jules A. Marcus—621
Susceptibility of Zn at low temperatures, Jules A. Marcus—413

Magnetic resonance absorption (see also **Nuclear moments and spin**)
Of diluted iron ammonium alum, R. T. Weidner, P. R. Weiss, C. A. Whitmer, and D. R. Blosser—1727(L)
Gyromagnetic ratios for 6 nuclei, William H. Chambers and Dudley Williams—638
In magnetite, L. R. Bickford, Jr.—137(L)
In NO, Robert Beringer and J. G. Castle, Jr.—868(L)
Nuclear magnetic resonance shift in metals, W. D. Knight—1259(L)

Magnetostriction (see **Magnetic properties**)

Mass ratios (see **Isotopes**)

Mass spectroscopy (see also **Isotopes**)
Magnetic time-of-flight mass spectrometer, Paul I. Richards, Earl E. Hays, and S. A. Goudsmit—180(A)

Mechanics, quantum—atomic structure and spectra
Complex spectra, theory, Giulio Racah—1352
Helium wave equation, James H. Bartlett—460(A)
Relativity corrections for energy levels, V. Rojansky and Frank Stern—184(A)

Mechanics, quantum—general
Internal coordinates of a particle, H. C. Corben—460(A)
Invariant determination of position operators, T. D. Newton and E. P. Wigner—191(A)
Lambda-limiting process; theory of elementary particles, I. Pomeranchuk—298
Operator matrices for space and time intervals, Richard Schlegel—191(A)
Particle on a string, Nathan Rosen—202(A)
Radius of elementary particle, Hideki Yukawa—300(L)
Two-component wave equations, C. W. Kilmister—568(L); J. Serpe—1538(L)
Wave equations in de Sitter Space, Satosi Watanabe—296
Wave functions in magnetic field, M. H. Johnson and B. A. Lippmann—184(A)

Mechanics, quantum—nuclear
Continuity of first derivative in Wigner-Eisenbud formalism, J. L. Jackson—185(A)
Elaboration of Schrödinger formalism, J. W. Calkin—846(L)
Future nuclear interaction, Alex E. S. Green—870(L)
Interaction between neutrons and electrons, H. Ekstein—1328
Meson energy levels in a Coulomb field, Albert Simon—1877(L)
Nuclear forces in pseudoscalar meson theory, K. M. Watson and J. V. Lepore—1157
Perturbation methods for Dirac radial equations, G. Breit and G. E. Brown—1307
Phase shifts in proton-alpha-scattering, C. L. Critchfield and D. C. Dodder—602
Scalar and longitudinal photons in electromagnetic fields, Frederik J. Belinfante—226

Mechanics, quantum—of solid state
Electronic states in perturbed periodic systems, Hubert M. James—1611
Electrons in perturbed periodic lattices, J. C. Slater—1592
Energy bands and wave functions in periodic potentials, Hubert M. James—1602

Mechanics, statistical
$\mathcal{H}$-theorem, deductions, Harvey Einbinder—410
Approach to statistical equilibrium, Arnold J. F. Siegert—1708
Bose-Einstein condensation for particles in magnetic field, M. F. M. Osborne—400
Bose-Einstein condensation for thin films, M. F. M. Osborne—396
Of mixtures of He^3 and He^4, J. de Boer—852(L)
Statistical theory of regular mixtures, Yin-Yuan Li—972
Theory of critical fluctuations, M. J. Klein and L. Tisza—1861
Three-dimensional ferromagnet, Takehiko Oguchi—1001(L)

Mesons (see also **Cosmic radiation**)
Are mesons elementary particles? E. Fermi and C. N. Yang—1739

Mesons (continued)
Capture of μ-mesons by deuterons, Irving Stein and L. I. Schiff—461(A)
Capture of negative mesons, J. Barnothy—303(L)
Creation by high energy nucleons, E. Strick—190(A)
Decay electrons from mesons, A. H. Benade and R. D. Sard—488
Decay of heavy τ-meson, S. Power—865(L)
Decay of π-meson, M. Ruderman and R. Finkelstein—1458
Density effect, W. L. Whittemore and J. C. Street—170(A)
Dyson's methods, meson interactions, P. T. Matthews—684(L); erratum—1419(L)
Energy levels in a Coulomb field, Albert Simon—1877(L)
Energy spectrum of decay particles, Robert B. Leighton, Carl D. Anderson, and Aaron J. Seriff—159(L)
Excess of negative over positive, K. A. Brueckner and M. L. Goldberger—1725(L)
Half-life of positive π-meson, E. A. Martinelli—589(A)
Interaction between nucleons in pseudoscalar meson theory, H. A. Bethe—191(A)
Interaction representation, Frederik J. Belinfante—191(A)
Interaction with electromagnetic field, W. H. Furry and M. Neuman—432(L); M. Neuman and W. H. Furry—1677
Interactions of vector meson with scalar excited state, Marshall N. Rosenbluth—951
Magnetic deflection in photographic plates, I. Barbour—170(A)
Mass values of π^--, π^+-, and μ^+-mesons, A. S. Bishop, H. Bradner, and F. M. Smith—588(A)
Meson decay by scintillation counters, George T. Reynolds and F. B. Harrison—169(A)
Meson-nucleon couplings, K. M. Case—14
Mesons near sea level, William L. Kraushaar—1045
μ-meson capture, M. Taketani and M. Sasaki—852(L)
Negative π-mesons produced by protons, Stanley B. Jones and R. Stephan White—588(A)
Nuclear forces in pseudoscalar meson theory, K. M. Watson and J. V. Lepore—1157
π-mesons by high energy nucleons, E. Strick and D. ter Haar—304(L)
π-mesons by nucleon-nucleon collisions, Cecile Morette—1432
Polarization of mesons in gamma-nucleon collisions, Daniel B. Feer—306(L)
Positive excess, Robert B. Brode—468(A)
Positive excess at 30,000 ft., Marcello Conversi—311(L)
Production, H. W. Lewis—566(L)
Production and absorption, R. L. Cool, E. C. Fowler, and J. C. Street—468(A)
Production by gamma-rays, Leslie L. Foldy—372
Production by photons and electrons, Herman Feshbach and Melvin Lax—134
Production in photo-nuclear collision, Melvin Lax and H. Feshbach—190(A)
Production in stratosphere, Marcel Schein and J. J. Lord—170(A)
Production of; interaction of light nuclei, H. Koppe—688(L)
Production of positive mesons, erratum, Herman Feshbach and Melvin Lax—689(L)
Radiation accompanying meson creation, L. I. Schiff—89
Spin of μ-mesons, J. Tiomno—856(L)
Spontaneous decay of heavy mesons, L. I. Schiff—303(L), 468(A); L. I. Schiff and D. L. Weisman—1266(L)
Star production by negative μ-mesons, H. G. Voorhies and J. C. Street—1100
Subtraction fields and lifetimes of meson, J. Steinberger—1180
τ-meson, Norbert Wagner and D. Cooper—449(L)
Theory of nuclear forces, erratum, Gentaro Araki—437(L)
Tomonaga-Schwinger theory, interaction of nucleons with mesons, P. T. Matthews—1657
Two-meson theory, Mituo Taketani, Seitaro Nakamura, Kenichi Ono, and Muneo Sasaki—60; M. Taketani and M. Sasaki—582(L)
Underground cosmic-ray data, K. Greisen—1718(L)
Variation of intensity with height, P. H. Barker—141(L)
Vector meson-photon interaction, George J. Yevick—461(A)

Metals (see **Crystalline state**)

Metastable atoms and molecules
Of $_{71}Lu^{177}$, F. K. McGowan—1730(L)

Meteorology
Atmospheric ozone temperatures, William M. Benesch—863(L)
Effects of meteorological conditions on microwave propagation, J. E. Boyd and Catherine Yoe—203(A)
Microwave propagation study in lower troposphere, F. E. Lowance and R. A. Martin—202(A)

Methods and instruments
Afterglow in low density supersonic streams, Thomas W. Williams and James M. Benson—456(A)
Alpha-particles on a superconductor, counter, D. H. Andrews, R. D. Fowler, and M. C. Williams—154(L)
Amplification by interaction with stream of electrons, J. A. Roberts—340; L. R. Walker—1721(L)
Amplitude bridge for nuclear resonance detection, R. D. Huntoon and H. A. Thomas—163(A)
Analysis of betatron radiation, nuclear emulsion, P. K. S. Wang and M. Wiener—1724(L)
Analysis of delayed coincidence counting, Daniel Binder—856(L); F. W. Van Name, Jr.—1734(L)
Antiferromagnetism, detection of, C. G. Shull and J. Samuel Smart—1256(L)
Automatic grain counting of tracks, P. V. C. Hough—163(A)
Background eradication in emulsions, M. Wiener and H. Yagoda—469(A)
Beta-ray spectrometer, ring focus, Joseph M. Keller, Ernest Koenigsberg, and Arthur Paskin—454(A)
Beta-ray spectrometer with uniform magnetic field, F. H. Schmidt—586(A)
Beta-ray spectrum, analysis, Mitsuo Sakai and Seitaro Nakamura—967
Bioelectric potentials, precision method, Edgar B. Darden and Otto Stuhlman, Jr.—197(A)
Blade shapes of compressors, H. J. Reissner—878(A)
Boundary layer optics in two-dimensional flow, D. Bershader and G. P. Wachtell—880(A)
Boundary value problems involving moving boundaries, Howard Reiss and Victor K. La Mer—192(A)
Cadmium sulfide crystal counter, detection of x-ray, Samuel G. Zizzo and Joseph B. Platt—704(L)
Calculating drag coefficient, G. L. Shue—879(A)
Cathode field in diodes, Henry F. Ivey—554
Cavity microwave spectroscopy, I. R. Weingarten and G. E. Kimball—177(A)
Ceramic materials for synchrotron vacuum tubes, J. E. Thomas, Jr., W. M. Shakespeare, Jr., B. Cohen, R. B. Patten, and V. P. Henri—162(A)
Coincidence, anticoincidence unit, C. A. Schroeder, J. D. Shipman, Jr., and P. R. McCray—163(A)
Condensation of metals on surfaces, effect of temperature, Leonard O. Olsen, E. C. Crittenden, Jr., and R. W. Hoffman—1891(A)
Conduction of heat, long circular cylinder, R. H. Ritchie and C. B. Crawley—197(A)
Construction of hydrophones, high frequency electroacoustic effect, John Bugosh, Ernest Yeager, and Frank Hovorka—1891(A)

Cornell synchrotron, design, Boyce D. McDaniel, John W. DeWire, Dale R. Corson, and Robert R. Wilson—162(A)
Cornell synchrotron, initial performance, D. R. Corson, C. P. Baker, J. W. DeWire, B. D. McDaniel, C. D. Swartz, R. L. Walker, R. R. Wilson, and W. M. Woodward—162(A)
Criterion for testing halogen-filled Geiger tubes, A. B. Willoughby—1266(L)
Damping and time of return of galvanometer coil, Marvin S. Cohen and Clyde B. Crawley—198(A)
Dead time and recovery time, counters, K. Sitte—164(A)
Deflection of electrons in inhomogeneous electrostatic field, Jenny E. Rosenthal—180(A)
Density-gradient tube, finely divided materials, William H. Otto—465(A)
Detection of radioactive atoms in air, Č. Jech—1731(L)
Double-probe method, electron temperatures in gas discharges, E. O. Johnson and L. Malter—1411(L)
Effect of C^{14}, Ca^{45}, P^{32}, I^{131}, and Zn^{65} on emulsions, Daniel Steinberg and A. K. Solomon—453(A)
Electrical analog for heat flow, J. M. Kendall—879(A)
Electro-optic coefficients in ADP crystals, R. O'B. Carpenter—467(A)
Electrostatic analyzer, Mary Jane A. Linker—198(A)
Emulsions for ionizing particles, stopping power, Hervasio G. de Carvalho—1721(L)
Energy dependence of counters, R. H. Davis and J. D. Graves—590(A)
Energy of fast neutrons by photographic emulsions, George R. Keepin and James H. Roberts—154(L)
Engraved circle by constant angle method, R. M. Talley and H. M. Kaylor—201(A)
Equivalence theorems for meson-nucleon couplings, K. M. Case—14
Equivalent electrical circuit for galvanometer, R. C. Kinnamon, M. S. Cohen, and C. B. Crawley—198(A)
Fading of proton tracks, K. B. Mather—486
Faraday by magnetic resonance, J. A. Hipple, H. Sommer, and H. A. Thomas—1877(L)
Finite aperture fringe intensity, Fabry Perot interferometers, Felix E. Geiger, Jr.—173(A)
Focusing curved-crystal spectrometer, improved, David A. Lind, J. R. Brown, and Jesse W. M. DuMond—1838
Gamma-ray detector, constant sensitivity, J. Pine and R. Sherr—455(A)
Germanium counter, Kenneth G. McKay—1537(L)
Germanium photo-resistance cell, J. N. Shive—575(L)
Glow discharge, measuring air flow characteristics, F. D. Werner—883(A)
Heat flow below 1°K, J. G. Daunt and C. V. Heer—985(L)
High frequency barium titanate hydrophone, John Bugosh, Ernest Yeager, and Frank Hovorka—1890(A)
High intensity cyclotron, E. J. Lofgren—587(A)
High speed frame camera, S. J. Jacobs and A. A. Klebra—881(A)
Hollow cathode for hyperfine structure, O. H. Arroe and J. E. Mack—173(A)
Hot wire anomometer, R. Betchov—879(A)
Hot wire length correction, F. N. Frenkiel—999(L)
Hot wire measurements of turbulence, erratum, F. N. Frenkiel—686(L)
Intensity of cosmic rays, residual ionization, Victor F. Hess and Roger P. Vancour—1205
Ion source for mass spectrography, R. F. K. Herzog and F. P. Viehböck—855(L)
Large diameter "Hilsch tubes," Lester I. Bockstahler and Harmon Plumb—166(A)
Light intensity in Mach-Zehnder interferometer, E. H. Winkler—880(A)
Light source for hydrodynamical studies, exploded wires, Thomas P. Liddiard and Ralph D. Drosd—879(A)
Linear electron accelerator, G. E. Becker and D. A. Caswell—587(A)
LiF as a scintillation detector, E. C. Farmer, H. B. Moore, and Clark Goodman—454(A)
$Li^7(p,n)$ threshold voltage, absolute calibration, W. E. Shoupp, B. Jennings, and W. Jones—502
Locating stars in nuclear track plates, E. H. Land and W. A. Shurcliff—469(A)
Low frequency modulation technique, Vinton A. Brown and F. L. Yost—201(A)
Magnetic amplifiers, theory, Robert T. Beyer and Ming-Yi Wei—455(A)
Magnetic analyzer for electrostatic generators, D. B. Duncan—587(A)
Magnetic cooling, C. V. Heer and J. G. Daunt—854(L); J. G. Daunt and C. V. Heer—985(L)
Magnetic deflection mesons in nuclear plates, Ian Barbour—320(L)
Magnetic time-of-flight mass spectrometer, Paul I. Richards, Earl E. Hays, and S. A. Goudsmit—180(A)
Magnetically biased transistors, C. Bradner Brown—1838(L)
Magnetostriction, control of oscillators, R. F. Janofsky, M. Melamed, and R. A. Beth—1891(A)
Mass spectra with a cathode-ray oscillograph, J. W. Townsend, Jr.—465(A)
M.I.T. 300-Mev electron synchrotron, J. S. Clark, W. W. Drake, and C. Y. Tsao—162(A)
Maximum and minimum intensity in the Fresnel diffraction pattern, E. J. Scheibner—201(A)
Micro-calorimeter, C. V. Cannon and G. H. Jenks—455(A)
Microwave linear accelerator, D. Errett, J. MacKay, R. Pepper, F. Rieke, D. Roller, and L. Silber—180(A)
Molecular beam resonance method, Norman F. Ramsey—996(L)
Mounting for large mirrors, William H. Haynie—1891(A)
Neutron-proton scattering data, interpretation, John M. Blatt and J. David Jackson—18
Noise characteristics of dry cells, B. R. Russell and P. H. Miller, Jr.—190(A)
Nuclear periodic scheme in three dimensions, S. Podgor—1271(L)
Nuclear resonances in rotating magnetic fields, E. H. Rogers and H. H. Staub—585(A)
Optical detection of radiofrequency resonance, F. Bitter—465(A)
Pattern of magnetic gradiometer, W. C. Wineland—198(A)
Pentode counting ring, Benjamin L. Moore—465(A)
Perkin-Elmer spectrometer, A. M. Crooker—592(A)
Perturbation theory and collision processes, James N. Snyder and W. H. Furry—359
Philips gauge discharge, Talbot Chubb—198(A)
Phosphor surface in scintillation counters, J. M. Watkins, Jr. and A. C. Menius, Jr.—196(A)
P-type germanium transistor, W. G. Pfann and J. H. Scaff—459(A)
Photographic plate detectors, experiments with 10-Mev deuterons, J. H. Williams, F. K. Tallmadge, and L. Rosen—168(A)
Photography of shocks, P. E. Shafer and J. F. Moulton, Jr.—881(A)
Photo-multiplier for x-ray spectrometer, J. S. Brown, G. M. Farrior, and Arthur Waltner—196(A)
Photo-multiplier tube as gamma-ray detector, J. D. Graves and G. E. Koch—590(A)
Photo-neutron standards, L. F. Curtiss and A. Carson—1412(L)

Methods and instruments (continued)
Portable magnet and cloud chamber, D. S. Potter, J. E. Henderson, C. E. Miller, and Jay Todd, Jr.—590(A)
Precision measurement of half-lives, Lorna M. Silver—589(A)
Pressurized range for small caliber projectiles, V. E. Bergdolt, A. J. Greenwald, and D. B. Sleator—879(A)
Proportional counter and p-α-reactions, A. W. Schardt, E. J. Woodbury, and W. A. Fowler—587(A)
Probability-amplitude distributions, P. S. Jastram—190(A)
Pulse-modulated ultrasonic generator, Ernest Yeager, Hyman Chessin, John Bugosh, and Frank Hovorka—1890(A)
Removal of space-charge in diamond counters, A. G. Chynoweth—310(L)
Resistance changes of fine wires during strains, E. W. Kammer and T. E. Pardue—202(A)
Response of scintillation counter, F. B. Harrison and George T. Reynolds—169(A)
Scattering and absorption of mesons, effect on coincidence-anticoincidence measurements, Rogers D. Rusk and Alma Rosenbaum—1166
Scintillation counter, Arthur Waltner—196(A)
Scintillations produced by α-particles in organic crystals, W. S. Koski and Carl O. Thomas—308(L)
Self-quenching G-M counter, C. V. Robinson—455(A)
Self-quenching G-M counters, temperature dependence, Om Parkash—568(L)
Self-regenerating fillings for Geiger counters, S. A. Korff and A. D. Krumbein—1412(L)
Separation of He^3, Charles A. Reynolds, Henry A. Fairbank, C. T. Lane, B. B. McInteer, and Alfred O. Nier—64, 167(A); B. M. Abraham, B. Weinstock, and D. W. Osborne—864(L)
Separation of isotopes of Hg, C. P. Keim—1270(L)
Shielding material for accelerators, E. Creutz—162(A)
Shock tube, flow phenomena, F. W. Geiger—881(A)
Short half-lives, measurement of, W. J. MacIntyre—312(L)
Size of particle, x-ray scattering, David L. Dexter and W. W. Beeman—1782
Solar position calculator, Donald W. Dunipace—464(A)
Spatial alignment of nuclei, R. V. Pound—1410(L)
Spectrometer for Raman studies, W. E. Haisley and Joseph W. Straley—200(A)
Speed gauge for high voltage particles, W. Altar and M. Garbuny—496
Speed of fracture, photographic method, V. E. Scherrer, G. Carmichael, R. Varwig, and A. Linz—202(A)
Speed of fractures, inductive method, A. Linz, Jr., V. E. Scherrer, and G. Carmichael—202(A)
Spin-lattice relaxation times, Erwin L. Hahn—145(L)
Spurious counts in counters, J. D. Louw and S. M. Naudé—571(L)
Storage system utilizing magnetic retentivity, computers, W. D. Woo and An Wang—465(A)
String galvanometer, generalized theory, G. W. Crawford and F. T. Rogers, Jr.—199(A)
System for secondary electron emission measurements, L. J. Rueger and F. C. Todd—189(A)
Temperature dependence of counter, G. E. Koch and J. D. Graves—590(A)
Temperatures in complex flame, F. P. Bundy and H. M. Strong—457(A); H. M. Strong and F. P. Bundy—458(A)
Thermal noise, A. van der Ziel—591(A)
Thermocouple microsecond timer, Richard H. F. Stresau—880(A)
Threefold coincidence counter, W. H. Jordan and J. C. Gundlach—196(A)
Time-of-flight neutron spectrometer, W. Selove—187(A)
Transient response of stable linear systems, W. Whittier Wright and W. B. Wrigley—198(A)
Transient stresses in photo-elastic media, John S. Stanton—174(A)
Trigger for flash photography, R. L. Varwig, V. E. Scherrer, G. Carmichael, and A. Linz—201(A)
Turbulence by using non-compensated hot-wires, F. N. Frenkiel—171(A)
Vacuum tube electrometer, portable, E. E. Bortner—197(A)
Variational method for finding extrapolated endpoints, H. Hurwitz, Jr.—867(L)
Variational principle for scattering problems, Su-Shu Huang—866(L)
Velocity of flow of gas mixture, P. Rudnick and W. H. Kurschwitz—201(A)
WWV signals to time pendulums, J. T. McCarthy—1891(A)
X-ray film badge dosimeter, E. Tochilin, R. H. Davis, and J. Clifford—590(A)
X-ray output for betatrons, W. F. Westendorp and F. R. Elder—445(L)

Molecular structure and constants (see also **Spectra, molecular, etc.; Raman spectra**)
Of bromosilane by microwave measurements, A. H. Sharbaugh, J. K. Bragg, T. C. Madison, and V. G. Thomas—1419(L)
Of CsF from radiofrequency spectra, J. W. Trischka—1365
Of chlorosilane, B. P. Dailey, J. M. Mays, and C. H. Townes—472(A)
Of deuterium fluoride, Hoyt M. Kavlor and Alvin H. Nielsen—200(A)
Of FCl, microwave spectrum, D. A. Gilbert, A. Roberts, and P. A. Griswold—1723(L)
Forces between NH_3 molecules, Vernon Myers—177(A)
Hydrogen bonding and isomeric forms, Norman D. Coggeshall—174(A)
Linear molecules, rotational Stark spectrum, Harold Kenneth Hughes—1675
Singlet electronic levels in naphthalene, Gertrud P. Nordheim and H. Sponer—177(A)
Stark effects on symmetric top molecules, W. Low and C. H. Townes—1295

Moments of particles (see also **Nuclear moments and spin**)
Moment of electron in hydrogen and deuterium, Edward B. Nelson and John E. Nafe—1858
Nuclear motion and atomic magnetic moments, M. Phillips—1803
Nucleon moments and neutron-electron interaction, K. M. Case—1

Neutrino (see also **Radioactivity; Scattering of electrons, neutrons, and ions**)
From the sun, source of earth's heat, D. Saxon—986(L)

Neutrons
From $Al+H^2$, R. A. Peck, Jr.—1279
Angular distribution from (d, n) reactions, C. E. Falk, E. Creutz, and F. Seitz—322(L)
Angular distribution from various targets, P. Ammiraju—1421(L)
Angular distribution, photo-neutrons from deuterium, Bernard Hamermesh and Albert Wattenberg—1408(L)
In atmosphere, J. A. Simpson, Jr., H. W. Baldwin, and R. B. Uretz—165(A)
Attenuation in thick shields, S. W. W. Shor—474(A)
Binding energy of triton, R. E. Clapp—873(L)
From $C(d,n)N$ and $Cu(d,n)Zn$, energy distribution, J. C. Grosskreutz—482
Cross section at 115 ev and 300 ev, C. T. Hibdon and C. O. Muehlhause—188(A)
Delayed neutron emitter, R. A. Charpie, Kuan-Han Sun, B. Jennings, and J. F. Nechaj—1255(L)

Delayed neutrons from thorium fission, L. G. Creveling, J. R. Hood, and M. L. Pool—946
From deuterons on Li^6, C. E. Mandeville, C. P. Swann, and S. C. Snowdon—980(L)
Diffraction studies of AgCl, $Ag^{107}Cl$, and $Ag^{109}Cl$, W. A. Strauser, C. G. Shull, and E. O. Wollan—195(A)
Diffusion, plate of finite thickness, Otto Halpern and R. K. Luneberg—1811
From disintegration of Na by deuterons, C. E. Mandeville —436(L)
Distribution and multiplicity of neutrons, local showers, G. Cocconi and V. Cocconi Tongiorgi—318(L)
Distributions in cylindrical geometry, Henry Faul and Clark Goodman—463(A)
Electrostatic scattering of neutrons, S. M. Dancoff and S. D. Drell—205
Fast neutrons from cyclotron particles, A. J. Allen, J. F. Nechaj, K. H. Sun, and B. Jennings—463(A)
In free atmosphere up to 102,000 ft., Luke C. L. Yuan—165(A)
Interaction between neutrons and electrons, H. Ekstein—1328
Magneto optics of neutrons, Otto Halpern—1130
Mechanism of production in cosmic radiation, Vanna Cocconi Tongiorgi—517
Neutron-electron interaction, K. M. Case—1
From $N^{15}(d,n)$, Emmett L. Hudspeth and Charles P. Swann —464(A)
Phase of scattering, residual cross sections, P. J. Bendt and I. W. Ruderman—463(A)
Photo-disintegration of deuteron, angular distribution of neutrons, Frank Genevese—1288
Photo-neutrons from gamma-rays produced by neutron capture, Bernard Hamermesh and Albert Wattenberg—1420(L)
Polarization, J. Fleeman and H. H. Staub—586(A); J. Steinberger and G. C. Wick—994(L); J. Fleeman, D. B. Nicodemus, and H. H. Staub—1774
Polarization by magnetized mirrors, D. J. Hughes and M. T. Burgy—463(A), 1413(L)
Production at mountain altitudes, C. G. Montgomery and A. R. Tobey—1478
Production at sea level, R. D. Sard, A. M. Conforto, and M. F. Crouch—1134
Resonance activation of "even-even" nuclei, A. W. Sunyar and M. Goldhaber—189(A)
Resonance scattering by W^{189}, S. Harris and C. O. Muehlhause—189(A)
Resonance scattering, corroboration, R. K. Adair, C. K. Bockelman, and R. E. Peterson—308(L)
Small angle scattering, D. Meneghetti—188(A)
Spectra from (p,n) reactions, P. C. Gugelot and M. G. White—463(A)
Spontaneous emission from U and Sm, Herman Yagoda and Nathan Kaplan—702(L)
Theory of reflectors, G. M. Volkoff—589(A)
Transmission and polarization, iron single crystal, Merle Burgy, D. J. Hughes, and W. E. Woolf—188(A)
Widths of neutron resonances, L. L. Lowry and M. Goldhaber—189(A)
Yield and angular distribution, *D-D*, G. T. Hunter and H. T. Richards—1445
Yield from 15-Mev deuterons, A. J. Allen, J. F. Nechaj, K. H. Sun, and B. Jennings—188(A)

Neutron diffraction
Small angle diffraction, Otto Halpern and Edward Gerjuoy —1117

Nuclear masses (see also **Isotopes**)
Integral ratios between nuclear masses and binding energies, Enos E. Witmer—181(A)
Neutron-hydrogen mass difference, William E. Stephens—181(A); W. Franzen, J. Halpern, and W. E. Stephens—317(L), 462(A); R. F. Taschek, H. V. Argo, A. Hemmendinger, and G. A. Jarvis—325
Neutron-proton mass difference, A. V. Tollestrup, F. A. Jenkins, W. A. Fowler, and C. C. Lauritsen—181(A)

Nuclear moments and spin (see also **Hyperfine structure; Moments of particles**)
Anomalous moments of nucleons, S. D. Drell—427(L)
Of Sb^{121}, K. Murakawa and S. Suwa—433(L)
Of B^{11}, Donald A. Anderson—434(L)
Of Cs^{135} and Cs^{137}, Darragh E. Nagle—847(L)
Of Cs^{137}, Luther Davis, Jr.—435(L)
Electric quadrupole moments, G. J. Bene, P. M. Denis, and R. C. Extermann—1255(L)
Electromagnetic properties of nucleons, Sidney Borowitz and Walter Kohn—818
Of Fe^{57}, M. Gurevitch and J. G. Teasdale—151(L)
Of Ge and Si from microwave spectra, C. H. Townes, J. M. Mays, and B. P. Dailey—700(L)
Gyromagnetic ratio, ferromagnetic substances, Charles Kittel—743
Gyromagnetic ratio of electron, A. K. Mann and P. Kusch —163(A)
Gyromagnetic ratios, various nuclei, John R. Zimmerman and Dudley Williams—163(A), 350, 1264(L); William H. Chambers and Dudley Williams—638
Of He^3, Herbert L. Anderson—1460
Hyperfine structure, Rb isotopes, F. Bitter—150(L)
Of Kr^{83} and Ne^{21}, Jørgen Koch and Ebbe Rasmussen—1417(L)
Of Mg^{25}, M. F. Crawford, F. M. Kelly, A. L. Schawlow, and W. M. Gray—1527(L)
Magnetic moment of La^{139}, W. C. Dickinson—1414(L)
Magnetic moments of Sn^{115}, Cd^{111}, Cd^{113}, Pt^{195}, and Hg^{199}, W. G. Proctor and F. C. Yu—1728(L)
From microwave spectra; I^{127} and I^{129}, Walter Gordy and O. R. Gilliam—443(L)
Nuclear induction proton signals, F. Bloch and David H. Garber—585(A)
Nuclear resonances in rotating magnetic fields, E. H. Rogers and H. H. Staub—585(A)
Nutation of nuclear magnetic moment, Erwin L. Hahn—461(A)
Nutations in magnetic resonance, H. C. Torrey—1059
Proton magnetic moment in Bohr magnetons, J. H. Gardner and E. M. Purcell—1262(L)
Quadrupole moments and shell structure, C. H. Townes, H. M. Foley, and W. Low—1415(L)
Quadrupole moment of Cl, Hin Lew—1086
Ratio of g values of Li^7 and Li^6, P. Kusch and A. K. Mann —707
Resonance experiments with Na^{22}, K^{40}, Cs^{135}, and Cs^{137}, Luther Davis, Jr., Darragh E. Nagle, and Jerrold R. Zacharias—1068
Rotational magnetic moments in H_2O and HDO, C. K. Jen—471(A)
Sign of electric quadrupole moment of Li^7, P. Kusch—138(L)
Signs of magnetic moments of neutron and proton, E. H. Rogers and H. H. Staub—980(L)
Of slow neutrons by paramagnetic crystals, I. W. Ruderman —1572
Spin and quadrupole coupling of S^{35}, Victor W. Cohen, W. S. Koski, and T. Wentink, Jr.—703(L)
Spin and quadrupole moment of Cl^{36}, C. H. Townes and L. C. Aamodt—691(L)
Spin and quadrupole moment of I^{129}, Ralph Livingston—149(L)

Nuclear moments and spin (continued)
Spin-lattice relaxation times in solids, E. H. Turner, A. M. Sachs, and E. M. Purcell—465(A)
Spin of He^3, A. E. Douglas and G. Herzberg—1529(L)
Of stable chlorine isotopes, Luther Davis, Jr., Bernard T. Feld, Carrol W. Zabel, and Jerrold R. Zacharias—1076
Of Te^{123}, J. E. Mack and O. H. Arroe—1002(L)
Of Sn^{117}, Sn^{119}, and Pb^{207}, W. G. Proctor—684(L)
Transients in nuclear induction, E. A. Uehling—585(A)
Of V^{51}, W. D. Knight and V. W. Cohen—1421(L)
Of $_{39}Y^{89}$, M. F. Crawford and N. Olson—1528(L)
Of $_{40}Zr^{91}$, O. H. Arroe and J. E. Mack—873(L)

Nuclear spectra (see also **Disintegration and excitation of nucleus**)
Of Sb^{125}, Te^{125*}, Cr^{51}, and I^{131}, Bernard D. Kern, Allan C. G. Mitchell, and Daniel J. Zaffarano—94
γ-γ-angular correlation in Pd^{106}, Daniel S. Ling, Jr. and David L. Falkoff—431(L)
Of Pb^{207}, A. L. Schawlow, J. N. P. Hume, and M. F. Crawford—1876(L)
Positron spectrum of Cu^{61}, George E. Owen and C. Sharp Cook—1536(L)

Nuclear structure (see also **Disintegration and excitation of nucleus; Isotopes; Nuclear spectra; Radioactivity**)
Are mesons elementary particles? E. Fermi and C. N. Yang—1739
Of argon, P. W. Davison, J. O. Buchanan, and Ernest Pollard—890
Binding energies of alpha-particles, Truman P. Kohman—448(L)
Binding energies of light nuclei, J. Samuel Smart—439(L)
Binding energy of deuteron, lower limit, G. R. Bishop, C. H. Collie, H. Halban, and R. Wilson—683(L)
Broad levels in lead, R. K. Adair, H. H. Barschall, C. K. Bockelman, R. L. Henkel, and R. E. Peterson—463(A)
Of Ce^{141}, Michel Ter-Pogossian, C. Sharp Cook, C. Harold Goddard, and J. Eugene Robinson—909
Closed shells, Maria G. Mayer—185(A)
Composite particles, H. M. Moseley—197(A)
Energy level density and partition function, D. ter Haar—1525
Excited state of Li^7, Michel Ter-Pogossian, J. Eugene Robinson, and C. Harold Goddard—453(A), 1407(L); R. M. Williamson and H. T. Richards—453(A)
Of Hf^{181}, Erling N. Jensen—958
Of I^{124} and I^{126}, Allan C. G. Mitchell, J. Y. Mei, Fred C. Maienschein, and Charles L. Peacock—1450
Isomers, classification of, P. Axel and S. M. Dancoff—892
Isomers produced by neutron capture, E. der Mateosian and M. Goldhaber—187(A)
j-j coupling shell model, Eugene Feenberg—1275
Levels in lead, H. H. Barschall, C. K. Bockelman, R. E. Peterson, and R. K. Adair—1146
Of Li^7, excited state, angular yield in $Li^6(d,p)Li^{7*}(\gamma)Li^7$, S. S. Hanna—686(L)
Long-lived Te isomers, R. D. Hill—333
Of Ni^{65}, Kai Siegbahn and Amal Ghosh—307(L)
Of Ni^{65}, Ni^{67}, Ag^{110}, and In^{114}, coincidence experiments, Fred Maienschein and J. Lawrence Meem, Jr.—899
Of N^{14}, H. A. Wilson—687(L)
Of N^{15} and N^{16}, L. D. Wyly—316(L), 462(A)
Nuclear shells, pattern of atomic species, William D. Harkins—1538(L)
Origin of elements, Maria G. Mayer and Edward Teller—1226
Phenomenological theory of forces, Herman Feshbach—185(A)
Quadrupole moment and nuclear shell structure, Walter Gordy—139(L)
Quadrupole moments and shell structure, R. D. Hill—998(L)
Of Rh^{106}, Sb^{125}, and Pr^{142}, E. T. Jurney—290
Of Se isomer, I. Bergström and S. Thulin—1718(L)
Of Si^{30}, John E. Brolley, Jr., M. B. Sampson, and Allan C. G. Mitchell—624
Of Na^{24} and Ca^{41}, rotation levels, H. A. Wilson—687(L)
Spin dependence of nuclear forces, Alex E. S. Green—460(A)
Of Ta^{182}, $Re^{186,188}$, and Au^{199}, Louis A. Beach, Charles L. Peacock, and Roger G. Wilkinson—1585
Of Tm^{170}, J. S. Fraser—1540(L)
Transition energies of isomers, R. L. Caldwell, E. der Mateosian, and M. Goldhaber—187(A)
Widths of neutron resonances, L. L. Lowry and M. Goldhaber—189(A)

Optical constants and properties
Of BaO films, Winfield W. Tyler—1887(L)
Of $BaTiO_3$ single-domain crystals, Walter J. Merz—1221
Electro-optic coefficients in ADP crystals, R. O'B. Carpenter—467(A)
Empirical formula for refractive indices of dispersing materials, Gilbert W. King—473(A)
Infra-red transmission of germanium, M. Becker and H. Y. Fan—1530(L); of silicon, M. Becker and H. Y. Fan—1531(L)
Reflectivity of germanium semiconductors, K. Lark-Horovitz and K. W. Meissner—1530(L)
Thermo-optic properties of cubic crystals, Elias Burstein and Paul L. Smith—175(A)

Optical instruments (see **Methods and instruments**)

Optical theory
Maximum and minimum intensity in the Fresnel diffraction pattern, E. J. Scheibner—201(A)

Pair production
Bremsstrahlung and pair production, Martin Stearns—836
In field of an electron, J. A. Phillips and P. Gerald Kruger—1471
Internal formation, M. E. Rose—461(A), 678
Relative cross sections at 17.6 Mev, R. L. Walker—1440

Packing fraction (see also **Isotopes**)
Pt^{195}-Cu^{65} packing fraction difference, Henry E. Duckworth—690(L)

Paschen-Back effect (see also **Zeeman effect**)
In NH_3 and N_2O microwave spectra, C. K. Jen—1494

Phosphorescence
Effect of x-rays on alkali halide phosphors, James H. Schulman, Robert J. Ginther, Clifford C. Klick, and Lyle W. Evans—459(A)
Luminescence of alkali-halide phosphors, J. H. Schulman, E. Burstein, R. J. Ginther, M. White, and L. W. Evans—178(A)

Photo-conductivity
In BaO, Winfield W. Tyler—179(A)
In cadmium sulfide, A. Rose, P. K. Weimer, and S. V. Forgue—179(A)
In CdS, irradiation with gamma-rays, Rudolf Frerichs—1869
In indium selenide, Donald Bode and Henry Levinstein—179(A)
Mobility of electrons in diamond, C. C. Klick and R. J. Maurer—179(A)

Photo-disintegration
Angular distribution, photo-disintegration of deuteron, W. M. Woodward and I. Halpern—107
Of Be, distribution of photo-neutrons, B. Hamermesh, M. Hamermesh, and A. Wattenberg—611; C. J. Mullin and E. Guth—682(L)

Of deuteron, Everett G. Fuller—576(L); J. S. Levinger—699(L); Ingvar F. E. Hansson and Lamek Hulthén—1163
Of deuteron, high energy, J. F. Marshall and E. Guth—1880(L)
Of deuteron, low energy, J. F. Marshall and E. Guth—1879(L)
Distribution of photo-neutrons from deuterium, Edwin P. Meiners, Jr.—259
Theory of Be^{9}, Eugene Guth and Charles J. Mullin—234
Thresholds for photo-neutron reactions, A. O. Hanson, R. B. Duffield, J. D. Knight, B. C. Diven, and H. Palevsky—578(L)
Of U, E. W. Titterton and F. K. Goward—142(L)

Photo-elasticity
Transient stresses, John S. Stanton—174(A)

Photoelectric effect and properties; cells
Of Ni, Alvin B. Cardwell—125
Semimetallic characteristics of As, Sb, and Bi, L. Apker, E. Taft, and J. Dickey—270

Photography (see also **Methods and instruments**)
Automatic grain counting of tracks, P. V. C. Hough—163(A)
Effect of C^{14}, Ca^{45}, P^{32}, I^{131}, and Zn^{65} on emulsions, Daniel Steinberg and A. K. Solomon—453(A)
Electric field and discharge photographs, F. G. Slack and Hsieh Yu-Chang—197(A)
Electron tracks in nuclear emulsions, W. Van der Grinten—163(A)
Emulsions for ionizing particles, stopping power, Hervasio G. de Carvalho—1729(L)
Fading of proton tracks, K. B. Mather—486
Fogging of film by radioactive contaminants, J. H. Webb—375
High speed frame camera, S. J. Jacobs and A. A. Klebra—881(A)
Trigger for flash photography, R. L. Varwig, V. E. Scherrer, G. Carmichael, and A. Linz—201(A)

Piezoelectric effect
Influence on tribo-electrification, John W. Peterson—1882(L)

Plasticity
Behavior of stiffened panels, Wolfe Mostow—876(A)
Ideal plastic body, Hilda Geiringer—875(A)
Model for flow of oriented nylon fibers, John Kauffman and Waller George—467(A)

Polymerization, properties of polymers
Anisotropy of high polymers at microwave frequencies, T. M. Shaw and J. J. Windle—586(A)

Positrons
Lifetime in matter, James W. Shearer and Martin Deutsch—462(A)
Theory, Frederik J. Belinfante—461(A); R. P. Feynman—749

Proceedings of the American Physical Society
Southeastern Section, Clemson College, Clemson, South Carolina, April 15–16, 1949—195
Washington, D. C., Meeting, April 28–30, 1949—160
Semi-Centennial Meeting, Cambridge, Massachusetts, June 16–18, 1949—451
University of Washington Meeting, Seattle, Washington, June 27–29, 1949—584
Division of Fluid Dynamics Meeting, White Oak, Maryland, June 30–July 1, 1949—875
Ohio Section, Cleveland, Ohio, November 5, 1949—1890

Quantum electrodynamics (see also **Field theory**)
Action between charges and field, Louis de Broglie—862(L)
Bosons in electromagnetic field, R. G. Moorhouse—1691
Electromagnetic properties of nucleons, Sidney Borowitz and Walter Kohn—818
Electromagnetic theory and correspondence principle, Herman M. Schwartz—192(A)
Electron-radiative corrections to scattering, Julian Schwinger—790
Field formalism without self-action, T. A. Welton—460(A)
Field theories and polarization of vacuum, David Feldman—1369
Fourth-order corrections, magnetic moment of electrons, Robert Karplus and Norman M. Kroll—846(L)
Interaction between elementary particles, Alfred Landé—1176
Interaction representation of Proca field, Frederik J. Belinfante—66
Interactions of mesons with electromagnetic field, M. Neuman and W. H. Furry—1677
Interactions of vector meson with scalar excited state, Marshall N. Rosenbluth—951
Meson interactions, Dyson's methods, P. T. Matthews—684(L)
Motion in constant magnetic field, M. H. Johnson and B. A. Lippmann—828
Nucleon-nucleon collisions, bremsstrahlung, J. Ashkin and R. E. Marshak—58
Radiation accompanying meson creation, L. I. Schiff—89
Radius of elementary particle, Hideki Yukawa—300(L)
S matrix for meson-nucleon interactions, P. T. Matthews—1254(L)
Space-time approach, R. P. Feynman—769
Subtraction fields and lifetimes of meson, J. Steinberger—1180
Tomonaga-Schwinger theory, interaction of nucleons with mesons, P. T. Matthews—1657
Treatment without eliminating longitudinal field, Ning Hu—391
Two-meson theory, Mituo Taketani, Seitaro Nakamura, Kenichi Ono, and Muneo Sasaki—60

Quantum mechanics (see **Mechanics, quantum**, etc.)

Radiation (see also **Thermal radiation**)
Annihilation radiation, angular distribution, S. DeBenedetti, C. E. Cowan, and W. R. Konneker—440(L)
Bremsstrahlung in heavy elements, H. Wergeland—184(A)
Bremsstrahlung, nucleon-nucleon collisions, J. Ashkin and R. E. Marshak—58, 989(L)
High energy photons by 350-Mev protons, Herbert F. York, Burton J. Moyer, and Russell Bjorklund—187(A)

Radio (see also **Ionosphere; Electromagnetic theory**)
Impedance and generalized two-wire line theory, K. Tomiyasu and Ronold King—456(A)

Radioactivity (see also **Disintegration of nucleus**)
Alpha-decay, atomic number less than 83, S. G. Thompson, A. Ghiorso, J. O. Rasmussen, and G. T. Seaborg—1406(L)
Analysis of delayed coincidence counting, Daniel Binder—856(L)
Angular correlation of delayed radiations, Arne Lundby—993(L)
Of Ba^{135}, B. E. Robertson and M. L. Pool—1408(L)
Of Ba^{140} and La^{140}, Louis A. Beach, Charles L. Peacock, and Roger G. Wilkinson—1624
Of Be^{7}, *K* capture, R. M. Williamson and H. T. Richards—614
Of Be^{10}, C. S. Wu and L. Feldman—698(L); H. W. Fulbright and J. C. D. Milton—1271(L)
Beta-decay of Y^{90}, recoils, C. W. Sherwin—183(A)
Beta-gamma-angular correlation, Richard L. Garwin—1876(L)
Beta-ray spectra, H. J. Lipkin—567(L)
Beta-ray spectrum, analysis, Mitsuo Sakai and Seitaro Nakamura—967

Radioactivity (continued)
Beta-spectra from thick sources, L. Feldman and C. S. Wu —697(L)
Beta-spectra of Cu^{64}, L. M. Langer, R. D. Moffat, and H. C. Price, Jr.—1725(L); George E. Owen and C. Sharp Cook —1726(L)
Beta-spectrum of Be^{10}, P. R. Bell and J. M. Cassidy—183(A)
Beta-spectrum of $_{61}Pm^{147}$, L. Lidofsky, P. Macklin, and C. S. Wu—1888(L)
Beta-spectrum of Tm^{170}, D. Saxon and J. Richards—186(A)
Beta-spectrum of tritium, W. J. Byatt, F. T. Rogers, and A. W. Waltner—199(A)
Branching ratio in Be^{7}, C. M. Turner—588(A)
Of Br^{82}, Kai Siegbahn, Arne Hedgran, and Martin Deutsch —1263(L)
Of C^{14}, half-life, W. M. Jones—885
Of Ce^{141}, Michel Ter-Pogossian, C. Sharp Cook, C. Harold Goddard, and J. Eugene Robinson—909
Of Cs isotopes, Mark G. Inghram, David C. Hess, Jr., and John H. Reynolds—1717(L)
Of Cs^{134}, I^{124}, Au^{199}, and Ca^{45}, coincidence and absorption measurements, J. Lawrence Meem, Jr. and Fred Maienschein—328
Of Cs^{137}, Charles L. Peacock—186(A)
Of Cl^{36}, C. S. Wu, C. H. Townes, and L. Feldman—692(L); C. S. Wu and L. Feldman—693(L); C. Longmire, C. S. Wu, and C. H. Townes—695(L)
Of Cl^{39}, R. N. H. Haslam, L. Katz, H. E. Johns, and H. J. Moody—704(L)
Of Co^{60} and Zn^{65}, gamma-radiations, Erling N. Jensen, L. Jackson Laslett, and William W. Pratt—430(L)
Of Cb and Mo, D. N. Kundu and M. L. Pool—183(A)
Conversion electrons of Ra D, L. Cranberg and J. Halpern —187(A)
Continuous gamma-radiation, theory, C. S. Wang Chang and D. L. Falkoff—365
Of Cu^{61}, George E. Owen and C. Sharp Cook—1536(L)
Of Cu^{62}, R. A. Becker, F. S. Kirn, and W. L. Buck—1406(L)
Decay constant of Be^{7}, effect of atomic electrons, R. F. Leininger, E. Segrè, and C. Wiegand—897
Decay probability of Be^{7} as function of ionization of atom, P. Benoist, R. Bouchez, P. Daudel, R. Daudel, and A. Rogozinski—1000(L)
Double beta-process, $_{52}Te \rightarrow _{54}Xe$, Mark G. Inghram and John H. Reynolds—1265(L)
Of Dy, isomers, B. H. Ketelle—1256(L)
Of element 86, new isotopes, A. Ghiorso, W. W. Meinke, and G. T. Seaborg—1414(L)
Existence of $4n+1$ radioactive series, J. H. J. Poole, C. F. G. Delaney, and R. C. McCormick—1253(L)
Forbidden beta-spectra, Lawrence M. Langer and H. Clay Price, Jr.—186(A), 641
Gamma-radiations from Co^{60}, precision determination, D. A. Lind, J. R. Brown, and J. W. M. DuMond—591(A), 1838
Of Hf^{181}, Erling N. Jensen—958; Arne Lundby—1809
Half-life and orbital electron capture, Stanley G. Thompson —319(L)
Half-life of Na^{22}, L. Jackson Laslett—858(L)
High energy positrons from Na^{22}, Kennard H. Morganstern and Karl P. W. Wolf—1261(L)
High specific activity produced with betatron, R. A. Becker and F. S. Kirn—182(A)
Of Ho^{166}, Tm^{170}, and Lu^{177}, J. M. Cork, H. B. Keller, and A. E. Stoddard—986(L)
Of In, α-bombardment, Georges M. Temmer—424, 1002(L)
Of In and Sn, E. C. Mallary and M. L. Pool—186(A)
Of In^{107}, In^{108}, In^{109}, and Sn^{108}, E. C. Mallary and M. L. Pool —1454
Of In^{114}, J. Y. Mei, Allan C. G. Mitchell, and Daniel J. Zaffarano—1833(L)
Of In^{114} and Ba^{140}, C. E. Mandeville and E. Shapiro—454(A), 718
Of In^{115*}, P. R. Bell, B. H. Ketelle, and J. M. Cassidy—574(L)
Of I^{124} and I^{126}, Allan C. G. Mitchell, J. Y. Mei, Fred C. Maienschein, and Charles L. Peacock—1450
Isotopes of Y and Zr, W. E. Scott, B. E. Robertson, and M. L. Pool—183(A)
K-shell internal conversion coefficients, M. E. Rose, G. H. Goertzel, B. I. Spinrad, J. Harr, and P. Strong—184(A); 1883(L)
Krypton isotopes from fission, J. Koch, O. Kofoed-Hansen, P. Kristensen, and W. Drost-Hansen—279
Of La^{140}, J. M. Cork, H. B. Keller, W. C. Rutledge, and A. E. Stoddard—1886(L)
Lifetime of positrons, James W. Shearer and Martin Deutsch—462(A)
LiF as scintillation detector, E. C. Farmer, H. B. Moore, and Clark Goodman—454(A)
Of $_{71}Lu^{177}$, metastable state, F. K. McGowan—1730(L)
Magnetic multipole internal conversion, N. Tralli and I. S. Lowen—1541(L)
Of Mn, monochromatic electron groups, W. S. Emmerich, L. H. Ballweg, and J. D. Kurbatov—1891(A)
Of Hg^{198}, lifetime of 411-kev excited state, R. E. Bell and H. E. Petch—1409(L)
Of Hg^{198}, measurement of short half-lives, W. J. MacIntyre —312(L)
Of Hg^{199}, 43 m activity, Ingmar Bergström and Sigvard Thulin—313(L)
Of Mo^{91} and Mo^{93}, R. B. Duffield and J. D. Knight—573(L)
Negative proton, delayed neutron emitters, Kuan-Han Sun —1266(L)
Neutron-induced short-life activities, Edward C. Campbell and Wilfred M. Good—195(A)
Of Nd and element 61, C. E. Mandeville and M. V. Scherb —186(A)
Of Ni, long-life species, D. G. Thomas and J. D. Kurbatov —1891(A)
Of Ni^{65}, Kai Siegbahn and Amal Ghosh—307(L)
Of N^{13}, Luis W. Alvarez—183(A)
Of $_{7}N^{17}$, delayed neutron emitter, R. A. Charpie, Kuan-Han Sun, B. Jennings, and J. F. Nechaj—1255(L)
Of O^{15}, V. Perez-Mendez and H. Brown—689(L)
Perturbation theory and collision processes, lifetime changes, James N. Snyder and W. H. Furry—359
Photo-electron spectrum of Ta^{182}, C. Harold Goddard and C. Sharp Cook—1419(L)
Photo-neutron standards, L. F. Curtiss and A. Carson—1412(L)
Of K^{40}, G. A. Sawyer and M. L. Wiedenbeck—1535(L)
Positive particles associated with beta-ray emitters, K. L. Erdman, G. T. Kokotailo, and D. B. Scott—1262(L)
Of Pr^{143}, L. Feldman, L. Lidofsky, P. Macklin, and C. S. Wu —1888(L)
Precision measurement of half-lives, Lorna M. Silver—589(A)
Quadrupole transition in Cd^{111}, Martin Deutsch and Donald T. Stevenson—184(A)
Ratio of L_I to K, M. E. Rose and J. L. Jackson—1540(L)
Of Re^{186} and Re^{188}, Louis A. Beach, Charles L. Peacock, and Roger G. Wilkinson—187(A)
Sm^{151} beta-ray spectrum, B. H. Ketelle and K. W. Parker—1416(L)
Of Se isomer, I. Bergström and S. Thulin—178(L)
Self-absorption and backscattering of beta-radiations, L. E. Glendenin and A. K. Solomon—462(A)

Shape of beta-spectra, instrumental errors, C. Sharp Cook and George E. Owen—183(A)
Of Ag and Cd, Jane R. Gum, Lowell E. Thompson, and M. L. Pool—184(A)
Of Ag^{110}, Werner S. Emmerich and J. D. Kurbatov—454(A)
Of Na^{22} and Co^{60}, gamma-radiation, David E. Alburger—435(L)
Straggling of S^{35} beta-particles in glass, Mary Jane A. Linker—428(L)
Of Sr and Y, beta-spectra, F. B. Shull, C. H. Braden, and L. Slack—453(A); H. Clay Price, Jr.—454(A); H. Clay Price, Jr. and Lawrence M. Langer—454(A)
Of Ta, J. W. Burkig and J. Reginald Richardson—586(A)
Of Ta^{182}, $Re^{186, 188}$, and Au^{199}, Louis A. Beach, Charles L. Peacock, and Roger G. Wilkinson—1585
Tellurium isomers, R. D. Hill—186(A)
Of Te^{125m}, J. C. Bowe and Gertrude Scharff-Goldhaber—437(L)
Of Tl^{204}, neutron pairing, D. Saxon and J. Richards—982(L)
Of Tm^{170}, J. S. Fraser—1540(L)
Of Sn, J. C. Lee and M. L. Pool—192(A), 606; R. A. Hinshaw and M. L. Pool—358; R. A. Hinshaw—454(A); R. B. Duffield and L. M. Langer—1272(L)
Of tritium, E. R. Graves and D. I. Meyer—183(A); S. C. Curran, J. Angus, and A. L. Cockroft—853(L)
U^{234} in natural uranium, C. A. Kienberger—1561
U-234 specific alpha-activity, A. S. Goldin, G. B. Knight, P. A. Macklin, and R. L. Macklin—336
U-234 gamma-radiation, R. L. Macklin—595
Of V^{52}, Mo^{99}, and W^{185}, J. M. Cork, H. B. Keller, and A. E. Stoddard—575(L)
Water drop model of alpha-decay, J. E. Garvey and B. T. Darling—184(A)
Of Y^{84}, Y^{88}, and Zr^{87}, B. E. Robertson, W. E. Scott, and M. L. Pool—1649
Of Y^{91}, C. S. Wu and L. Feldman—696(L)
Of Y^{91} and Cs^{137}, forbidden transition, J. S. Osoba—345
Of Zn^{65}, K. C. Mann, D. Rankin, and P. N. Daykin—1719(L)

Raman spectra
Of carbonyl fluoride, P. J. H. Woltz, Ernest A. Jones, and A. H. Nielsen—200(A)
Of chlorine trifluoride, Ernest A. Jones, T. F. Parkinson, R. B. Murray, and J. S. Kirby-Smith—200(A)
Of HF, J. S. Kirby-Smith and E. A. Jones—200(A)

Range of particles
Alpha-particles in gases, G. G. Eichholz and N. J. Harrick—589(A)
Of charged particles from *D-D* reactions, Louis Rosen, Francis K. Tallmadge, and John H. Williams—1283
Of high energy electrons in Al, F. L. Hereford and C. P. Swann—570(L)
Proton range-energy relation, R. L. Clarke and G. A. Bartholomew—146(L)
Protons in photographic emulsions, H. Bradner, A. S. Bishop, and W. H. Barkas—587(A)
Range-energy curves for alpha-particles and protons, William P. Jesse and John Sadauskis—163(A)
Relative stopping power, experimental method, John G. Teasdale—588(A)

Recombination
Of electron-ion by microwave methods, Manfred A. Biondi and Sanborn C. Brown—1697

Relativity
Extension of field equations, Cornelius Lanczos—592(A)
Field of gravitational dipole, Hans Freistadt and Nathan Rosen—201(A)
Finite relativistic charge-current distributions, D. Bohm, M. Weinstein, and H. Kouts—867(L)
Generalized theory of gravitation, V. V. Narlikar and Ramji Tiwari—868(L)
Infinite relativistic particle matrices, Walter Wessel—1512
Interaction between elementary particles, Alfred Landé—1176
Wave equations in de Sitter space, Satosi Watanabe—296

Resonance radiation
Imprisonment in Hg vapor, D. Alpert, A. O. McCoubrey, and T. Holstein—457(A), 1257(A)

Scattering of electrons, neutrons, and ions (see also **Cross section, measurements, theory**)
D-D reaction products, angular distribution, Yashihiro Nakano—981(L)
Deuterons scattered by deuterons, angular distribution, E. J. Stovall, Jr., J. C. Allred, K. W. Erickson, and J. L. Fowler—589(A); J. C. Allred, K. W. Erickson, J. L. Fowler, and E. J. Stovall, Jr.—1430
Diffusion of neutrons in plate of finite thickness, Otto Halpern and R. K. Luneberg—1811
Double scattering of protons in helium, D. C. Dodder—683(L)
Effective range in nuclear scattering, theory, H. A. Bethe—38
Elastic scattering of electrons by neutral hydrogen atoms, Su-Shu Huang—477, 866(L)
Electrostatic scattering of neutrons, S. M. Dancoff and S. D. Drell—205
Energy loss of protons and deuterons, W. A. Bowers—196(A)
Of fast neutrons, C. K. Bockelman, R. E. Peterson, R. K. Adair, and H. H. Barschall—277
Interaction of 14-Mev neutrons with deuterons, J. H. Coon and R. F. Taschek—710
Magneto optics of neutrons, Otto Halpern—1130
Multiple scattering of fast particles, H. S. Snyder and W. T. Scott—220
Neutron-proton scattering, John M. Blatt and J. David Jackson—18; K. M. Watson and J. V. Lepore—193(A); H. N. Yadav—1720(L)
Neutron resonance scattering, corroboration, R. K. Adair, C. K. Bockelman, and R. E. Peterson—308(L)
Polarization effects in *n-p* and *p-p* scattering, Lincoln Wolfenstein—541
Phase shifts in proton-alpha-scattering, C. L. Critchfield and D. C. Dodder—602
Probabilities in multiple scattering, W. T. Scott—212
Of protons by Al, R. S. Bender, F. C. Shoemaker, S. G. Kaufmann, and G. M. B. Bouricius—273
Of protons by tritons, A. Hemmendinger, G. A. Jarvis, and R. F. Taschek—1137
Proton-proton at 5.11 Mev, R. O. Bondelid, P. G. Bohlman, and K. B. Mather—865(L)
Proton-proton scattering at 250 Mev, Charles L. Oxley—461(A)
Proton stopping power of gold, Torben Huus and C. B. Madsen—323(L)
Resonance scattering by W^{186}, S. Harris and C. O. Muehlhause—189(A)
Of slow neutrons by paramagnetic crystals, erratum, I. W. Ruderman, W. W. Havens, Jr., T. I. Taylor, and L. J. Rainwater—434(L)
Stopping power for protons in metals, S. D. Warshaw—1759
Straggling of electrons near critical energy, L. Eyges—264
Theory of Dirac equation, G. Parzen—592(A)
Three-body scattering, central and tensor forces, Roy Thomas—1002(L)
Variational method, Su-Shu Huang—1878(L)
Variational principle for scattering problems, Su-Shu Huang—866(L)

Scattering of radiation (see also **Raman spectra**)
In C, Al, Cu, Sn, and Pb, R. L. Walker—527
Of gamma-rays in aluminum, W. C. Parkinson—1348
Multiply scattered γ-rays, L. V. Spencer and Fannie Jenkins—462(A)
Non-Rayleigh scattering of infra-red solar spectrum, Arthur Adel—446(L)
Penetration and diffusion of x-rays, pair production, U. Fano—739
Resonance scattering of high energy γ-rays by C and Cu, E. R. Gaerttner and M. L. Yeater—363
Thompson scattering and hole theory, D. S. Kothari and F. C. Auluck—433(L)
Secondary electrons (see **Electrons, secondary**)
Semiconductors (see **Electrical conductivity and resistance**)
Shock waves (see also **Explosion phenomena; Fluid dynamics**)
Form and location of detached shock waves, W. E. Moeckel—877(A)
In inhomogeneous flow, Mac C. Adams—877(A)
Interaction of wave with contact surface, G. N. Patterson, I. I. Glass, and D. Bitondo—881(A)
Limiting lines, relation to shock in viscous gases, M. Z. Krzywoblocki—877(A)
Mach reflection of shock waves, W. Bleakney, C. H. Fletcher, and D. K. Weimer—323(L)
Photography of shocks, P. E. Shafer and J. F. Moulton, Jr.—881(A)
Reflection of plane shock at glancing incidence, C. H. Fletcher and W. Bleakney—881(A)
Reflection of shock waves from sea bed, A. B. Arons and D. R. Yennie—172(A)
Refraction at gas interface, R. G. Stoner and M. H. Glaubermann—882(A)
Shock tube, flow phenomena, F. W. Geiger—881(A)
Solid state (see **Crystalline state**)
Solutions
Of He^3 in He^4, J. W. Stout—864(L)
Sound (see **Acoustics**)
Spectra, absorption
Atmospheric HDO, H. A. Gebbie, W. R. Harding, C. Hilsum, and V. Roberts—1534(L)
Of atomic Na, E. R. Thackeray—173(A)
Of benzene at liquid-helium temperature, R. M. Hainer and Gilbert W. King—473(A)
Of chlorine monofluoride, T. F. Parkinson, E. A. Jones, and A. H. Nielsen—199(A)
Color centers in alkali halide crystals, Robert Lagemann—199(A)
Of diborane, W. E. Anderson and E. F. Barker—177(A)
Of H_2 and CO_2 at high densities, H. L. Welsh, M. F. Crawford, and J. L. Locke—580(L)
Of hydrogen telluride vapor, Herman Jarrell and Joseph W. Straley—199(A)
Infra-red absorption by homonuclear diatomic molecules, Mary Louise Oxholm and Dudley Williams—151(L)
Large orbits in alkali metal atoms, H. R. Kratz and J. E. Mack—173(A)
Line width in infra-red, pressure dependence, Frank Matossi—1845
ν_3-fundamental of N_2O, K. B. Rhodes and E. E. Bell—1273(L)
Of seven freons, Earle K. Plyler—177(A)
Source of highly forbidden lines in CdI, Fernand E. Deloume and John R. Holmes—174(A)
Theory of pressure absorption, Masataka Mizushima—1268(L)
Total absorption, overlapping lines, Frank Matossi, Robert Mayer, and Emma Rauscher—760
Ultraviolet of pyridine derivatives in solution, Harold P. Stephenson—199(A)
Spectra, atomic
Complex spectra, theory, Giulio Racah—1352
Electron-nuclear potential fields from hyperfine structure, M. F. Crawford and A. L. Schawlow—1310
Isotope shift in HeI, Thurston E. Manning—173(A)
Isotopic spectra of Pb, Thurston E. Manning—464(A)
Solar and stellar atmospheres, f values in iron spectrum, W. W. Carter—962
Structure of λ4686 of HeII, K. Murakawa, S. Suwa, and T. Kamei—1721(L)
Spectra, general
CO_2, infra-red solar spectrum, Leo Goldberg, Orren C. Mohler, Robert R. McMath, and A. Keith Pierce—1848
Collision theories of pressure broadening, J. H. Van Vleck and HenryMargenau—585(A), 1211
Color determination by human eye, W. A. Pryor and Hugh F. Henry—199(A)
Inversion spectrum of ammonia, pressure broadening, Henry Margenau—121; William V. Smith and Raydeen Howard—473(A)
Methane in solar spectrum, Robert R. McMath, Orren C. Mohler, A. Keith Pierce, and Leo Goldberg—1533(L)
Ultraviolet and x-rays from sun, J. D. Purcell, R. Tousey, and K. Watanabe—165(A)
Spectra, microwave
Of CD_3Cl and CD_3I, James W. Simmons—686(L)
Of CF_3Cl, D. K. Coles and R. H. Hughes—858(L)
Of $CH_2=CF_2$, A. Roberts and W. F. Edgell—178(A)
Of CH_2Br_2, William J. Pietenpol and John D. Rogers—690(L)
Of chloroacetylene and deuterochloroacetylene, A. A. Westenberg, J. H. Goldstein, and E. B. Wilson, Jr.—472(A)
Dipole moments from microwave spectra, C. H. Townes, R. G. Shulman, and B. P. Dailey—472(A)
Dispersion in NH_3, George Birnbaum—178(A)
Of FCl, D. A. Gilbert, A. Roberts, and P. A. Griswold—1723(L)
Of formaldehyde, R. B. Lawrance, R. L. Kyhl, and M. W. P. Strandberg—472(A)
Of $K^{39}F$, Ludwig Grabner, Vernon Hughes, and I. I. Rabi—472(A)
Of methyl alcohol and of methyl amine, H. D. Edwards, O. R. Gilliam, and W. Gordy—196(A)
Of methyl fluoride, fluoroform, and phosphorus tri-fluoride, O. R. Gilliam, H. D. Edwards, and W. Gordy—195(A)
Moment of CsF, J. W. Trischka—1365
Of nitrous oxide, D. K. Coles and R. H. Hughes—178(A)
Of OCS and CH_3Cl, isotopic frequencies, D. Bianco, G. Matlack, and A. Roberts—473(A)
Optical detection of radiofrequency resonance, F. Bitter—833
Paschen-Back effect in NH_3 and N_2O, C. K. Jen—1494
Pressure broadening, P. W. Anderson—647
Rotational magnetic moments of H_2O and HDO, C. K. Jen—471(A)
Rotational spectra and structures of GeH_3Cl, SiH_3Cl, and CH_3Cl, B. P. Dailey, J. M. Mays, and C. H. Townes—136(L)
Of $Rb^{85}F$ and $Rb^{87}F$, Vernon Hughes, Ludwig Grabner, and I. I. Rabi—471(A)
Van Vleck-Weisskopf line shape formula, P. W. Anderson—471(A)
Spectra, molecular (see also **Molecular structure and constants**)
CO-O_2 reaction, George A. Hornbeck and Helen S. Hopfield—174(A)
Of the deutero-ammonias, John S. Burgess—1267(L)
Doubly excited levels of H_2, G. H. Dieke—50

Excitation of molecular vibrations by high speed missiles, Z. I. Slawsky—882(A)
Fulcher bands of TH and T_2, G. H. Dieke and F. S. Tomkins—283
Hyperfine structure, HgH, S. Mrozowski—1820
Infra-red of CH_4, John S. Burgess—302(L)
Inversion spectrum of NH_3, H. Margenau—585(A), 1423; A. H. Sharbaugh, T. C. Madison, and J. K. Bragg—1529(L)
Linear molecules, rotational Stark spectrum, Harold, Kenneth Hughes—1675
Hg_2 and Hg_2^+ bands λ2540 and λ2476, S. Mrozowski—1714
Molecular constants of $C^{12}O^{16}$ and $C^{13}O^{16}$, errata, Robert T. Lagemann, Alvin H. Nielsen, and Fred P. Dickey—159(L)
Of nitrogen dioxide, M. Kent Wilson and Richard M. Badger—472(A)
Transition probabilities for electronic spectra of C_2 and N_2^+, Harrison Shull and R. S. Mulliken—176(A)

Spectroscopy, technique
Magnetron harmonics, 1.5- and 2-mm wave-length, J. H. N. Loubser and C. H. Townes—178(A)

Spinor analysis
Crystal statistics, partition function by spinor analysis, Bruria Kaufman—1232
Non-local spinor field, Hideki Yukawa—1731(L)

Stark effect
On symmetric top molecules with nuclear quadrupole coupling, W. Low and C. H. Townes—1295

Statistical mechanics (see **Mechanics, statistical**)

Stopping power (see **Scattering of electrons, neutrons, and ions**)

Superconductivity (see **Electrical conductivity and resistance**)

Supersonic phenomena
Analysis of air jets, R. Ladenburg, C. C. Van Voorhis, and J. Winckler—662
Boundary layer optics in two-dimensional flow, D. Bershader and G. P. Wachtell—880(A)
Characteristics of triangular planform wings, H. C. Sanderson, Jr. and Berg Paraghamian—878(A)
Condensation phenomena, wind tunnel, R. Head—882(A)
Excitation of molecular vibrations by high speed missiles, Z. I. Slawsky—882(A)
Flow of air at Mach No. 7, J. W. Braithwaite and J. L. Frame—883(A)
Heat delivery in two-dimensional flow, Chan-Mou Tchen—883(A)
Heat transfer coefficients on cones, G. R. Eber—879(A)
Multiple shock diffusers, Newman A. Hall—884(A)
Starting and stopping of wind tunnel, flow characteristics, G. E. Burkheimer—880(A)
Symmetric and plane supersonic flows, P. Zettler-Seidel—877(A)
Temperature gradient and humidity on condensation, P. P. Wegener—883(A)
Three-dimensional flows with vorticity, R. F. Clippinger and J. H. Giese—878(A)
Vorticity about a yawing body, W. C. Carter—878(A)

Thermal conductivity
Of beryllium carbide, Charles E. Teeter, Jr.—466(A)
Freezing of fresh water lakes, L. D. Huff—200(A)
Of glasses at low temperatures, R. Berman—315(L)
Of metals below 1°K, superconductors, C. V. Heer and J. G. Daunt—854(L)
Mixtures of He^3 and He^4, K. S. Singwi and L. S. Kothari—305(L)
Non-linear problem in transient flow, Bruce L. Hicks—166(A)
Second sound and classical heat flow, John R. Pellam—872(L)
Temperature distribution in an accreting medium, A. E. Benfield—456(A)

Thermal diffusion (see also **Diffusion**)
Of HCl, temperature variation, Gwynne B. Swartz—166(A)

Thermal radiation (see also **Radiation**)
Emittances of Cu and Al spheres, George Best—166(A)
Of Ti, Walter C. Michels and Sally E. Wilford—174(A)

Thermionic emission; emitting surfaces
Of (BaSr)O without metallic support, George E. Moore—458(A)
From carbon, Henry F. Ivey—567(L)
Emission phenomena in (Ba-Sr)O, E. S. Rittner, F. K. du Pré, and R. A. Hutner—996(L)
Of Ni, Alvin B. Cardwell—125
Work function of copper, Paul A. Anderson—388
Work function of silicon, change with temperature, B. J. Rothlein and P. H. Miller, Jr.—1882(L)
Work functions of gas-coated silver, G. L. Weissler and T. N. Wilson—591(A)

Thermodynamics
Chemical thermodynamics in Jacobian form, F. H. Crawford—456(A)
Of flow systems, Charles F. Curtiss and Joseph O. Hirschfelder—883(A)
Of liquid He, two-fluid theory, O. K. Rice—1701
Meaning of first law, J. C. Finck—166(A)
Non-equilibrium phenomena in Bose-Einstein gas, second sound, William Band—558
Temperature equilibrium in stationary gravitational field, H. A. Buchdahl—427(L)
Theory of critical fluctuations, M. J. Klein and L. Tisza—1861
Transformation theory, H. C. Corben—166(A)

Thermoelectric effects
Thompson coefficient for W at high temperatures, C. C. Sartain—197(A)

Thermomagnetic effects
In iron oxide and iron catalysts, Louis R. Maxwell and Stephen Brunauer—175(A)

Ultrasonics (see also **Acoustics**)
Rotational dispersion in deuterium and hydrogen, James L. Stewart and Ellen S. Stewart—464(A)

Uncertainty principle (see also **Mechanics, quantum—general**)
Test of principle, Gertrude Schwarzmann—192(A)

Viscosity
Mixtures of He^3 and He^4, K. S. Singwi and L. S. Kothari—305(L)
Second viscosity of liquids, erratum, L. N. Liebermann—440(L)

Wave mechanics (see **Mechanics, quantum,** etc.)

Work function (see **Thermionic emission; Photoelectric effect**)

X-rays, absorption, diffraction, scattering, reflection, refraction, and polarization
By Al between 100A and 300A, E. M. Pell and D. H. Tomboulian—172(A)
Angular scattering in Compton effect, Robert Hofstadter and John A. McIntyre—1269(L)
Collimation error in small angle scattering, K. L. Yudowitch—455(A)
Diffraction by Au-Be system, G. P. Chatterjee and S. S. Sidhu—175(A)
Diffusion through thick barriers, H. A. Bethe, U. Fano, and P. R. Karr—538; L. V. Spencer and Fannie Jenkins—1885(L)

X-rays, absorption, diffraction, scattering, reflection, refraction, and polarization (continued)
L_1 absorption edge in Al, D. H. Tomboulian and E. M. Pell —172(A)
Mn K absorption in Mn metal and compounds, Harold Hanson and W. W. Beeman—118
Scattering from large particles, David L. Dexter and W. W. Beeman—1782
Scattering of polarized x-rays, Eric Rodgers—196(A)
Simultaneity in Compton effect, R. Hofstadter and J. A. McIntyre—172(A)
Spectral distributions of hard x-rays in medium, P. R. Karr and J. C. Lamkin—1843

X-rays, emission
Energy distribution of bremsstrahlung, H. W. Koch, R. E. Carter, and C. S. Robinson—172(A)
K-shell internal conversion coefficients, M. E. Rose, G. H. Goertzel, B. I. Spinrad, J. Harr, and P. Strong—184(A)
L spectrum of element 61, W. F. Peed, E. J. Spitzer, and L. E. Burkhart—143(L)
Output for betatrons, W. F. Westendorp and F. R. Elder—445(L)
Radioactive materials as sources, H. F. Gunlock—453(A)
Spectral analysis of betatron radiation, P. K. S. Wang and M. Wiener—1724(L)

X-rays, tubes, apparatus
Helical focusing β-ray spectrometer, L. Feldman and C. S. Wu—180(A)
Photo-multiplier for x-ray spectrometer, J. S. Brown, G. M. Farrior, and Arthur Waltner—196(A)

Zeeman effect
Effect of nuclear motion, M. Phillips—1803